



Government of Kerala



ANNUAL VITAL STATISTICS REPORT 2007

Vital Statistics Division
Department of Economics & Statistics
Thiruvananthapuram
June 2009

PREFACE

The report presents the Vital Statistics of Kerala for the year 2007 on the basis of data collected under the revamped system of Civil Registration implemented in the State as a part of all India pattern. This is the eighth report based on the revamped system. The data relating to vital events received from the registering authorities are presented and vital rates are estimated.

The report is prepared by the Vital Statistics Division of the Directorate under the guidance of Sri.D.Rajan, Additional Chief Registrar of Births & Deaths and Additional Director. I acknowledge the efforts put in by Smt. S Leelamony, Deputy Director, Smt. K.Shailamma, Assistant Director, Smt.P.K.Neena, Research Assistant, Sri.V.K.Baburaj and Sri.Praveen, Statistical Assistants in the preparation of this report.

I would like to place on record the co-operation and valuable services rendered by Local Registrars, District Registrars, Deputy Directors and staff in the District Statistics Offices to make this venture a success.

I hope that this report is of great help to Planners & Administrators and those engaged in the field of Health and Demography.

Suggestions for the improvement of the publication is always welcome.

Thiruvananthapuram,
Date:

M.R. BALAKRISHNAN
DIRECTOR

CONTENTS

Item	Title	Page No.
I	Introduction and Analysis	
II	Tables	
A-1	Population, Registration Units, Monthly Returns Due and Received (Rural Area)	
A-2	Population, Registration Units, Monthly Returns Due and Received (Urban Area)	
B-1	Live Birth by Place of Occurrence, Districts (Rural & Urban) and Towns with population One Lakh and above	
B-2	Live Birth by Place of Residence, Districts (Rural & Urban) and Towns with Population one Lakh and above	
B-3	Time Gap in Registration of Live Births (Rural & Urban)	
B-4	Live Births by Sex and Month of Occurrence	
B-5	Live Births by Type of Attention at Delivery (Rural & Urban)	
B-6	Live Births by Method of Delivery and Type of Institution for Institutional Births (Rural & Urban)	
B-7	Live Births by Age of the Mother and Birth Order (Rural & Urban)	
B-8	Live Births by Birth Order and Age of the Mother for Towns with Population 1 Lakh and above	
B-9	Live Births by Age and Level of Education of the Mother (Rural & Urban)	
B-10	Live Births by Level of Education of the Father and Birth Order (Rural & Urban)	
B-11	Live Births by Level of Education of the Mother and Birth Order (Rural & Urban)	
B-12	Live Births by Age of Mother and Birth Order for each Level of Education of the Mother (Rural)	
B-13	Live Births by Age of Mother and Birth Order for each Level of Education of the Mother (Urban)	
B-14	Live Births by Age of the Mother, Birth Order and Religion of the Family (Rural)	
B-15	Live Births by Age of the Mother, Birth Order and Religion of the Family (Urban)	
B-16	Live Birth by Occupation of the Father and Birth Order (Rural & Urban)	
B-17	Live Birth by Occupation of the Mother and Birth Order (Rural & Urban)	
B-18	Live Birth by Duration of Marriage of the Mother and Birth Order (Rural & Urban)	
B-19	Live Birth by Duration of Marriage and Age of the Mother (Rural & Urban)	
B-20	Live Births by duration of Pregnancy and Birth Weight (Rural & Urban)	
B-21	Live Births by Age of the Mother and Birth Weight (Rural & Urban)	
B-22	Live Births by Birth Order and Birth Weight (Rural & Urban)	
B-23	Live Births by Method of Delivery and Age of the Mother (Rural & Urban)	
D-1	Deaths by Place of Occurrence, Districts (Rural & Urban) and Towns with population One Lakh and above	
D-2	Death by Place of Residence, Districts (Rural & Urban) and Towns with Population one Lakh and above	
D-3	Time Gap in Registration of Live Deaths (Rural & Urban)	

D-4	Deaths by Sex and Month of Occurrence	
D-5	Deaths by Type of Attention at Death (Rural & Urban)	
D-6	Deaths by Age, Sex and Religion of the Deceased (Rural & Urban)	
D-7	Deaths by Age, Occupation and Sex (Rural)	
D-8	Deaths by Age, Occupation and Sex (Urban)	
D-9	Deaths by Age, Occupation and Sex (All Area)	
D-10	Deaths by Cause of Death, Age and Sex for all Deaths Medically Certified or Not	
D-11	Deaths by Cause of Death, Age and Sex for Medically Certified Deaths	
D-12	Infant Deaths by Place of Occurrence, Districts (Rural & Urban) and Towns with Population One Lakh and Above	
D-13	Infant Deaths by Place of Residence, Districts (Rural & Urban) and Towns with Population One Lakh and above	
D-14	Infant Deaths by Age and Sex (Rural & Urban)	
D-15	Pregnancy Related Deaths by Age Group of the Deceased and Cause of Death for Medically Certified Deaths (Rural & Urban)	
D-16	Pregnancy Related Deaths by Age Group of the Deceased and Cause of Death for all Deaths Medically Certified or Not (Rural & Urban)	
D-17	Pregnancy Related Deaths by Age and Level of Education (Rural & Urban)	
D-18	Pregnancy Related Deaths by Age and Occupation (Rural & Urban)	
D-19	Deaths by Selected Cause of Death, Age, Sex and Habit (Rural)	
D-20	Deaths by Selected Cause of Death, Age, Sex and Habit (Urban)	
D-21	Deaths by Selected Cause of Death, Age, Sex and Habit (All Area)	
S-1	Still Births by Place of Occurrence in Districts (Rural & Urban)	
S-2	Still Births by Place of Residence in Districts (Rural & Urban)	
S-3	Still Births by Sex and Age of the Mother (Rural & Urban)	
S-4	Still Births by Sex and Duration of Pregnancy (Rural & Urban)	
S-5	Still Births by Sex and Type of Medical Attention Received at Delivery (Rural & Urban)	
S-6	Still Births by Cause of Still Births and age of the Mother (Rural & Urban)	
S-7	Still Births by Cause of Still Births and Age of the Mother (Rural & Urban)	

DEFINITIONS USED IN THIS REPORT

$$\text{Aged child ratio} = \frac{\text{Population of above 60 yrs}}{\text{Population of below 15 yrs}} \times 100$$

$$\text{Young dependency ratio} = \frac{\text{Population of 0-14 ages}}{\text{Population of 15-64 ages}} \times 100$$

$$\text{Old dependency ratio} = \frac{\text{Population of above 65 years}}{\text{Population of 15-64 ages}} \times 100$$

$$\text{Total dependency ratio} = \frac{(\text{Population of 0-14 years} + \text{Population of above 65 years})}{\text{Population of 15-64 years}} \times 100$$

$$\text{Crude birth rate} = \frac{\text{Number of Live birth during the year}}{\text{Mid-year population}} \times 1000$$

$$\text{General fertility rate} = \frac{\text{Number of live births in a year}}{\text{Mid-year female population in the age group (15-49) years}} \times 1000$$

$$\text{Age specific fertility rate} = \frac{\text{Number of live birth in a particular age group}}{\text{Mid-year female population of the same age group}} \times 1000$$

$$\text{Total fertility rate} = \frac{5 \times \sum_{15-19}^{45-49} \text{ASFR}}{1000}$$

$$\text{Gross reproduction rate} = \frac{5 \times \sum_{15-19}^{45-49} \text{ASFR for female live births}}{1000}$$

$$\text{Child women ratio} = \frac{\text{Population of 0-4 age group}}{\text{Female population in the age group 15-49}} \times 1000$$

$$\text{Crude death rate} = \frac{\text{Number of deaths during the year}}{\text{Mid-year population}} \times 1000$$

$$\text{Infant mortality rate} = \frac{\text{Number of infant deaths during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Neo-natal mortality rate} = \frac{\text{Number of infant deaths < than 29 days during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Early neo- natal mortality rate} = \frac{\text{Number of infant deaths < than 7 days during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Late neo- natal mortality rate} = \frac{\text{Number of infant deaths of 7 days to < than 29 days during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Post neo- natal mortality rate} = \frac{\text{Number of infant deaths of 29 days to < than one year during the year}}{\text{Number of live births during the year}} \times 1000$$

$$\text{Peri neo- natal mortality rate} = \frac{\text{Number of still births and infant deaths of < than 7 days during the year}}{\text{Number of live births and still births during the year}} \times 1000$$

$$\text{Still birth rate} = \frac{\text{Number of still births during the year}}{\text{Number of live births and still births during the year}} \times 1000$$

FIGURES AT A GLANCE- KERALA-2007

I Age-sex structure of population

1	Sex ratio (females/1000 males)	1072
2	Masculinity proportion (males/1000 popln)	483
3	Aged – child ratio	45.27
4	Age dependency ratio	
	(a) Young dependency ratio	35.68
	(b) Old dependency ratio	11.16
	(c) Total dependency ratio	46.84

II Fertility Indicators

1	Crude birth rate	16.18
2	General fertility rate	57.12
3	Age-specific fertility rate	
	15-19	23.04
	20-24	142.77
	25-29	134.44
	30-34	53.42
	35-39	13.08
	40-44	1.19
	45-49	0.15
4	Total fertility rate	1.84
5	Gross reproduction rate	0.89
6	Child-women ratio	286.22

III Mortality indicators

1	Crude death rate	7.08
2	Sex ratio of deaths (male deaths/1000 female deaths)	1404
3	Percentage of infant death to total death	1.94
4	Infant mortality rate	8.48
(a)	Neo-natal mortality rate	6.95
(b)	Early neo- natal mortality rate	5.62
(c)	Late neo- natal mortality rate	1.33
(d)	Post neo- natal mortality rate	1.53
(e)	Peri neo- natal mortality rate	11.63
5	Still birth rate	6.05

IV Percentage distribution of birth by type of medical attention at delivery

1	Government hospital	28.50
2	Private hospital	54.65
3	Qualified professional	4.75
4	Untrained functionary and others	2.07

V Percentage distribution of death by type of medical attention before death

1	Institution	59.05
2	Qualified professional	17.85
3	No medical attention	19.33
4	Not specified	3.77

Vital rates at a Glance - Kerala

Year	Birth Rate	Death Rate	Infant death rate	Still Birth rate	Maternal Death rate
1992	17.67	5.49	9.84	5.29	0.03
1993	17.67	5.38	10.48	5.05	0.02
1994	17.52	5.38	10.41	5.14	0.06
1995	18.09	5.28	10.15	5.72	0.07
1996	18.76	5.51	9.53	5.14	0.11
1997	19.19	5.25	9.07	5.18	0.13
1998	18.43	5.79	9.00	4.65	0.12
1999	18.32	5.73	8.27	5.25	0.00
2000	18.01	5.42	7.10	6.43	0.02
2001	18.13	5.70	5.43	4.65	0.01
2002	18.05	5.73	5.54	4.90	0.13
2003	17.16	5.97	4.40	4.02	0.24
2004	17.15	6.06	4.25	4.68	0.23
2005	17.34	6.33	7.35	6.27	0.64
2006	16.63	6.55	8.1	5.56	0.67*
2007	16.18	7.08	8.48	6.05	0.19

- **Revised**

ANNUAL VITAL STATISTICAL REPORT – 2007

Introduction

Registration of births and deaths is an important source for demographic data for socio-economic development and population control in developing countries. In India, the need for dependable demographic data was felt soon after independence heralding the era of Five Year planning. In the beginning the registration of births and deaths started on voluntary basis and there was no uniformity in statistical returns resulting in both under registration and incomplete coverage. In order to unify the civil registration activities, the Civil Registration System was introduced in India under the Registration of Births and Deaths Act (RBD Act), 1969. Civil Registration System may be defined as a continuous recording of vital events such as births, deaths and marriages occurring in a population. The basic uses of data from Civil Registration System are

- Maintenance of permanent records on births and deaths as legal documents.
- Assessment of continuous changes in population.
- Evaluation of success of socio-economic programmes by indicators based on vital events and size of population.

As a matter of fact, requirement of this system as legal proof of births and deaths should in itself be strong enough reason for any country to have a fully operational CRS. In India the registration of vital events and the administrative machinery for this purpose has been in existence for more than a century. It had been working under diversified Acts and executive instructions thus making it unsuitable for the independent India.

Registration of Births and Deaths Act 1969

This Act replaced the then existed laws and unified the system of registration through out the country. Under the RBD Act the registration of births and deaths was made compulsory; it has become mandatory on the part of head of house hold or his representative to report and register domiciliary vital events, for medical officers in charge of medical institution in respect of births and deaths occurring in these institution. The Act also provided the statutory authority at Centre, State, District and Peripheral level. It prescribed definitions, principles, personnel and penalties connected with enforcement of the Act. It enabled Central Government to insist uniformity in registration procedures and bring out comparability in vital statistics registered in different parts of the country.

National Level

At national level the Registrar General of India (RGI) administers CRS. He is empowered to issue general directions and take steps to co-ordinate and unify the activities of Chief Registrars of the States, who are the Chief Executive authority in the states for executing the provision of RBD Act 1969 and the rules and orders made there under. They were responsible for coordinating, unifying and supervising the work of CRS within their respective state.

State Level

The Registration of Births and Deaths Act 1969 (Central Act 18 of 1969) came into force in Kerala on 1st April 1970 by the Government of India Gazette notification dated 21st march 1970 along with many other states. The Kerala Registration of Births and Deaths Rules 1970 published in G.O.(P)No.7/70/LAD dated 29th June 1970 by S.R.O.No.262/70 Gazette dated 1st July 1970 have been approved by the Government of India under section 10(1) of the said Act.

Organizational Setup in Kerala State

- **Chief Registrar**

The Director of Panchayaths, Government of Kerala is the Chief Registrar of Births and Deaths.

- **Additional Chief Registrar**

The Additional Director of Economics and Statistics Department is the Additional Chief Registrar of Births and Deaths.

- **Deputy Chief Registrar**

A Deputy Chief Registrar assists the Chief Registrar in the day-to-day affairs relating to the registration of Births and Deaths at the State level. Another Deputy Chief Registrar assists the Additional Chief Registrar who is the Deputy Director of Economics and Statistics Department.

- **District Registrars**

The Deputy Director of Panchayaths of the 14 districts in the State are functioning as the District Registrars. The Secretaries of Corporations and Municipalities and the Executive Officer of Kannur Cantonment area are exercising the powers of District Registrars.

- **Additional District Registrars**

The Deputy Directors of the 14 District Statistical office are functioning as the Additional District Registrars of Births and Deaths of respective revenue districts.

- **Registrars**

The Secretaries of Grama Panchayaths, Health Officers of Corporations, Health Inspectors of Municipalities and Executive Officer of Kannur Cantonment area are functioning as the Registrars of births and deaths.

Conceptual and Empirical Frame Work

As per the R B D Act, births and deaths are to be registered within 21 days after the occurrence of the events at the place of occurrence. The details such as date of event, date of registration, sex and the details of father and mother such as their age, religion, literacy, occupation, order of birth etc of each event are recorded in the registers at the time of registration. These details are carried over to the prescribed birth, death and stillbirth cards and are forwarded to the Deputy Directors of the Districts Offices of Economics and Statistics Department. Soft copy of the same is forwarded to Directorate for further processing.

Limitations of the data

As far as the level of registration is concerned Kerala has got cent percent record in the registration of births and 99.5 percent in the case of deaths. Some of the vital events are seen unregistered. This may be due to lack of awareness about the need and importance of registration of births and deaths and lack of registration procedure knowledge among the public. This may affect the quality of the statistical data. Efforts are being taken to create mass awareness about the importance and necessity of registration.

Analysis and findings

I. LIVE BIRTHS

1.1 Level of Reporting

Monthly returns due and received at the head quarters from the registration centers of the State are given in Table No. A1 and A2. It may be observed that level of reporting was cent percent for urban as well as rural areas.

1.2. Live births and birth rates

In this report the data and the vital rates are arrived on the basis of place of occurrence of events. The criteria for including an event is based on the year of registration. By using this method the number of live birth occurred during 2007 is 5.45 lakhs as against 5.56 lakhs during 2006. Out of which 2.10 lakhs were reported from rural areas and 3.35 lakhs from urban areas.


The registered live births by sex are presented in the statement 1.I. It can be seen that number of male births are greater than female births. Out of total live births registered 51.13% are male and 48.28% are female. However about 0.59% have not stated their sex. This may be due to the non-recording of the information from the legal part to the statistical part. Sex ratio at birth is worked out to be 106 males for 100 females.

Statement - I.1

Registered live births by sex – Kerala -2007

Sex	No. of births registered	%
Male	278724	51.13
Female	263224	48.28
NR	3206	0.59
Total	545154	100

Crude Birth Rate of the state had declined from 19.19 in 1997 to 16.16 in 2007. It can be seen that during the period, birth rate shows a fluctuating trend. This may be on account of delayed registration of events. The trend is shown in the chart given below.



On analysis, it is observed that the highest birth rate 20.70 was recorded in Malappuram district followed by Kozhikkode (18.39) and the lowest in Alappuzha district (11.13) followed by Kollam (13.75). Chart given below gives a comparison of the district by level of CBR




Table B3 reveals that out of 545154 live births registered during the year 2007, 71957 were delayed registrations. It is observed that 11692 live births were registered after one year from the date of occurrence.

1.3 Live births by month of occurrence

Statement 1.2 shows the month of occurrence of live births for the state during 2007. This can be used to determine the seasonal pattern of live births in the state. On analyzing the month wise registration details it is seen that the highest number of live births were registered during May (9.59%) followed by November (9.09%), March (9.06%) and October (8.94%).

Statement - 1.2
Month-wise distribution of live births registered -Kerala 2007

Month	Number of live births registered	%
January	39535	7.25
February	38890	7.13
March	49389	9.06
April	47799	8.77
May	52265	9.59
June	42063	7.72
July	42923	7.87
August	41449	7.60
September	45941	8.43
October	48742	8.94
November	49577	9.09
December	46581	8.55
Total	545154	100

1.4. Live birth by medical attention at birth

Statement 1.3 presents the distribution of live birth by type of medical attention received at the time of delivery. It may be observed from the statement that major portion of live births have occurred in institutions in urban as well as rural areas. Another observation that can be made from the statement is that in spite of having enough modern medical facilities across the state, a small portion of live births (2.07%) is still attended by the traditional birth attendant/relatives. It is worthwhile to mention that a significant proportion, of live births (87.90%) were attendant by trained health professionals or occurred at health care institutions. About 10% of births did not report about the medical attention received at the time of delivery. It is also observed that out of 453319 institutional births, 66% of the births occurred in private hospitals. The private institutions may due to effective as well as personal care offer this.

Statement - 1.3
Percentage distribution of live birth by medical attention at birth-Kerala-2007


Rural/Urban	Type of attention at delivery							
	Government Institutions	Private Institutions	Total	Doctors, Nurses and Midwives	Traditional birth attendants	Relatives and others	Not stated	Total
Rural	20.69	60.12	80.81	8.82	3.36	1.71	5.30	100
Urban	33.41	51.21	84.62	2.19	0.13	0.07	12.98	100
Total	28.50	54.65	83.15	4.75	1.37	0.70	10.02	100

1.5.Live birth by method of delivery

Statement 1.4(a) gives the percentage distribution of registered live births occurred in institutions by method of delivery. It is observed that normal delivery constitute 61.06% of all institutional live births. Caesarean have been conducted for 35.45% whereas the use of forceps/vacuum have been observed in 3.41% of deliveries.

Statement - 1.4(a)
Percentage distribution of registered live births by institutions and method of delivery - Kerala-2007

Method of delivery	Normal	Caesarean	Forceps/vacuum	Not stated	Total
Government Institution	63.94	33.81	2.18	0.07	100
Private Institution	59.56	36.30	4.06	0.08	100
Total	61.06	35.45	3.41	0.08	100



The data in the statement 1.4(b) reveals that out of the total caesarean cases 67.31% of cases were reported from private sector. This may be due to the combined effect of so many factors including the attitude of women to have hassle free delivery.

Statement - 1.4(b)
Percentage distribution of registered live births by method of delivery and institutions - Kerala-2007

Method of delivery	Government Institution	Private Institution	Total
Normal	35.89	64.11	100
Caesarean	32.69	67.31	100
Forceps/vacuum	21.88	78.12	100
Not stated	31.20	68.80	100
Total	34.28	65.72	100


1.6.Livebirth by age of mother and birth order

Distribution of live births by age of mother and birth order is furnished in statement 1.5. The data reveals that the highest number of live births occurred were from the mothers belonging to the age group 20-24 (38.92%), followed by the age group 25-29(36.57%) and there after it declined gradually with age. A point of major concern is that 5.82% of live births occurred were from mothers of age group 15-19. It indicates that proportion of girls getting married before 18 years of age is not negligible. Percentage of live birth is less than 1% in the case of mothers in the age group 40&above.

Statement - 1.5
Percentage distributions of live birth by age of mother and birth order- Kerala-2007

Birth order	Age of mother (years)								Total
	Below 15	15-19	20-24	25-29	30-34	35-39	40 and above	Not stated	
1	0.00	11.62	52.07	28.75	6.05	1.33	0.13	0.05	100
2	0.00	0.65	32.27	44.24	18.86	3.69	0.24	0.05	100
3	0.00	0.07	17.07	49.89	25.43	6.85	0.57	0.12	100
4	0.00	0.05	6.40	40.49	38.22	13.64	1.05	0.16	100
5	0.00	0.06	2.92	27.63	40.75	25.17	3.16	0.32	100
6+	0.00	0.00	1.53	13.22	33.87	36.32	13.92	1.18	100
Not stated	0.00	1.65	5.88	3.00	1.24	0.33	0.07	87.02	100
Total	0.00	5.82	38.92	36.57	13.85	3.35	0.31	1.18	100

Among the registered birth 47.75 % is of first order followed by second order of birth and there after it gradually declined for higher birth orders. This phenomenon explains the state's low fertility levels. This pattern is similar to both rural and urban areas. This is evident from the chart given below.



1.7.Livebirths by Educational level of mother and father

Statement 1.6 reveals that only less than 1% of live births have occurred to illiterate fathers and mothers. The percentage of live birth is the highest for the parents of literacy level metric but below graduates and there after it declined gradually with increase in levels of education. Table B-10 reveals that higher order births have occurred to parents of literacy level primary but below metric.

Statement - 1.6

Percentage distribution of live births by educational level of parents-Kerala-2007

Education level	Mother	Father
Illiterate	0.55	0.66
Below primary	2.61	3.25
Primary but below metric	28.27	37.43
Metric but below graduate	47.57	44.53
Graduate and above	18.80	11.80
Not stated	2.20	2.33
Total	100.00	100.00

1.8.Livebirth by religion

The following statement depicts the religious association with the registered live birth and order of live birth in the state. Hindus comprises of more than 45 % of registered live births followed by 33.71 % from the Muslim community. Only 18.02% of registered live births belongs to Christian community. Statement 7(b) reveals that more higher order births (4+) belongs to Muslim Community

Statement - 1.7 (a)
Percentage distribution of live birth by religion of the family-Kerala-2007

Religion	No of live births	%
Hindu	250094	45.88
Muslim	183796	33.71
Christian	98220	18.02
Others	6108	1.12
Not stated	6936	1.27
Total	545154	100.00

Statement - 1.7 (b)
Percentage distribution of live birth by religion and birth order-Kerala-2007

Birth order	Religion			
	Hindu	Muslim	Christian	Others
1	53.56	41.32	47.81	49.12
2	40.01	33.97	39.62	34.76
3	5.43	17.20	9.64	10.46
4+	0.87	7.23	2.77	5.62
Not stated	0.13	0.29	0.15	0.05
Total	100.00	100.00	100.00	100.00

By analysing the distribution of live birth by age of mother and religion it is observed that the highest percentage (12.06%) live birth occurred to mothers in the age group 15-19 also belongs to Muslim community. This indicates that major portion of minor marriages is occurring in this community.

Statement - 1.7(c)
Percentage distribution of live birth by age of mother and religion -Kerala-2007

Age of mother (years)	Religion			
	Hindu	Muslim	Christian	Others
15-19	3.16	12.06	1.32	4.39
20-24	39.14	46.23	26.92	39.91
25-29	39.72	29.00	44.89	37.56
30-34	14.50	9.80	20.61	14.26
35-39	3.17	2.58	5.43	3.52
40 and above	0.25	0.22	0.69	0.26
Not stated	0.06	0.11	0.14	0.10
Total	100.00	100.00	100.00	100.00

1.9.Live birth by occupation of father and mother

Table B16 and B17 show that different occupation has been marginally associated with the birth order distribution. Specific jobs like administrative, executive and managerial jobs require relatively higher educational qualification, which in turn have impact on family size. People belonging to these categories are more likely to have less number of children.

1.10.Livebirth by duration of marriage and birth order

Statement 1.8(a) & 1.8(b) present the percentage distribution of live birth by duration of marriage of mother and birth order. 62.75% of births were occurred to young couple having duration of marriage 0-4 years. Obviously higher proportion of birth (71.39%) is of the order first for these young couples. As the marriage duration goes up shifting of births to higher order can be observed.

Statement - 1.8(a)
Percentage distribution of live birth by duration marriage of mother
Kerala-2007

Duration of marriage (Years)	Live births	Percentage
0-4	342110	62.75
5-9	148591	27.26
10-14	37783	6.93
15-19	8273	1.52
20-24	1538	0.28
25-29	145	0.03
30 and above	15	0.00
Not stated	6699	1.23
Total	545154	100.00

Statement - 1.8(b)
Percentage distribution of live birth by duration marriage and birth order
Kerala-2007

Duration of marriage (Years)	Birth order					
	1	2	3	4+	Not stated	Total
0-4	71.39	26.76	1.58	0.10	0.17	100
5-9	8.82	66.17	21.50	3.38	0.13	100
10-14	5.95	32.94	40.13	20.86	0.12	100
15-19	4.34	15.23	30.63	49.58	0.22	100
20-24	4.10	9.36	18.59	67.56	0.39	100
25-29	2.07	5.52	11.03	79.31	2.07	100
30 and above	13.33	13.33	6.67	66.67	0.00	100
Not stated	4.28	2.60	1.28	1.00	90.84	100
Total	47.75	37.40	10.17	3.41	1.27	100

1.11.Livebirth by duration of pregnancy and birth weight

A clear association between duration of pregnancy and birth weight can be observed from statement 1.9. During 2007 out of 5.45 lakhs live births, only 72720(13.34%) of the babies were born with low birth weight (less than 2.5Kg). Cases of babies born with LBW decreases with increase in duration of pregnancy. It is quite evident from the statement.

Statement - 1.9
Percentage distribution of live birth by duration of pregnancy and birth weight
Kerala-2007

Duration of pregnancy (weeks)	Birth weight (Kg)					
	<2.5	2.5-3.0	3.0-4.0	4+	Not stated	Total
<32	71.38	12.00	14.00	1.85	0.77	100
32-36	36.32	32.25	29.83	0.82	0.78	100
37-39	12.53	39.18	46.72	1.24	0.33	100
40	9.32	36.23	52.67	1.54	0.24	100
41+	9.56	34.45	54.32	1.67	0.00	100

1.12.Live birth by age of mother and birth weight

Statement 1.10 presents the percentage distribution of live birth by age of mother and birth weight. It is observed that cases of low birth weight babies are more to mothers in the higher age group of 35-39, 40-45 and 45 and above.

Statement 1.10
Percentage distribution of live birth by age of mother and birth weight Kerala-2007

Age of mother (years)	Birth weight (Kg)					
	<2.5	2.5-3	3-4	4+	Not stated	Total
<15	25.00	25.00	50.00	0.00	0.00	100
15-19	15.38	41.96	41.67	0.65	0.34	100
20-24	13.77	38.80	45.97	1.08	0.38	100
25-29	12.54	36.35	49.16	1.45	0.51	100
30-34	13.51	35.14	48.87	1.88	0.59	100
35-39	16.45	34.91	45.79	1.96	0.89	100
40-44	19.95	34.32	40.28	2.31	3.14	100
45 and above	25.00	32.69	32.05	1.28	8.97	100

1.13.Live birth-by-birth order and birth weight

Statement 1.11 reveals that birth order is not significantly associated with the birth weight. In all birth orders majority of birth falls in the category of birth weight 3-4Kg.

Statement - 1.11

Percentage distribution of Live birth by birth order and birth weightKerala-2007

Birth order	Birth weight (Kg)					
	<2.5	2.5-3	3-4	4+	Not stated	Total
1	14.20	39.05	45.34	1.12	0.29	100
2	12.42	36.34	49.35	1.47	0.42	100
3	13.63	35.13	48.73	1.61	0.90	100
4+	14.73	33.18	47.41	2.03	2.65	100
All	13.34	37.00	46.75	1.32	1.58	100


1.4.Live birth by method of delivery and age of mother

The delivery characteristics by mother's age is presented in the statement 1.12. About 61% of deliveries are normal. As we analyses mothers age group it can be observed that occurrence of caesarean deliveries are more in the case of mothers belonging to higher age group. This is quite evident from the statement.

Statement - 1.12

Percentage distribution of live birth by method of delivery and age group Kerala-2007

Method of delivery	Age of mother (years)								
	<15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Total
Normal	50.00	70.90	65.25	59.78	54.62	50.90	52.02	62.18	60.88
Caesarean	0.00	21.66	30.76	37.42	43.22	46.89	46.82	35.90	34.63
Forceps/Vacuum	25.00	7.24	3.83	2.66	2.02	2.02	0.77	0.00	3.24
Not stated	25.00	0.20	0.16	0.14	0.14	0.19	0.39	1.92	1.25
Total	100	100	100	100	100	100	100	100	100



II DEATHS

2.1. Deaths by sex


2.39 lakhs deaths were registered in the state during 2007 as against 2.19 lakhs in 2006. Statement 2.1 provides the distribution of registered deaths in the state during 2007. Out of the total deaths registered in 2007, males constitute 57.65%. Sex ratio of the deaths registered is computed as 712 females per 1000 males.

Statement - 2. 1
Percentage Distribution of deaths by sex, Kerala-2007


Sex	No of registered deaths	%
Male	137609	57.65
Female	97984	41.05
Sex not stated	3098	1.3
Total	238691	100

The CBR of the state during past 10 years are presented in the chart given below. From the chart given below it is observed that over a period of 10 years death rate showing an upward trend. This may be due to the combined effect of the following reasons.

1. Increase in the level of registration of death
2. Higher percentage of death in increasing old age population



District wise death rates is shown in the chart below. Among the districts the highest death rate 9.53 was recorded in Pathanamthitta followed by Kottayam (8.90) and the lowest in Wayanad (4.76) followed by Malappuram (4.90).



2.2.Delayed Registration

Table D3 reveals that out of 238691 deaths registered during the year 2007, 36726 were delayed registrations. It is observed that 4597 deaths were registered after one year from the date of occurrence.

2.3. Deaths by month of occurrence

Statement 2.2 gives the registered deaths according to the month of occurrence. It may be observed that the occurrence of death were more in the second half of 2007 as compared to the first half. Highest percentage of deaths was reported in July (10.38%) followed by September (10.08%) and the lowest in April (6.75%).

Statement - 2.2

Percentage Distribution of deaths by the months of occurrence, Kerala-2007

Months	No of deaths registered	%
January	19517	8.18
February	17430	7.30
March	17700	7.42
April	16121	6.75
May	17625	7.38
June	17936	7.51
July	24770	10.38
August	23584	9.88
September	24057	10.08
October	20847	8.73
November	20230	8.48
December	18874	7.91
Total	238691	100


2.4.Deaths by type of medical attention at death

Statement 2.3 shows the result of medical attention, the deceased had received at the time of death. It is evident from the statement that majority of the deaths have occurred in institutions (59.05%). About 80% of deaths have occurred in institutions in urban areas as compared to 50% in rural areas.17.85% of deaths were non-institutional but received medical attention. Non-institutional deaths are higher in rural areas (22.32 %) as compared to urban areas (8.02%) .Another feature observed is that 19.33% of deaths has not received any medical attention.

Statement - 2.3

Percentage Distribution of deaths by type of medical attention at death Kerala- 2007

Rural/Urban	Institutional	Non-institutional	No medical attention	Not stated	Total
Rural	49.57	22.32	22.93	5.18	100
Urban	79.88	8.03	11.42	0.67	100
Total	59.05	17.85	19.33	3.77	100



2.5.Deaths by religion and age

Percentage Distribution of deaths by religion is presented in the statement 2.4. 61.55% of deaths were reported from Hindus, 17.50% from Muslims and 19.75% from Christians. From the statement 2.5 it can be seen that percentage of deaths for males is greater than that of females in all religions. The percentage of deaths is observed to be the highest in the age group of more than 60 years across all the religions. It is evident from the statement 2.6

Statement - 2. 4

Percentage Distribution of deaths by religion

Religion	No of deaths registered	%
Hindus	146912	61.55
Muslims	41770	17.50
Christians	47153	19.75
Others	1690	0.71
Not reported	1166	0.49
Total	238691	100.00

Statement - 2. 5
Percentage Distribution of deaths by religion and sex Kerala-2007

Religion/Sex	Male	Female	Not reported	Total
Hindus	57.44	41.27	1.29	100
Muslims	58.19	40.76	1.05	100
Christians	57.70	40.76	1.54	100
Others	58.34	41.24	0.42	100
Not reported	62.18	34.91	2.91	100
Total	57.65	41.05	1.30	100

Statement - 2. 6
Percentage Distribution of deaths by religion and age- Kerala-2007

Age	Hindu	Muslim	Christian	Others	Not Reported	Total
<1	1.53	3.73	1.16	15.39	0.60	1.94
1-4	0.38	0.80	0.44	1.78	1.63	0.48
5-14	0.59	1.02	0.58	1.12	0.77	0.67
15-24	1.62	2.09	1.14	2.07	1.29	1.61
25-34	2.64	2.48	2.24	3.97	2.40	2.54
35-44	4.92	4.05	3.97	6.45	6.26	4.60
45-54	9.32	9.45	7.78	10.47	11.24	9.06
55-64	14.61	16.72	12.75	15.44	13.89	14.61
65-69	10.13	12.87	9.07	8.34	9.09	10.38
70+	53.48	46.19	59.77	34.08	49.31	53.28
Age not stated	0.78	0.60	1.10	0.89	3.52	0.83
Total	100.00	100.00	100.00	100.00	100.00	100.00

2.6.Deaths by age, occupation and sex

Analysis further looked at the age pattern of mortality in the state by sex. The results have been shown in the statement2.7 given below. It can be seen that percentage of male deaths is higher than that of females in all the age groups.

Statement - 2.7
Percentage Distribution of deaths by age and sex Kerala-2007

Age	Male	Female	Not Reported	Total
<1	56.88	42.34	0.78	100
1-4	52.86	44.97	2.17	100
5-14	55.46	43.53	1.01	100
15-24	60.80	38.00	1.20	100
25-34	67.34	31.83	0.83	100
34-44	69.52	29.59	0.89	100
45-54	70.95	28.12	0.93	100
55-64	68.95	30.06	0.99	100
65-69	61.59	37.35	1.06	100
70+	50.33	48.53	1.14	100
Age not stated	39.39	32.02	28.59	100
Total	57.65	41.05	1.30	100

The statement below reveals that the percentage of death was lowest for both sexes in age group 1-4 years. The highest percentage was seen in the age group 70 and above.

Statement - 2.8
Percentage of distribution of deaths by Age and Sex Kerala-2007

Age	Male	Female
<1	1.91	2.00
1-4	0.44	0.53
5-14	0.64	0.71
15-24	1.69	1.49
25-34	2.96	1.97
34-44	5.55	3.31
45-54	11.15	6.20
55-64	17.48	10.70
65-69	11.09	9.44
70+	46.52	63.00
Age not stated	0.57	0.65
Total	100	100

The data have been further analyzed by occupation and age group of the deceased. No particular pattern has been observed except in the category “non-workers”. The percentage distribution of deaths is the highest in the case of non-workers for all age groups.

2.7.Cause of deaths by age and sex

One of the main objectives of death registration is to know the causes of death. In 2007 Heart attack, Asthma, Cancer, Blood pressure and diabetes are the main cause of deaths in both males and females. Among the causes of death 12.45% of the cases belongs to “Old Age”. It can be observed that percentage of suicidal deaths is higher for males (2.99%) than that for females (1.38%).

Statement - 2.9
Percentage distribution of death by sex and cause of death Kerala-2007

Cause of death	Male	Female	Total
Cancer	7.24	6.62	6.98
Diabetes	2.24	3.16	2.63
Heart attack	29.41	23.52	26.98
Asthma	11.40	12.82	11.98
Liver Disease	2.19	1.18	1.75
Paralysis	2.53	3.98	3.15
Accident(Traffic/Vehicle)	1.91	0.46	1.30
Suicide	2.99	1.38	2.33
Blood Pressure	2.24	3.84	2.90
Kidney Trouble	1.82	1.44	1.66
Old age	9.32	16.72	12.45

INFANT DEATHS


2.8.Infant death by sex

Statement 2.10 given below presents IMR by sex in the districts for the year 2007. IMR of the state is reported to be 8.48. Among the districts it varied from 18.50 in Kozhikkode to 3.57 in Kasaragode. It is observed that male infants experienced higher mortality than female infants in all the districts except Palakkad, Wayanad and Kasaragode.

Statement - 2.10
District wise IMR by sex


District	Male	Female	Total
Thiruvananthapuram	16.29	12.53	14.52
Kollam	3.10	2.21	2.69
Pathanamthitta	8.32	5.04	6.02
Alappuzha	3.73	3.95	4.00
Kottayam	6.23	5.19	5.83
Idukki	5.41	4.67	5.07
Ernakulam	11.09	6.89	9.10
Thrisuur	14.12	10.65	12.53
Palakkad	3.26	4.95	4.07
Malappuram	6.34	5.39	5.86
Kozhikkode	20.98	15.80	18.50
Wayanad	9.43	10.57	10.18
Kannur	6.66	4.64	5.79
Kasaragode	3.53	3.61	3.57
Total	9.43	7.43	8.48

Infant Mortality Rate of the state shows an upward trend for past three years. It may be due to the increase in the level of registration of infant deaths. IMR of the state during the past 10 years is given in the chart



2.9 Comparison of IMR based on CRS and SRS

IMR estimated from SRS data is higher than that worked out from CRS. This indicates that the registration of infant death is quite low. This is evident from the chart. Such a low registration of infant death is a matter of concern. Since IMR is an essential requirement for any health planning more concentration should be given for the complete registration of infant deaths.



2.10. Infant Deaths by age

Percentage distribution of infant death by age is presented in the statement 2.11. The data reveals that 66.25 % of infant deaths have been occurred to the infants aged below 1 week.. 15.66 % of infant death belongs to the age group less than a month. Thus in Kerala majority of infant death occurred either during the first week or the first month after birth. The similar pattern could be observed in Rural and urban areas.

Statement - 2.11
Percentage distribution of infant death by age Kerala-2007

Age	Rural	Urban	Total
7 days	67.03	65.94	66.25
7-28 days	13.40	16.55	15.66
28days-6months	13.56	13.57	13.57
6months-1year	6.01	3.94	4.52
Total	100	100	100

2.11. Pregnancy related deaths

Maternal mortality rate of the state for the year 2007 is computed as 0.19. Complications of pregnancy, childbirth and Heart attack are some major causes of maternal deaths in all age groups. The statement 2.12 reveals that 24.76% of maternal deaths have been occurred in the age group 30-34. 15.24% of maternal deaths belong to the age group 45+.

Statement - 2.12
Percentage distribution of maternal death by age

Age of mother	Number of maternal death	%
Below 15	0	0.00
15-19	7	6.67
20-24	18	17.14
25-29	20	19.05
30-34	26	24.76
35-39	9	8.57
40-44	6	5.71
45+	16	15.24
Age not stated	3	2.86
Total	105	100

III STILL BIRTH

3.1.Still birth by sex

There were 3318 stillbirths registered in the state during 2007. Statement 3.1 provides the percentage distribution of registered stillbirths by sex. It can be noticed from the statement that proportion of male stillbirths is greater than female.

Statement - 3.1
Percentage distribution of registered still births by sex Kerala-2007

Sex	Still births registered	%
Male	1777	53.56
Female	1501	45.24
Not reported	40	1.21
Total	3318	100

3.2.Stillbirths by age of mother

Statement 3.2 shows the percentage distribution of still births by age of mother at birth. It is evident from the statement that the incidence of still birth is more in the case of mothers belonging to the age group below 15 Years (33.33%) followed by 40-44 age group (1.20%). Another important observation derived from the statement is that the incidence of still birth for mothers in the age group 45+ is less than 1%. This may be due to the best medical care availed by these mothers during their pregnancy.

Statement - 3.2
Percentage distribution of still births Kerala-2007

Age of mother	Deliveries occurred (livebirths+stillbirths)	Still birth	% of SB to total deliveries
Below 15	6	2	33.33
15-19	31926	198	0.62
20-24	213249	1093	0.51
25-29	200497	1125	0.56
30-34	75999	501	0.66
35-39	18445	191	1.04
40-44	1578	19	1.20
45+	157	1	0.64
Age not stated	6615	188	2.84
Total	548472	3318	0.61

3.3 Still births by duration of pregnancy

Percentage distribution of still births by duration of pregnancy is given in the statement 3.3. For 34.72% of still births duration of pregnancy is less than 32 weeks and for 6.57 % of the cases duration is more than 41 weeks.

Statement - 3.3

Percentage distribution of still births by duration of pregnancy Kerala -2007

Duration of pregnancy	Still births registered	%
<32	1152	34.72
32-36	783	23.60
37-39	888	26.76
40	225	6.78
41+	218	6.57
Not reported	52	1.57
Total	3318	100.00

3.4. Still births by type of medical attention received

Statement 3.4 below gives the percentage distribution of still births by type of medical attention received at the time of birth. It is observed that 93.64% of still births have occurred in institutions. Out of 3107 stillbirths occurred in institution, 1222 (39.33%) were reported from private medical institutions

Statement - 3.4

Percentage distribution of still births by type of medical attention received at the time of birth Kerala -2007

Type of medical attention	Still births registered	%
Government Institution	1885	56.81
Private Institutions	1222	36.83
Total Institution	3107	93.64
Physician, Nurses and Midwife	173	5.21
Unqualified persons	2	0.06
Others	2	0.06
Not stated	34	1.03
Total	3318	100.00

Conclusion

It is worthwhile to mention that CRS is the only source, which can provide vital rates at below state level. Even though cent percentage registration has attained in the case of births, under registration of deaths still exist. Level of registration of maternal deaths and infant deaths are not satisfactory. There is also a need to correctly identify the maternal deaths for estimating the vital indicator MMR. Full coverage of maternal deaths and infant deaths by registration machinery only can help to calculate rates such as IMR, MMR etc, which are essential for health planning. Hence more concentration should be given to the proper implementation and monitoring of Civil Registration System.

**LIVE BIRTHS,DEATHS,INFANTDEATHS,ANDTHEIR RATES–2007 DISTRICT AT A
GLANCE**

District	Rural/ Urban	Births		Deaths		Infant deaths	
		Number	Rate	Number	Rate	Number	Rate
Thiruvananthapuram	Rural	10120	4.45	13057	5.74	34	3.36
	Urban	40349	34.93	15287	13.23	699	17.32
	Total	50469	14.71	28344	8.26	733	14.52
Kollam	Rural	20241	9.09	14851	6.67	30	1.48
	Urban	16950	35.38	4495	9.38	70	4.13
	Total	37191	13.75	19346	7.15	100	2.69
Pathanamthitta	Rural	9816	8.45	9264	7.97	44	4.48
	Urban	8778	81.76	2782	25.91	68	7.75
	Total	18594	14.71	12046	9.53	112	6.02
Alappuzha	Rural	2686	1.73	12086	7.79	70	26.06
	Urban	21578	34.30	3668	5.83	27	1.25
	Total	24264	11.13	15754	7.22	97	4.00
Kottayam	Rural	22566	12.87	16283	9.28	149	6.60
	Urban	9144	31.84	1857	6.47	36	3.94
	Total	31710	15.56	18140	8.90	185	5.83
Idukki	Rural	11020	10.01	5695	5.17	71	6.44
	Urban	5352	85.91	877	14.08	12	2.24
	Total	16372	14.08	6572	5.65	83	5.07
Ernakulam	Rural	8682	4.94	13767	7.83	75	8.64
	Urban	40432	26.14	12991	8.40	372	9.20
	Total	49114	14.87	26758	8.10	447	9.10
Thrissur	Rural	18018	8.14	17834	8.06	286	15.87
	Urban	34991	37.83	8165	8.83	378	10.80
	Total	53009	16.91	25999	8.29	664	12.53
Palakkad	Rural	19287	7.91	14925	6.12	47	2.44
	Urban	22276	64.45	3143	9.09	122	5.48
	Total	41563	14.96	18068	6.50	169	4.07
Malappuram	Rural	43582	12.12	15959	4.44	191	4.38
	Urban	39332	95.35	3663	8.88	295	7.50
	Total	82914	20.70	19622	4.90	486	5.86
Kozhikkode	Rural	14725	7.79	10376	5.49	34	2.31
	Urban	41490	35.55	11281	9.67	1006	24.25
	Total	56215	18.39	21657	7.09	1040	18.50
Wayanad	Rural	11375	13.81	3778	4.59	141	12.40
	Urban	4046	116.26	305	8.76	16	3.95
	Total	15421	17.97	4083	4.76	157	10.18
Kannur	Rural	9115	7.25	10869	8.65	89	9.76
	Urban	38168	30.35	4803	3.82	185	4.85
	Total	47283	18.81	15672	6.23	274	5.79
Kasaragod	Rural	8998	8.81	5305	5.20	37	4.11
	Urban	12037	43.07	1325	4.74	38	3.16
	Total	21035	16.23	6630	5.11	75	3.57
State	Rural	210231	8.39	164049	6.55	1298	6.17
	Urban	334923	38.54	74642	8.59	3324	9.92
	Total	545154	16.16	238691	7.08	4622	8.48

**STILL BIRTHS, MATERNAL DEATHS AND THEIR RATES-2007 DISTRICT AT A
GLANCE**

District	Rural/ Urban	Still Births		Maternal Death	
		Number	Rate	Number	Rate
Thiruvananthapuram	Rural	27	2.66	4	0.39
	Urban	433	10.62	14	0.34
	Total	460	9.03	18	0.35
Kollam	Rural	48	2.37	4	0.20
	Urban	53	3.12	1	0.06
	Total	101	2.71	5	0.13
Pathanamthitta	Rural	20	2.03	1	0.10
	Urban	40	4.54	1	0.11
	Total	60	3.22	2	0.11
Alappuzha	Rural	14	5.19	0	0.00
	Urban	139	6.40	2	0.09
	Total	153	6.27	2	0.08
Kottayam	Rural	197	8.65	1	0.04
	Urban	26	2.84	0	0.00
	Total	223	6.98	1	0.03
Idukki	Rural	16	1.45	1	0.09
	Urban	4	0.75	0	0.00
	Total	20	1.22	1	0.06
Ernakulam	Rural	107	12.17	3	0.34
	Urban	208	5.12	23	0.57
	Total	315	6.37	26	0.53
Thrissur	Rural	143	7.87	4	0.22
	Urban	142	4.04	4	0.11
	Total	285	5.35	8	0.15
Palakkad	Rural	97	5.00	6	0.31
	Urban	83	3.71	3	0.13
	Total	180	4.31	9	0.22
Malappuram	Rural	185	4.23	9	0.21
	Urban	227	5.74	7	0.18
	Total	412	4.94	16	0.19
Kozhikkode	Rural	40	2.71	1	0.07
	Urban	484	11.53	7	0.17
	Total	524	9.24	8	0.14
Wayanad	Rural	102	8.89	1	0.09
	Urban	17	4.18	0	0.00
	Total	119	7.66	1	0.06
Kannur	Rural	105	11.39	1	0.11
	Urban	226	5.89	2	0.05
	Total	331	6.95	3	0.06
Kasaragod	Rural	22	2.44	2	0.22
	Urban	113	9.30	3	0.25
	Total	135	6.38	5	0.24
State	Rural	1123	5.31	38	0.18
	Urban	2195	6.51	67	0.20
	Total	3318	6.05	105	0.19

TABLE A1

Population, Registration Units, Monthly Returns Due and Received (Rural Areas)

Sl. No.	District	Population as per last census (2001)	No. of Registration Units	No. of Monthly returns due	No. of Monthly returns received	No. of Monthly returns not received	Estimated Mid-year population (2007)
1	Thiruvananthapuram	2142695	78	936	936	Nil	2275646
2	Kollam	2119230	71	852	852	“	2225602
3	Pathanamthitta	1110218	54	648	648	“	1161869
4	Alappuzha	1487703	73	876	876	“	1551968
5	Kottayam	1653838	75	900	900	“	1753890
6	Idukki	1071628	52	624	624	“	1100765
7	Ernakulam	1628713	88	1056	1056	“	1757690
8	Thrissur	2134799	92	1104	1104	“	2212873
9	Palakkad	2260907	91	1092	1092	“	2437576
10	Malappuram	3269301	102	1224	1224	“	3595146
11	Kozhikkode	1777974	78	936	936	“	1889267
12	Wayanad	751007	25	300	300	“	823609
13	Kannur	1196058	81	972	972	“	1256670
14	Kasaragod	970378	39	468	468	“	1021164
State Total		23574449	999	11988	11988		25063735

TABLE A2

Population, Registration Units, Monthly Returns Due and Received (Urban Areas)

Sl. No.	District	Population as per last census (2001)	No. of Registration Units	No. of Monthly returns due	No. of Monthly returns received	No. of Monthly returns not received	Estimated Mid-year population (2007)
1	Thiruvananthapuram	1091661	5	60	60	Nil	1155297
2	Kollam	465978	3	36	36	“	479067
3	Pathanamthitta	123798	3	36	36	“	107357
4	Alappuzha	621457	5	60	60	“	629079
5	Kottayam	299808	4	48	48	“	287162
6	Idukki	57593	1	12	12	“	62295
7	Ernakulam	1477085	9	108	108	“	1546923
8	Thrissur	839433	7	84	84	“	924948
9	Palakkad	356575	4	48	48	“	345624
10	Malappuram	356170	5	60	60	“	412515
11	Kozhikkode	1101157	3	36	36	“	1167131
12	Wayanad	29612	1	12	12	“	34800
13	Kannur	1212898	7	84	84	“	1257637
14	Kasaragod	233700	2	24	24	“	279446
State Total		8266925	59	708	708		8689281

TABLE - B1

Live Births by Place of Occurrence, Districts (Rural & Urban) and Towns with Population One Lakh and above

Sl.No.	District	Rural/Urban	Towns with population one lakh and above	Births by Place of Occurrence				Place of Residence of Mother				
				Male	Female	Not reported	Total	Within the area	Outside the area	Place of residence outside the state	Not reported	Total
1	Kasaragod	Rural		4540	4431	27	8998	2657	1543	0	4798	8998
		Urban		6224	5812	1	12037	101	4618	0	7318	12037
		Total		10764	10243	28	21035	2758	6161	0	12116	21035
2	Kannur	Rural		4570	4364	181	9115	6945	1343	0	827	9115
		Urban		19466	18683	19	38168	5119	14755	0	18294	38168
		Total		24036	23047	200	47283	12064	16098	0	19121	47283
		Thalasserry(M)		6805	6587	0	13392	592	5878	0	6922	13392
3	Wayanad	Rural		5749	5623	3	11375	1279	6101	5	3990	11375
		Urban		2101	1945	0	4046	122	2434	0	1490	4046
		Total		7850	7568	3	15421	1401	8535	5	5480	15421
4	Kozhikkode	Rural		7611	7112	2	14725	2174	10441	0	2110	14725
		Urban		21315	20173	2	41490	2494	23361	0	15635	41490
		Total		28926	27285	4	56215	4668	33802	0	17745	56215
		Kozhikkodu (C)		20077	19038	2	39117	2483	22262	0	14372	39117
5	Malappuram	Rural		22280	20851	451	43582	29300	7498	19	6765	43582
		Urban		20135	19195	2	39332	1389	17016	0	20927	39332
		Total		42415	40046	453	82914	30689	24514	19	27692	82914
6	Palakkad	Rural		9976	9193	118	19287	14813	1018	0	3456	19287
		Urban		11464	10812	0	22276	650	6789	0	14837	22276
		Total		21440	20005	118	41563	15463	7807	0	18293	41563
		Palakkad (M)		7532	7088	0	14620	407	3354	0	10859	14620
7	Thrissur	Rural		9316	8571	131	18018	13644	2353	9	2012	18018
		Urban		18013	16960	18	34991	6323	10421	59	18188	34991
		Total		27329	25531	149	53009	19967	12774	68	20200	53009
		Thrissur (C)		9750	9281	18	19049	6067	3874	59	9049	19049

Sl.No.	District	Rural/Urban	Towns with population one lakh and above	Births by Place of Occurrence				Place of Residence of Mother				
				Male	Female	Not reported	Total	Within the area	Outside the area	Place of residence outside the state	Not reported	Total
8	Ernakulam	Rural		4421	4220	41	8682	3015	5518	0	149	8682
		Urban		20549	19881	2	40432	5879	16972	13	17568	40432
		Total		24970	24101	43	49114	8894	22490	13	17717	49114
		Kochi (C)		8983	8623	1	17607	5352	5558	4	6693	17607
9	Idukki	Rural		5580	5309	131	11020	3274	3500	0	4246	11020
		Urban		2744	2608	0	5352	191	2782	0	2379	5352
		Total		8324	7917	131	16372	3465	6282	0	6625	16372
10	Kottayam	Rural		12239	10305	22	22566	15710	4187	7	2662	22566
		Urban		4615	4529	0	9144	203	5146	0	3795	9144
		Total		16854	14834	22	31710	15913	9333	7	6457	31710
11	Alappuzha	Rural		1390	1264	32	2686	774	1858	0	54	2686
		Urban		10948	10630	0	21578	1023	9947	0	10608	21578
		Total		12338	11894	32	24264	1797	11805	0	10662	24264
		Alappuzha (M)		4975	4778	0	9753	952	4569	0	4232	9753
12	Pathanamthitta	Rural		4076	3813	1927	9816	3289	4866	0	1661	9816
		Urban		4454	4324	0	8778	1258	4605	0	2915	8778
		Total		8530	8137	1927	18594	4547	9471	0	4576	18594
13	Kollam	Rural		10437	9762	42	20241	4079	11449	0	4713	20241
		Urban		8601	8349	0	16950	2914	7584	0	6452	16950
		Total		19038	18111	42	37191	6993	19033	0	11165	37191
		Kollam (C)		6900	6682	0	13582	2152	6000	0	5430	13582
14	Thiruvananthapuram	Rural		5177	4892	51	10120	3467	2194	0	4459	10120
		Urban		20733	19613	3	40349	3562	15461	0	21326	40349
		Total		25910	24505	54	50469	7029	17655	0	25785	50469
		Thiruvananthapuram(C)		18505	17494	3	36002	3452	13563	0	18987	36002
State		Rural		107362	99710	3159	210231	104420	63869	40	41902	210231
		Urban		171362	163514	47	334923	31228	141891	72	161732	334923
		Total		278724	263224	3206	545154	135648	205760	112	203634	545154

TABLE - B2
Live Births by Place of Residence, Districts (Rural & Urban) and Towns with Population One Lakh and above

Sl.No.	District	Rural/Urban	Towns with population one lakh and above	Births by Place of Residence of Mother				Place of Occurrence			
				Male	Female	Not reported	Total	Within the area	Outside the area	Not reported	Total
1	Kasaragod	Rural		4641	4418	26	9085	2657	6428	0	9085
		Urban		172	156	2	330	101	229	0	330
		Total		4813	4574	28	9415	2758	6657	0	9415
2	Kannur	Rural		10536	9919	183	20638	6945	13693	0	20638
		Urban		2933	2770	19	5722	5119	603	0	5722
		Total		13469	12689	202	26360	12064	14296	0	26360
		Thalasserry (M)		349	310	0	659	592	67	0	659
3	Wayanad	Rural		3109	2933	1	6043	1279	4764	0	6043
		Urban		88	94	0	182	122	60	0	182
		Total		3197	3027	1	6225	1401	4824	0	6225
4	Kozhikkode	Rural		15359	14488	5	29852	2174	27678	0	29852
		Urban		1772	1693	0	3465	2494	971	0	3465
		Total		17131	16181	5	33317	4668	28649	0	33317
		Kozhikkode (C)		1405	1306	0	2711	2483	228	0	2711
5	Malappuram	Rural		30589	29048	445	60082	29300	30782	0	60082
		Urban		1004	885	6	1895	1389	506	0	1895
		Total		31593	29933	451	61977	30689	31288	0	61977
6	Palakkad	Rural		12770	11841	123	24734	14813	9921	0	24734
		Urban		501	456	2	959	650	309	0	959
		Total		13271	12297	125	25693	15463	10230	0	25693
		Palakkad (M)		282	246	0	528	407	121	0	528
7	Thrissur	Rural		15255	14163	135	29553	13644	15909	0	29553
		Urban		3528	3422	19	6969	6323	646	0	6969
		Total		18783	17585	154	36522	19967	16555	0	36522
		Thrissur (C)		3143	3054	19	6216	6067	149	0	6216
8	Ernakulam	Rural		8923	8840	41	17804	3015	14789	0	17804
		Urban		3742	3545	12	7299	5879	1420	0	7299

		Total		12665	12385	53	25103	8894	16209	0	25103
		Kochi (C)		2899	2785	6	5690	5352	338	0	5690

Sl.No.	District	Rural/Urban	Towns with population one lakh and above	Births by Place of Residence of Mother				Place of Occurrence			
				Male	Female	Not reported	Total	Within the area	Outside the area	Not reported	Total
9	Idukki	Rural		4876	4591	139	9606	3274	6332	0	9606
		Urban		155	150	0	305	191	114	0	305
		Total		5031	4741	139	9911	3465	6446	0	9911
10	Kottayam	Rural		13391	11488	92	24971	15710	9261	0	24971
		Urban		401	359	21	781	203	578	0	781
		Total		13792	11847	113	25752	15913	9839	0	25752
11	Alappuzha	Rural		7523	7181	111	14815	774	14041	0	14815
		Urban		969	880	38	1887	1023	864	0	1887
		Total		8492	8061	149	16702	1797	14905	0	16702
		Alappuzha (M)		633	548	12	1193	952	241	0	1193
12	Pathanamthitta	Rural		5259	5091	1523	11873	3289	8584	0	11873
		Urban		1121	1103	103	2327	1258	1069	0	2327
		Total		6380	6194	1626	14200	4547	9653	0	14200
13	Kollam	Rural		11779	11202	70	23051	4079	18972	0	23051
		Urban		1958	1919	11	3888	2914	974	0	3888
		Total		13737	13121	81	26939	6993	19946	0	26939
		Kollam (C)		1316	1272	9	2597	2152	445	0	2597
14	Thiruvananthapuram	Rural		9522	9070	51	18643	3467	15176	0	18643
		Urban		2444	2196	9	4649	3562	1087	0	4649
		Total		11966	11266	60	23292	7029	16263	0	23292
		Thiruvananthapuram (C)		1989	1766	9	3764	3452	312	0	3764
State		Rural		153532	144273	2945	300750	104420	196330	0	300750
		Urban		20788	19628	242	40658	31228	9430	0	40658
		NR		104347	99268	19	203634	0	0	203634	203634
		Total		278667	263169	3206	545042	135648	205760	203634	545042

Other States		57	55	0	112	0	112	0	112
--------------	--	----	----	---	-----	---	-----	---	-----

TABLE - B3
Time Gap in Registration of Live Births (Rural & Urban)

Sl.No	District	Rural												Urban											
		Number of Live Birth Registered:			210231									Number of Live Birth Registered:			334923								
		Delayed Registration:			33765									Delayed Registration:			38192								
		Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year			Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year		
		Male	Female	NR	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported
1	Kasaragod	3961	3922	24	243	217	1	225	199	0	111	93	2	6171	5738	1	35	50	0	13	19	0	5	5	0
2	Kannur	3875	3639	156	134	120	6	313	352	2	248	253	17	16450	15873	16	2180	2025	3	790	752	0	46	33	0
3	Wayanad	4019	3969	3	713	682	0	813	766	0	204	206	0	1921	1786	0	172	153	0	7	4	0	1	2	0
4	Kozhikkode	6682	6275	1	307	275	0	476	431	1	146	131	0	20898	19810	2	290	279	0	70	52	0	57	32	0
5	Malappuram	17810	16638	418	1375	1348	7	2415	2294	15	680	571	11	17681	16901	2	696	665	0	1749	1620	0	9	9	0
6	Palakkad	9080	8419	109	255	227	2	244	206	3	397	341	4	10574	10002	0	738	693	0	110	102	0	42	15	0
7	Thrissur	8179	7617	101	328	303	2	331	301	3	478	350	25	15668	14699	16	1372	1302	0	856	852	0	117	107	2
8	Ernakulam	3747	3584	27	55	64	0	32	28	0	587	544	14	15495	14936	2	2788	2821	0	2170	2044	0	96	80	0
9	Idukki	4137	3864	111	138	138	2	972	987	1	333	320	17	1878	1797	0	807	750	0	55	56	0	4	5	0
10	Kottayam	10906	9337	19	197	149	0	340	203	0	796	616	3	3759	3710	0	535	502	0	301	300	0	20	17	0
11	Alappuzha	1035	932	31	32	31	0	74	65	0	249	236	1	9304	9003	0	1111	1091	0	488	494	0	45	42	0
12	Pathanamthitta	3261	3077	1884	138	149	0	178	153	8	499	434	35	3704	3566	0	658	667	0	68	73	0	24	18	0
13	Kollam	8859	8436	34	440	388	0	567	515	2	571	423	6	8226	7983	0	298	294	0	34	49	0	43	23	0
14	Thiruvananthapuram	4197	4054	37	215	189	0	377	367	0	388	282	14	20109	19047	3	343	312	0	194	184	0	87	70	0
State		89748	83763	2955	4570	4280	20	7357	6867	35	5687	4800	149	151838	144851	42	12023	11604	3	6905	6601	0	596	458	2

TABLE - B4
Live Births by Sex and Month of Occurrence

Sl.No	District	Sex	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1	Kasaragod	Male	854	714	1021	842	1005	937	758	928	959	936	978	832	10764
		Female	783	708	961	866	899	911	753	875	919	930	892	746	10243
		NR	3	6	2	0	2	1	4	2	1	2	3	2	28
		Total	1640	1428	1984	1708	1906	1849	1515	1805	1879	1868	1873	1580	21035
2	Kannur	Male	1715	1711	2133	1973	2262	2008	1931	1736	1988	2080	2287	2212	24036
		Female	1644	1684	2141	1955	2097	1859	1735	1731	1915	2070	2159	2057	23047
		NR	13	19	16	19	7	44	31	7	2	24	7	11	200
		Total	3372	3414	4290	3947	4366	3911	3697	3474	3905	4174	4453	4280	47283
3	Wayanad	Male	552	756	806	756	744	448	544	746	652	620	679	547	7850
		Female	514	685	750	729	718	404	558	747	659	589	689	526	7568
		NR	0	0	1	1	0	0	1	0	0	0	0	0	3
		Total	1066	1441	1557	1486	1462	852	1103	1493	1311	1209	1368	1073	15421
4	Kozhikkode	Male	2156	2082	2720	2548	2833	2378	2216	2210	2263	2701	2467	2352	28926
		Female	2111	1968	2605	2480	2694	2223	2068	2022	2217	2433	2309	2155	27285
		NR	0	0	0	1	1	0	0	0	2	0	0	0	4
		Total	4267	4050	5325	5029	5528	4603	4284	4232	4482	5134	4776	4507	56215
5	Malappuram	Male	2946	3184	3958	3767	4268	2999	3010	3081	3473	3645	3895	4189	42415
		Female	2784	2931	3846	3640	3937	2942	2854	2754	3245	3472	3543	4098	40046
		NR	54	9	6	15	41	44	150	34	48	31	15	6	453
		Total	5784	6124	7810	7422	5246	5985	6014	5869	6766	7148	7453	8293	82914
6	Palakkad	Male	1528	1616	1974	1887	2058	1592	1842	1522	1719	1815	2060	1827	21440
		Female	1453	1533	1797	1719	2031	1464	1705	1362	1635	1771	1865	1670	20005
		NR	7	9	11	13	5	13	13	9	12	7	8	11	118
		Total	2988	3158	3782	3619	4094	3069	3560	2893	3366	3593	3933	3508	41563
7	Thrissur	Male	1512	1611	1827	2561	2847	2150	2253	2254	2631	2627	2774	2282	27329
		Female	1471	1414	1736	2299	2612	2085	2103	2191	2426	2456	2553	2185	25531

		NR	7	13	13	15	39	10	10	5	13	4	9	11	149
		Total	2990	3038	3576	4875	5498	4245	4366	4450	5070	5087	5336	4478	53009

TABLE - B4 Contd

Sl.No	District	Sex	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
8	Ernakulam	Male	2145	1683	2184	2220	2149	1995	2100	2091	2022	2048	2130	2203	24970
		Female	2007	1622	2184	2138	2119	1922	1951	1969	2046	1970	2087	2086	24101
		NR	4	0	5	1	5	3	6	2	3	5	4	5	43
		Total	4156	3305	4373	4359	4273	3920	4057	4062	4071	4023	4221	4294	49114
9	Idukki	Male	688	495	852	701	710	854	574	617	567	597	873	796	8324
		Female	599	437	862	753	687	769	563	553	575	565	819	735	7917
		NR	10	7	11	11	13	4	4	6	51	4	9	1	131
		Total	1297	939	1725	1465	1410	1627	1141	1176	1193	1166	1701	1532	16372
10	Kottayam	Male	1194	1352	1487	1493	1541	1146	1396	1304	1518	1755	1489	1179	16854
		Female	1030	1078	1336	1360	1314	1030	1300	1232	1294	1563	1315	982	14834
		NR	0	0	8	0	1	1	2	0	6	0	4	0	22
		Total	2224	2430	2831	2853	2856	2177	2698	2536	2818	3318	2808	2161	31710
11	Alappuzha	Male	930	887	1183	961	1319	860	998	907	994	1147	1092	1060	12338
		Female	849	859	1083	992	1252	790	1003	890	930	1161	1074	1011	11894
		NR	1	4	3	3	1	3	0	3	8	1	4	1	32
		Total	1780	1750	2269	1956	2572	1653	2001	1800	1932	2309	2170	2072	24264
12	Pathanamthitta	Male	697	707	751	771	739	643	520	471	793	778	909	751	8530
		Female	688	742	732	712	681	579	550	453	769	702	851	678	8137
		NR	3	12	238	218	265	167	166	140	201	143	248	126	1927
		Total	1388	1461	1721	1701	1685	1389	1236	1064	1763	1623	2008	1555	18594

TABLE - B4 Contd.

Sl.No	District	Sex	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
13	Kollam	Male	1465	1339	1722	1567	1899	1367	1606	1423	1661	1732	1608	1649	19038
		Female	1392	1285	1608	1540	1749	1286	1575	1362	1637	1669	1452	1556	18111
		NR	6	2	2	1	8	3	6	4	1	5	0	4	42
		Total	2863	2626	3332	3108	3656	2656	3157	2789	3299	3406	3060	3209	37191
14	Thiruvananthapuram	Male	1907	1966	2487	2177	2420	2114	2069	1942	2147	2359	2271	2051	25910
		Female	1811	1759	2324	2086	2274	2011	1993	1861	1938	2323	2144	1981	24505
		NR	2	1	3	8	19	4	2	3	1	2	2	7	54
		Total	3720	3726	4814	4271	4713	4129	4064	3806	4086	4684	4417	4009	50469
State Total		Male	20289	20103	25105	24224	26794	21491	21817	21232	23387	24840	25512	23930	278724
		Female	19136	18705	23965	23269	25064	20275	20711	20002	22205	23674	23752	22466	263224
		NR	110	82	319	306	407	297	395	215	349	228	313	185	3206
		Total	39535	38890	49389	47799	52265	42063	42923	41449	45941	48742	49577	46581	545154

TABLE - B5
Live Births by Type of Attention at Delivery (Rural & Urban)

Rural / Urban	Town	Institutional		Doctor, Nurses & Midwives	Traditional Birth Attendant	Relatives & Others	Not Stated	Total
		Government Institutions	Private and Non Government					
Rural		43487	126394	18548	7060	3590	11152	210231
Urban	(i) Towns with population one lakh and above							
1	Alappuzha (M)	9473	264	2	9	5		9753
2	Kochi (C)	1343	2506	437	51	17	13253	17607
3	Kollam (C)	7987	5585	4	6			13582
4	Kozhikkode (C)	22362	16723	16	10	5	1	39117
5	Palakkad (M)	6575	8005	8	14	18		14620
6	Thalasserry (M)	4654	8581	151	4	2		13392
7	Thiruvananthapuram (C)	8798	8508	10	49	26	18611	36002
8	Thrissur (C)	3270	10776	880	107	49	3967	19049
	Total(i)	64462	60948	1508	250	122	35832	163122
	(ii) All other urban areas							
1	Adoor (M)	1666	117	9	3	6		1801
2	Aluva (M)	1068	3701	3				4772
3	Angamaly (M)	39	2081	1	13	3		2137
4	Attingal (M)	3	1504				1	1508
5	Chalakkudy (M)	426	3404	1	4	1		3836
6	Changanasserry (M)	598	1309	5	4	5		1921
7	Chavakkad (M)	872	529	1	3			1405
8	Chengannur (M)	310	339		22	1		672
9	Cherthala (M)	2495	1353	1		1		3850
10	Chittoor-Thathamangalam (M)	131	1		2	3		137
11	Guruvayoor (M)	1	152					153
12	Iringalakuda (M)	966	228	5		2		1201
13	Kalamasserry (M)	3	495		1	1		500
14	Kalpetta (M)	1418	2623			5		4046
15	Kanjhagad (M)	1230	1461	703				3394
16	Kannur (M)	13	1328	4710	3			6054
17	Kannur Cantonment (M)	2521	387	337	1	3	333	3582
18	Kasargod (M)	1236	7402		2	2	1	8643
19	Kayamkulam (M)	51	4648	1	5			4705
20	Kodungallur (M)	1579	3685					5264
21	Kothamangalam (M)	109	2867	12	3	1		2992
22	Kottayam (M)	1742	1805	2	8	3		3560
23	Kunnamkulam (M)	195	3886			2		4083
24	Kuthuparamba (M)	447	1821	3		1	1	2273

Rural / Urban	Town	Institutional		Doctor, Nurses & Midwives	Traditional Birth Attendant	Relatives & Others	Not Stated	Total
		Government Institutions	Private and Non Government					
25	Malappuram (M)	523	7218	11	2	1		7755
26	Manjeri (M)	7417	4141	1	31	23	1	11614
27	Mattannur (M)	103	1592					1695
28	Mavelikkara (M)	1112	1478	2	3	3		2598
29	Moovattupuzha (M)	1686	2148		1	1		3836
30	Nedumangad (M)	790	504			1	1	1296
31	Neyyattinkara (M)	208	388	1				597
32	North Paravur (M)	1459	1873	3	2			3337
33	Ottappalam (M)	170	6582	2	2	7	2	6765
34	Pala (M)	1190	1432	2	2	2	1	2629
35	Paravoor (M)				2	2		4
36	Pathanamthitta (M)	879	1835	2	13	2		2731
37	Payyannur (M)	1842	3716	1	5		1	5565
38	Perinthalmanna (M)	1993	8544			1		10538
39	Perumbavoor (M)	487	1960	2	7	5		2461
40	Ponnani (M)	1750	13		1			1764
41	Punalur (M)	1746	1609	1	6	1	1	3364
42	Quilandy (M)	62	2	10	3	3		80
43	Shornnur (M)	4	747		2	1		754
44	Thaliparamba (M)	1245	4356		5	1		5607
45	Thiruvalla (M)	1062	3181		2	1		4246
46	Thodupuzha (M)	828	4517	1	1	5		5352
47	Thrippunithura (M)	660	2124	1	4	1		2790
48	Tirur (M)	2	348			2	7309	7661
49	Vadakara (M)	330	1960	2	1			2293
50	Vaikom (M)	754	278			2		1034
51	Varkala (M)	12	923	1	6	4		946
Total(ii)		47433	110595	5837	175	109	7652	171801
Urban Total		111895	171543	7345	425	231	43484	334923
State Total (Rural & Urban)		155382	297937	25893	7485	3821	54636	545154

TABLE - B6
Live Births by Method of Delivery and Type of Institution for Institutional Births (Rural & Urban)

Sl.No.	Method of Delivery	Government Hospital			Private and Non-Government			Total		
		R	U	T	R	U	T	R	U	T
1	Natural	29172	70185	99357	79428	98025	177453	108600	168210	276810
2	Caesarean	12872	39656	52528	42347	65803	108150	55219	105459	160678
3	Vacuum/Forceps	1346	2039	3385	4387	7700	12087	5733	9739	15472
4	Not Stated	97	15	112	232	15	247	329	30	359
State Total		43487	111895	155382	126394	171543	297937	169881	283438	453319

TABLE - B7
Live Births by Age of the Mother and Birth Order (Rural & Urban)

Age of the Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Rural Areas															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	11211	512	15	4	2	0	0	0	0	0	0	0	0	114	11858
20-24	47504	25505	4156	445	79	22	2	3	1	0	0	0	0	384	78101
25-29	28088	33528	11704	2420	549	143	48	26	11	2	0	0	0	197	76716
30-34	5868	14366	5773	2190	726	255	110	67	45	18	0	0	0	83	29501
35-39	1188	2729	1660	809	435	213	143	77	53	32	1	1	0	23	7364
40-44	109	166	137	64	55	48	40	42	25	19	12	5	1	2	725
45 & above	19	12	8	5	5	4	6	13	5	9	3	1	0	3	93
Age not stated	56	60	52	19	11	11	7	5	4	0	0	0	0	5647	5872
Rural Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Urban Areas															
Below 15	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
15-19	19024	821	23	2	0	0	0	0	0	0	0	0	0	0	19870
20-24	88027	40290	5308	378	22	4	2	1	0	0	0	0	0	23	134055
25-29	46756	56669	15958	2786	405	58	11	1	1	1	0	0	0	10	122656
30-34	9886	24097	8326	2725	681	197	57	15	7	3	0	0	0	3	45997
35-39	2275	4786	2140	945	434	176	82	28	15	8	0	1	0	0	10890
40-44	204	292	161	60	45	27	22	10	5	2	4	2	0	0	834
45 & above	11	20	10	6	4	4	5	2	0	0	1	0	0	0	63
Age not stated	66	38	12	1	0	0	0	0	0	0	0	0	0	438	555
Urban Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923
All Areas															
Below 15	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
15-19	30235	1333	38	6	2	0	0	0	0	0	0	0	0	114	31728
20-24	135531	65795	9464	823	101	26	4	4	1	0	0	0	0	407	212156
25-29	74844	90197	27662	5206	954	201	59	27	12	3	0	0	0	207	199372
30-34	15754	38463	14099	4915	1407	452	167	82	52	21	0	0	0	86	75498

Age of the Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
35-39	3463	7515	3800	1754	869	389	225	105	68	40	1	2	0	23	18254
40-44	313	458	298	124	100	75	62	52	30	21	16	7	1	2	1559
45 & above	30	32	18	11	9	8	11	15	5	9	4	1	0	3	156
Age not stated	122	98	64	20	11	11	7	5	4	0	0	0	0	6085	6427
State Total	260296	203891	55443	12859	3453	1162	535	290	172	94	21	10	1	6927	545154

TABLE - B8

Live Birth by Birth Order and Age of Mother for Towns with Population 1 Lakh and above

Age of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Below 15	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2
15-19	7376	247	5	0	0	0	0	0	0	0	0	0	0	0	7628
20-24	46947	18967	1870	106	9	1	2	1	0	0	0	0	0	23	67926
25-29	24597	28051	6371	817	108	14	1	1	1	0	0	0	0	9	59970
30-34	5324	11944	3371	792	164	51	11	2	4	0	0	0	0	3	21666
35-39	1273	2384	844	324	113	43	20	6	4	2	0	0	0	0	5013
40-44	123	156	72	23	10	8	4	2	3	0	2	1	0	0	404
45 & above	4	12	5	1	1	2	1	1	0	0	1	0	0	0	28
Age not stated	57	27	9	1	0	0	0	0	0	0	0	0	0	391	485
Total	85703	61788	12547	2064	405	119	39	13	12	2	3	1	0	426	163122

TABLE - B9

Live Births by Age and Level of Education of Mother (Rural & Urban)

Age of Mother	Level of Education of Mother						
	Illiterate	Below Primary	Primary but below Matric	Matric but below Graduate	Graduate & Above	Not Stated	Total
Rural Areas							
Below 15	0	0	0	0	0	1	1
15-19	70	397	3945	7354	0	92	11858
20-24	557	3095	23601	39514	10625	709	78101
25-29	563	2485	20457	36316	16236	659	76716
30-34	278	892	7641	13922	6493	275	29501
35-39	174	327	2409	2982	1377	95	7364
40-44	32	55	283	234	103	18	725
45 & above	2	24	38	16	9	4	93
Age not stated	10	22	82	131	29	5598	5872
Total	1686	7297	58456	100469	34872	7451	210231
Urban Areas							
Below 15	0	0	3	0	0	0	3
15-19	52	186	6260	13024	0	348	19870
20-24	432	2495	39484	67506	22659	1479	134055
25-29	423	2757	33422	53960	30599	1495	122656
30-34	222	1143	12425	19806	11807	594	45997
35-39	161	338	3673	4177	2369	172	10890
40-44	19	32	304	295	170	14	834
45 & above	4	3	26	19	8	3	63
Age not stated	3	1	43	52	29	427	555
Total	1316	6955	95640	158839	67641	4532	334923
All Areas							
Below 15	0	0	3	0	0	1	4
15-19	122	583	10205	20378	0	440	31728
20-24	989	5590	63085	107020	33284	2188	212156
25-29	986	5242	53879	90276	46835	2154	199372
30-34	500	2035	20066	33728	18300	869	75498
35-39	335	665	6082	7159	3746	267	18254
40-44	51	87	587	529	273	32	1559
45 & above	6	27	64	35	17	7	156
Age not stated	13	23	125	183	58	6025	6427
Total	3002	14252	154096	259308	102513	11983	545154

TABLE - B10

Live Birth by Level of Education of Father and Birth Order (Rural & Urban)

Level of Education of Father	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Rural Areas															
Illiterate	533	544	341	175	109	40	17	9	7	2	0	0	0	9	1786
Below Primary	3285	3172	1538	476	171	81	51	20	24	15	3	1	0	60	8897
Primary but below Metric	29980	28422	11597	3519	1140	412	202	139	82	46	10	5	1	286	75841
Metric but below Graduate	47339	35809	8159	1410	329	106	52	46	22	9	2	1	0	448	93732
Graduate and Above	12064	8270	1544	262	46	28	13	6	2	1	1	0	0	55	22292
Not Stated	843	661	326	114	67	29	21	13	7	7	0	0	0	5595	7683
Rural Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Urban Areas															
Illiterate	622	637	331	116	54	22	12	7	2	0	0	0	0	0	1803
Below Primary	4015	3538	980	207	32	17	7	2	2	2	0	0	0	0	8802
Primary but below Metric	56988	49270	16201	4127	1085	324	128	36	20	9	4	2	0	19	128213
Metric but below Graduate	77945	56898	11710	2029	335	66	19	6	3	2	1	1	0	30	149045
Graduate and Above	24280	15027	2305	310	67	20	5	1	0	0	0	0	0	11	42026
Not Stated	2402	1643	411	114	18	17	8	5	1	1	0	0	0	414	5034
Urban Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923
All Areas															
Illiterate	1155	1181	672	291	163	62	29	16	9	2	0	0	0	9	3589
Below Primary	7300	6710	2518	683	203	98	58	22	26	17	3	1	0	60	17699
Primary but below Metric	86968	77692	27798	7646	2225	736	330	175	102	55	14	7	1	305	204054
Metric but below Graduate	125284	92707	19869	3439	664	172	71	52	25	11	3	2	0	478	242777
Graduate and Above	36344	23297	3849	572	113	48	18	7	2	1	1	0	0	66	64318
Not Stated	3245	2304	737	228	85	46	29	18	8	8	0	0	0	6009	12717
State Total	260296	203891	55443	12859	3453	1162	535	290	172	94	21	10	1	6927	545154

TABLE - B11

Live Birth by Level of Education of Mother and Birth Order (Rural & Urban)

Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Rural Areas															
Illiterate	461	485	332	187	114	47	23	15	9	4	2	0	0	7	1686
Below Primary	2836	2523	1154	384	147	89	59	31	23	16	0	0	0	35	7297
Primary but below Metric	20857	21829	10185	3342	1158	411	203	126	84	47	11	7	1	195	58456
Metric but below Graduate	48935	38908	9851	1717	328	93	43	42	16	6	2	0	0	528	100469
Graduate and Above	20265	12505	1713	208	47	25	5	5	6	2	1	0	0	90	34872
Not Stated	690	628	270	118	68	31	23	14	6	5	0	0	0	5598	7451
Rural Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Urban Areas															
Illiterate	413	427	286	101	46	19	12	7	5	0	0	0	0	0	1316
Below Primary	3280	2723	734	142	35	23	5	3	6	3	1	0	0	0	6955
Primary but below Metric	38301	37243	14278	4130	1117	345	142	41	14	9	3	3	0	14	95640
Metric but below Graduate	80347	62084	13750	2195	358	56	11	1	2	1	1	0	0	33	158839
Graduate and Above	41712	23119	2541	224	20	8	3	1	0	0	0	0	0	13	67641
Not Stated	2199	1417	349	111	15	15	6	4	1	1	0	0	0	414	4532
Urban Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923
All Areas															
Illiterate	874	912	618	288	160	66	35	22	14	4	2	0	0	7	3002
Below Primary	6116	5246	1888	526	182	112	64	34	29	19	1	0	0	35	14252
Primary but below Metric	59158	59072	24463	7472	2275	756	345	167	98	56	14	10	1	209	154096
Metric but below Graduate	129282	100992	23601	3912	686	149	54	43	18	7	3	0	0	561	259308
Graduate and Above	61977	35624	4254	432	67	33	8	6	6	2	1	0	0	103	102513
Not Stated	2889	2045	619	229	83	46	29	18	7	6	0	0	0	6012	11983
State Total	260296	203891	55443	12859	3453	1162	535	290	172	94	21	10	1	6927	545154

TABLE - B12
Live Birth by Age of Mother and Birth Order for each Level of Education of the Mother (Rural)

Age and Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
All Education Levels															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	11211	512	15	4	2	0	0	0	0	0	0	0	0	114	11858
20-24	47504	25505	4156	445	79	22	2	3	1	0	0	0	0	384	78101
25-29	28088	33528	11704	2420	549	143	48	26	11	2	0	0	0	197	76716
30-34	5868	14366	5773	2190	726	255	110	67	45	18	0	0	0	83	29501
35-39	1188	2729	1660	809	435	213	143	77	53	32	1	1	0	23	7364
40-44	109	166	137	64	55	48	40	42	25	19	12	5	1	2	725
45 & above	19	12	8	5	5	4	6	13	5	9	3	1	0	3	93
Age not stated	56	60	52	19	11	11	7	5	4	0	0	0	0	5647	5872
Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Illiterate															
15-19	63	6	1	0	0	0	0	0	0	0	0	0	0	0	70
20-24	230	210	87	19	8	1	0	0	0	0	0	0	0	2	557
25-29	103	172	154	75	42	10	5	0	0	0	0	0	0	2	563
30-34	39	67	48	52	34	17	9	5	4	2	0	0	0	1	278
35-39	18	26	37	36	27	12	8	4	4	2	0	0	0	0	174
40-44	6	4	4	5	1	3	1	5	1	0	2	0	0	0	32
45 & above	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2
Age not stated	2	0	1	0	1	4	0	0	0	0	0	0	0	2	10
Total	461	485	332	187	114	47	23	15	9	4	2	0	0	7	1686
Below Primary															
15-19	384	9	0	1	0	0	0	0	0	0	0	0	0	3	397
20-24	1649	1089	295	38	9	3	0	0	1	0	0	0	0	11	3095
25-29	616	1027	569	177	56	22	7	5	1	0	0	0	0	5	2485
30-34	140	314	210	110	48	31	15	5	10	1	0	0	0	8	892
35-39	44	70	66	48	25	26	25	8	7	6	0	0	0	2	327

Age and Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
40-44	2	7	5	9	7	4	7	6	3	5	0	0	0	0	55
45 & above	0	4	2	1	2	2	3	5	1	4	0	0	0	0	24
Age not stated	1	3	7	0	0	1	2	2	0	0	0	0	0	6	22
Total	2836	2523	1154	384	147	89	59	31	23	16	0	0	0	35	7297
Primary but below Metric															
15-19	3630	277	5	3	2	0	0	0	0	0	0	0	0	28	3945
20-24	11450	9617	2149	247	54	16	2	3	0	0	0	0	0	63	23601
25-29	4429	8793	5338	1404	315	80	29	15	9	2	0	0	0	43	20457
30-34	979	2563	2132	1208	457	149	63	40	23	9	0	0	0	18	7641
35-39	319	520	511	443	288	130	86	43	35	20	0	1	0	13	2409
40-44	30	40	43	25	35	30	21	21	12	11	8	5	1	1	283
45 & above	8	3	2	2	2	2	1	4	3	5	3	1	0	2	38
Age not stated	12	16	5	10	5	4	1	0	2	0	0	0	0	27	82
Total	20857	21829	10185	3342	1158	411	203	126	84	47	11	7	1	195	58456
Metric but below Graduate															
15-19	7060	211	9	0	0	0	0	0	0	0	0	0	0	74	7354
20-24	24650	12995	1492	121	4	2	0	0	0	0	0	0	0	250	39514
25-29	13496	16962	4946	675	102	16	5	4	1	0	0	0	0	109	36316
30-34	3106	7250	2621	687	144	41	15	13	6	2	0	0	0	37	13922
35-39	546	1386	699	215	67	27	16	16	3	3	0	0	0	4	2982
40-44	49	76	58	15	11	7	5	5	5	1	2	0	0	0	234
45 & above	6	3	2	1	0	0	0	3	0	0	0	0	0	1	16
Age not stated	22	25	24	3	0	0	2	1	1	0	0	0	0	53	131
Total	48935	38908	9851	1717	328	93	43	42	16	6	2	0	0	528	100469
Graduate and Above															
20-24	9147	1352	77	5	0	0	0	0	0	0	0	0	0	44	10625
25-29	9264	6312	566	48	12	6	1	0	0	0	0	0	0	27	16236
30-34	1567	4089	705	88	21	9	2	0	2	0	0	0	0	10	6493

Age and Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
35-39	256	705	331	56	13	7	1	2	2	1	1	0	0	2	1377
40-44	19	38	26	10	0	3	1	3	2	1	0	0	0	0	103
45 & above	5	2	1	1	0	0	0	0	0	0	0	0	0	0	9
Age not stated	7	7	7	0	1	0	0	0	0	0	0	0	0	7	29
Total	20265	12505	1713	208	47	25	5	5	6	2	1	0	0	90	34872
Not Stated															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	74	9	0	0	0	0	0	0	0	0	0	0	0	9	92
20-24	378	242	56	15	4	0	0	0	0	0	0	0	0	14	709
25-29	180	262	131	41	22	9	1	2	0	0	0	0	0	11	659
30-34	37	83	57	45	22	8	6	4	0	4	0	0	0	9	275
35-39	5	22	16	11	15	11	7	4	2	0	0	0	0	2	95
40-44	3	1	1	0	1	1	5	2	2	1	0	0	0	1	18
45 & above	0	0	1	0	0	0	2	0	1	0	0	0	0	0	4
Age not stated	12	9	8	6	4	2	2	2	1	0	0	0	0	5552	5598
Total	690	628	270	118	68	31	23	14	6	5	0	0	0	5598	7451

TABLE - B13
Live Birth by Age of Mother and Birth Order for each Level of Education of the Mother (Urban)

Age and Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
All Education Levels															
Below 15	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
15-19	19024	821	23	2	0	0	0	0	0	0	0	0	0	0	19870
20-24	88027	40290	5308	378	22	4	2	1	0	0	0	0	0	23	134055
25-29	46756	56669	15958	2786	405	58	11	1	1	1	0	0	0	10	122656
30-34	9886	24097	8326	2725	681	197	57	15	7	3	0	0	0	3	45997
35-39	2275	4786	2140	945	434	176	82	28	15	8	0	1	0	0	10890
40-44	204	292	161	60	45	27	22	10	5	2	4	2	0	0	834
45 & above	11	20	10	6	4	4	5	2	0	0	1	0	0	0	63
Age not stated	66	38	12	1	0	0	0	0	0	0	0	0	0	438	555
Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923
Illiterate															
15-19	50	1	1	0	0	0	0	0	0	0	0	0	0	0	52
20-24	186	168	69	7	2	0	0	0	0	0	0	0	0	0	432
25-29	85	149	136	38	14	1	0	0	0	0	0	0	0	0	423
30-34	50	71	43	27	13	10	7	1	0	0	0	0	0	0	222
35-39	34	34	33	27	13	8	3	6	3	0	0	0	0	0	161
40-44	6	3	2	2	3	0	1	0	2	0	0	0	0	0	19
45 & above	0	1	1	0	1	0	1	0	0	0	0	0	0	0	4
Age not stated	2	0	1	0	0	0	0	0	0	0	0	0	0	0	3
Total	413	427	286	101	46	19	12	7	5	0	0	0	0	0	1316
Below Primary															
15-19	182	2	2	0	0	0	0	0	0	0	0	0	0	0	186
20-24	1764	623	92	14	0	1	1	0	0	0	0	0	0	0	2495
25-29	1004	1372	323	48	9	1	0	0	0	0	0	0	0	0	2757
30-34	252	585	225	54	10	11	2	1	2	1	0	0	0	0	1143
35-39	70	129	83	22	15	10	2	2	3	2	0	0	0	0	338

Age and Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
40-44	7	11	8	3	1	0	0	0	1	0	1	0	0	0	32
45 & above	1	1	0	1	0	0	0	0	0	0	0	0	0	0	3
Age not stated	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Total	3280	2723	734	142	35	23	5	3	6	3	1	0	0	0	6955
Primary but below Metric															
Below 15	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
15-19	5859	386	13	2	0	0	0	0	0	0	0	0	0	0	6260
20-24	20801	15490	2922	246	16	2	1	0	0	0	0	0	0	6	39484
25-29	8557	15308	7461	1734	298	47	11	1	1	1	0	0	0	3	33422
30-34	2283	4811	3068	1587	479	143	39	11	2	1	0	0	0	1	12425
35-39	707	1148	768	533	286	128	70	18	9	5	0	1	0	0	3673
40-44	67	80	41	26	35	21	17	9	2	2	2	2	0	0	304
45 & above	4	3	3	2	3	4	4	2	0	0	1	0	0	0	26
Age not stated	20	17	2	0	0	0	0	0	0	0	0	0	0	4	43
Total	38301	37243	14278	4130	1117	345	142	41	14	9	3	3	0	14	95640
Metric but below Graduate															
15-19	12604	414	6	0	0	0	0	0	0	0	0	0	0	0	13024
20-24	44340	20982	2072	93	4	0	0	0	0	0	0	0	0	15	67506
25-29	18255	27716	7025	878	74	6	0	0	0	0	0	0	0	6	53960
30-34	4173	10809	3714	909	170	23	5	0	2	0	0	0	0	1	19806
35-39	873	2032	851	288	106	23	3	0	0	1	0	0	0	0	4177
40-44	76	110	72	24	4	4	3	1	0	0	1	0	0	0	295
45 & above	3	10	4	2	0	0	0	0	0	0	0	0	0	0	19
Age not stated	23	11	6	1	0	0	0	0	0	0	0	0	0	11	52
Total	80347	62084	13750	2195	358	56	11	1	2	1	1	0	0	33	158839
Graduate and Above															
20-24	20012	2543	99	4	0	0	0	0	0	0	0	0	0	1	22659
25-29	18134	11586	827	46	5	0	0	0	0	0	0	0	0	1	30599

Age and Level of Education of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
30-34	2959	7525	1200	111	4	6	2	0	0	0	0	0	0	0	11807
35-39	549	1372	376	58	10	2	1	1	0	0	0	0	0	0	2369
40-44	45	83	37	4	1	0	0	0	0	0	0	0	0	0	170
45 & above	1	4	2	1	0	0	0	0	0	0	0	0	0	0	8
Age not stated	12	6	0	0	0	0	0	0	0	0	0	0	0	11	29
Total	41712	23119	2541	224	20	8	3	1	0	0	0	0	0	13	67641
Not Stated															
15-19	329	18	1	0	0	0	0	0	0	0	0	0	0	0	348
20-24	924	484	54	14	0	1	0	1	0	0	0	0	0	1	1479
25-29	721	538	186	42	5	3	0	0	0	0	0	0	0	0	1495
30-34	169	296	76	37	5	4	2	2	1	1	0	0	0	1	594
35-39	42	71	29	17	4	5	3	1	0	0	0	0	0	0	172
40-44	3	5	1	1	1	2	1	0	0	0	0	0	0	0	14
45 & above	2	1	0	0	0	0	0	0	0	0	0	0	0	0	3
Age not stated	9	4	2	0	0	0	0	0	0	0	0	0	0	412	427
Total	2199	1417	349	111	15	15	6	4	1	1	0	0	0	414	4532

TABLE - B14

Live Birth by age of Mother, Birth Order and Religion of the Family (Rural)

Age of Mother and Religion of Family	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Hindus															
15-19	2571	117	2	0	0	0	0	0	0	0	0	0	0	23	2713
20-24	22611	8988	1068	85	12	3	0	1	0	0	0	0	0	145	32913
25-29	14145	15756	2682	338	90	27	6	1	1	0	0	0	0	58	33104
30-34	2902	7152	1335	252	70	25	16	5	3	4	0	0	0	32	11796
35-39	636	1337	421	103	49	28	13	8	3	1	0	1	0	6	2606
40-44	53	80	34	10	5	5	5	5	5	1	0	0	0	1	204
45 & above	7	5	1	2	2	0	0	1	1	0	0	0	0	1	20
Age not reported	28	17	8	1	1	4	1	0	1	0	0	0	0	33	94
Total	42953	33452	5551	791	229	92	41	21	14	6	0	1	0	299	83450
Muslims															
15-19	7785	360	10	2	0	0	0	0	0	0	0	0	0	89	8246
20-24	15526	12629	2343	224	20	2	0	1	1	0	0	0	0	209	30955
25-29	3040	8598	6727	1600	281	46	11	5	0	0	0	0	0	91	20399
30-34	508	1617	2548	1527	480	139	35	22	10	2	0	0	0	33	6921
35-39	125	237	470	493	296	119	64	28	18	19	0	0	0	8	1877
40-44	14	13	26	22	24	17	14	13	5	8	7	2	1	0	166
45 & above	3	4	2	1	1	1	3	1	0	1	0	1	0	0	18
Age not reported	17	28	27	12	1	3	0	0	0	0	0	0	0	73	161
Total	27018	23486	12153	3881	1103	327	127	70	34	30	7	3	1	503	68743
Christians															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	601	21	3	2	2	0	0	0	0	0	0	0	0	1	630
20-24	8203	3301	583	104	41	17	2	1	0	0	0	0	0	26	12278

Age of Mother and Religion of Family	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
25-29	10497	8540	1961	379	153	63	30	19	10	2	0	0	0	42	21696
30-34	2369	5400	1777	354	143	74	55	35	30	12	0	0	0	15	10264
35-39	407	1122	744	186	72	58	62	37	27	11	0	0	0	8	2734
40-44	42	71	75	31	26	25	20	23	15	9	3	3	0	1	344
45 & above	9	3	4	2	2	3	3	11	4	8	3	0	0	2	54
Age not reported	6	14	13	6	8	4	6	5	2	0	0	0	0	45	109
Total	22135	18472	5160	1064	447	244	178	131	88	42	6	3	0	140	48110
Others															
15-19	182	8	0	0	0	0	0	0	0	0	0	0	0	0	190
20-24	944	445	130	29	3	0	0	0	0	0	0	0	0	0	1551
25-29	327	492	259	85	21	5	1	0	0	0	0	0	0	1	1191
30-34	69	153	84	44	31	16	4	4	2	0	0	0	0	0	407
35-39	13	21	20	23	16	7	3	3	3	1	1	0	0	0	111
40-44	0	2	2	1	0	1	0	1	0	1	2	0	0	0	10
45 & above	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1
Total	1535	1121	496	182	71	29	8	8	5	2	3	0	0	1	3461
Not Stated															
15-19	72	6	0	0	0	0	0	0	0	0	0	0	0	1	79
20-24	220	142	32	3	3	0	0	0	0	0	0	0	0	4	404
25-29	79	142	75	18	4	2	0	1	0	0	0	0	0	5	326
30-34	20	44	29	13	2	1	0	1	0	0	0	0	0	3	113
35-39	7	12	5	4	2	1	1	1	2	0	0	0	0	1	36
40-44	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Age not reported	5	1	4	0	1	0	0	0	1	0	0	0	0	5496	5508
Total	403	347	145	38	12	4	2	3	3	0	0	0	0	5510	6467
All religions															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	11211	512	15	4	2	0	0	0	0	0	0	0	0	114	11858

Age of Mother and Religion of Family	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
20-24	47504	25505	4156	445	79	22	2	3	1	0	0	0	0	384	78101
25-29	28088	33528	11704	2420	549	143	48	26	11	2	0	0	0	197	76716
30-34	5868	14366	5773	2190	726	255	110	67	45	18	0	0	0	83	29501
35-39	1188	2729	1660	809	435	213	143	77	53	32	1	1	0	23	7364
40-44	109	166	137	64	55	48	40	42	25	19	12	5	1	2	725
45 & above	19	12	8	5	5	4	6	13	5	9	3	1	0	3	93
Age not reported	56	60	52	19	11	11	7	5	4	0	0	0	0	5647	5872
Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231

TABLE - B15
Live Birth by age of Mother, Birth Order and Religion of the Family (Urban)

Age of Mother and Religion of Family	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Hindus															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	5029	168	5	0	0	0	0	0	0	0	0	0	0	0	5202
20-24	47587	15970	1337	62	5	1	1	0	0	0	0	0	0	4	64967
25-29	30034	32015	3785	334	50	10	2	0	0	0	0	0	0	4	66234
30-34	6629	15300	2224	237	49	15	5	4	0	0	0	0	0	0	24463
35-39	1542	2958	620	127	35	15	5	5	2	0	0	1	0	0	5310
40-44	137	164	46	13	4	4	0	2	0	0	0	0	0	0	370
45 & above	5	14	2	1	1	1	1	0	0	0	0	0	0	0	25
Age not reported	38	15	4	0	0	0	0	0	0	0	0	0	0	15	72
Total	91002	66604	8023	774	144	46	14	11	2	0	0	1	0	23	166644

Age of Mother and Religion of Family	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Muslims															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	13267	637	17	2	0	0	0	0	0	0	0	0	0	0	13923
20-24	29204	20784	3691	300	13	2	0	1	0	0	0	0	0	18	54013
25-29	5191	14357	10614	2345	334	43	8	0	0	0	0	0	0	6	32898
30-34	975	2656	4290	2323	614	168	43	10	1	2	0	0	0	3	11085
35-39	251	474	799	707	372	156	71	19	12	7	0	0	0	0	2868
40-44	15	22	32	32	38	22	20	8	3	2	3	1	0	0	198
45 & above	1	4	4	3	3	3	4	2	0	0	0	0	0	0	24
Age not reported	13	15	5	1	0	0	0	0	0	0	0	0	0	9	43
Total	48918	38949	19452	5713	1374	394	146	40	16	11	3	1	0	36	115053
Christians															
Below 15	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1
15-19	650	13	1	0	0	0	0	0	0	0	0	0	0	0	664
20-24	10535	3356	252	13	4	1	1	0	0	0	0	0	0	1	14163
25-29	10981	9784	1502	99	20	5	0	1	1	1	0	0	0	0	22394
30-34	2143	5869	1769	154	16	12	9	1	6	1	0	0	0	0	9980
35-39	453	1303	701	107	24	4	6	3	1	1	0	0	0	0	2603
40-44	50	105	81	15	3	1	2	0	2	0	1	1	0	0	261
45 & above	5	2	4	2	0	0	0	0	0	0	1	0	0	0	14
Age not reported	11	8	3	0	0	0	0	0	0	0	0	0	0	8	30
Total	24829	20440	4313	390	67	23	18	5	10	3	2	1	0	9	50110
Others															
15-19	75	3	0	0	0	0	0	0	0	0	0	0	0	0	78
20-24	683	176	26	2	0	0	0	0	0	0	0	0	0	0	887
25-29	538	502	53	8	1	0	1	0	0	0	0	0	0	0	1103
30-34	136	271	42	11	2	2	0	0	0	0	0	0	0	0	464
35-39	27	49	20	4	2	1	0	1	0	0	0	0	0	0	104

Age of Mother and Religion of Family	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
40-44	2	1	2	0	0	0	0	0	0	0	0	0	0	0	5
Age not reported	4	0	0	0	0	0	0	0	0	0	0	0	0	2	6
Total	1465	1002	143	25	5	3	1	1	0	0	0	0	0	2	2647
Not Stated															
15-19	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
20-24	18	4	2	1	0	0	0	0	0	0	0	0	0	0	25
25-29	12	11	4	0	0	0	0	0	0	0	0	0	0	0	27
30-34	3	1	1	0	0	0	0	0	0	0	0	0	0	0	5
35-39	2	2	0	0	1	0	0	0	0	0	0	0	0	0	5
Age not reported	0	0	0	0	0	0	0	0	0	0	0	0	0	404	404
Total	38	18	7	1	1	0	0	0	0	0	0	0	0	404	469
All religions															
Below 15	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3
15-19	19024	821	23	2	0	0	0	0	0	0	0	0	0	0	19870
20-24	88027	40290	5308	378	22	4	2	1	0	0	0	0	0	23	134055
25-29	46756	56669	15958	2786	405	58	11	1	1	1	0	0	0	10	122656
30-34	9886	24097	8326	2725	681	197	57	15	7	3	0	0	0	3	45997
35-39	2275	4786	2140	945	434	176	82	28	15	8	0	1	0	0	10890
40-44	204	292	161	60	45	27	22	10	5	2	4	2	0	0	834
45 & above	11	20	10	6	4	4	5	2	0	0	1	0	0	0	63
Age not reported	66	38	12	1	0	0	0	0	0	0	0	0	0	438	555
Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923

TABLE - B16
Live Birth by Occupation of Father and Birth Order (Rural & Urban)

Occupation of Father	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
All areas															
Professional, Technical and related workers	11102	7247	1762	373	87	29	16	7	5	4	2	1	0	47	20682
Administrative, Executive and Managerial Workers	3430	1878	267	18	2	2	3	0	0	0	0	0	0	2	5602
Clerical and Related Workers	6435	4159	646	117	30	7	3	2	1	1	0	0	0	16	11417
Sales Workers	11645	9428	2998	683	166	54	23	9	2	1	0	0	0	20	25029
Service Workers	9037	6879	1318	277	79	26	20	8	8	4	0	0	0	28	17684
Farmers, Fishers, Hunters, Loggers & related workers	23842	21740	7437	2008	645	236	134	105	65	25	4	1	0	147	56389
Production and other related workers, transport & other equipment operators & labourers	101024	81557	22534	4857	1232	363	147	54	20	16	8	0	0	247	212059
Workers whose occupation are not elsewhere classified	84482	63817	16702	3964	949	303	95	36	21	14	3	4	0	392	170782
Non Workers	8710	6724	1634	492	215	120	79	65	43	22	4	4	1	81	18194
Not Stated	589	462	145	70	48	22	15	4	7	7	0	0	0	5947	7316
Total	260296	203891	55443	12859	3453	1162	535	290	172	94	21	10	1	6927	545154
Rural															
Professional, Technical and related workers	4121	2980	912	218	64	22	11	6	3	3	2	0	0	32	8374
Administrative, Executive and Managerial Workers	1588	832	118	7	0	0	2	0	0	0	0	0	0	1	2548
Clerical and Related Workers	3627	2303	399	70	22	7	2	2	1	1	0	0	0	16	6450
Sales Workers	4257	3582	1066	223	64	28	12	6	2	0	0	0	0	18	9258
Service Workers	5765	4351	957	211	68	24	20	7	8	4	0	0	0	27	11442
Farmers, Fishers, Hunters, Loggers & related workers	16276	14676	5189	1538	533	212	122	101	59	22	4	1	0	142	38875
Production and other related workers, transport & other equipment operators & labourers	27175	23084	7590	1764	458	130	55	21	11	8	6	0	0	220	60522

Occupation of Father	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Workers whose occupation are not elsewhere classified	26683	21307	6146	1487	429	143	47	26	14	13	1	3	0	372	56671
Non Workers	4044	3337	988	370	176	108	70	60	39	22	3	3	1	80	9303
Not Stated	508	426	140	68	48	22	15	4	7	7	0	0	0	5545	6790
Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Urban															
Professional, Technical and related workers	6981	4267	850	155	23	7	5	1	2	1	0	1	0	15	12308
Administrative, Executive and Managerial Workers	1842	1046	149	11	2	2	1	0	0	0	0	0	0	1	3054
Clerical and Related Workers	2808	1856	247	47	8	0	1	0	0	0	0	0	0	0	4967
Sales Workers	7388	5846	1932	460	102	26	11	3	0	1	0	0	0	2	15771
Service Workers	3272	2528	361	66	11	2	0	1	0	0	0	0	0	1	6242
Farmers, Fishers, Hunters, Loggers & related workers	7566	7064	2248	470	112	24	12	4	6	3	0	0	0	5	17514
Production and other related workers, transport & other equipment operators & laborers	73849	58473	14944	3093	774	233	92	33	9	8	2	0	0	27	151537
Workers whose occupation are not elsewhere classified	57799	42510	10556	2477	520	160	48	10	7	1	2	1	0	20	114111
Non Workers	4666	3387	646	122	39	12	9	5	4	0	1	1	0	1	8893
Not Stated	81	36	5	2	0	0	0	0	0	0	0	0	0	402	526
Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923

TABLE - B17
Live Birth by Occupation of Mother and Birth Order (Rural & Urban)

Occupation of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
All Areas															
Professional, Technical and related workers	25437	17791	5392	1476	348	120	42	11	6	9	0	1	0	36	50669
Administrative, Executive and Managerial Workers	581	321	40	4	0	0	0	0	0	0	0	0	0	0	946
Clerical and Related Workers	1536	1383	177	14	4	1	0	1	0	0	0	0	0	5	3121
Sales Workers	207	148	45	14	0	3	2	1	0	0	0	0	0	1	421
Service Workers	2646	1778	248	28	10	3	1	0	1	0	0	0	0	7	4722
Farmers, Fishers, Hunters, Loggers & related workers	470	462	141	43	23	9	2	0	1	2	0	0	0	8	1161
Production and other related workers, transport & other equipment operators & laborers	1576	1443	387	112	44	11	4	4	5	0	0	0	0	1	3587
Workers whose occupation are not elsewhere classified	47054	36582	8032	1788	529	167	58	25	10	10	3	1	0	24	94283
Non Workers	178502	142101	40361	9193	2434	823	411	243	140	71	18	8	1	758	375064
Not Stated	2287	1882	620	187	61	25	15	5	9	2	0	0	0	6087	11180
Total	260296	203891	55443	12859	3453	1162	535	290	172	94	21	10	1	6927	545154
Rural Areas															
Professional, Technical and related workers	7010	5396	1617	414	103	42	9	7	5	6	0	0	0	22	14631
Administrative, Executive and Managerial Workers	362	176	25	4	0	0	0	0	0	0	0	0	0	0	567
Clerical and Related Workers	912	777	111	11	4	1	0	1	0	0	0	0	0	5	1822
Sales Workers	119	66	29	9	0	3	2	1	0	0	0	0	0	1	230
Service Workers	2391	1566	234	28	10	3	1	0	1	0	0	0	0	7	4241
Farmers, Fishers, Hunters, Loggers & related workers	391	392	120	38	19	9	2	0	1	2	0	0	0	8	982
Production and other related workers, transport & other equipment operators & laborers	540	568	196	80	34	10	3	3	4	0	0	0	0	1	1439

Occupation of Mother	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Workers whose occupation are not elsewhere classified	6429	5252	1248	312	118	36	8	5	5	3	2	1	0	14	13433
Non Workers	73793	60890	19342	4879	1514	568	316	211	119	67	14	6	1	725	162445
Not Stated	2097	1795	583	181	60	24	15	5	9	2	0	0	0	5670	10441
Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Urban Areas															
Professional, Technical and related workers	18427	12395	3775	1062	245	78	33	4	1	3	0	1	0	14	36038
Administrative, Executive and Managerial Workers	219	145	15	0	0	0	0	0	0	0	0	0	0	0	379
Clerical and Related Workers	624	606	66	3	0	0	0	0	0	0	0	0	0	0	1299
Sales Workers	88	82	16	5	0	0	0	0	0	0	0	0	0	0	191
Service Workers	255	212	14	0	0	0	0	0	0	0	0	0	0	0	481
Farmers, Fishers, Hunters, Loggers & related workers	79	70	21	5	4	0	0	0	0	0	0	0	0	0	179
Production and other related workers, transport & other equipment operators & labourers	1036	875	191	32	10	1	1	1	1	0	0	0	0	0	2148
Workers whose occupation are not elsewhere classified	40625	31330	6784	1476	411	131	50	20	5	7	1	0	0	10	80850
Non Workers	104709	81211	21019	4314	920	255	95	32	21	4	4	2	0	33	212619
Not Stated	190	87	37	6	1	1	0	0	0	0	0	0	0	417	739
Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923

TABLE B18

Live Birth by Duration of Marriage of the Mother and Birth Order (Rural & Urban)

Duration of Marriage	Birth Order														
	1	2	3	4	5	6	7	8	9	10	11	12	13 & Above	Not Stated	Total
Rural															
0-4	88003	35415	2677	242	26	0	0	0	0	0	0	0	0	558	126921
5-9	4929	36396	13620	2073	406	128	39	23	5	0	0	0	0	179	57798
10-14	861	4486	6047	2569	805	238	106	58	37	14	0	0	0	43	15264
15-19	138	457	997	917	503	229	133	70	54	30	1	0	0	17	3546
20-24	29	53	105	124	104	80	59	57	39	25	11	6	1	6	699
25-29	2	2	5	8	6	8	11	18	5	10	3	1	0	3	82
30 & Above	2	1	0	0	1	1	1	2	0	1	1	0	0	0	10
Not Stated	80	68	54	23	11	12	7	5	4	0	0	0	0	5647	5911
Rural Total	94044	76878	23505	5956	1862	696	356	233	144	80	16	7	1	6453	210231
Urban															
0-4	156224	56116	2733	86	5	0	0	0	0	0	0	0	0	25	215189
5-9	8179	61931	18327	2108	200	25	10	3	1	1	0	0	0	8	90793
10-14	1386	7959	9116	3158	673	169	42	9	3	2	0	0	0	2	22519
15-19	221	803	1537	1339	545	172	71	19	13	4	2	0	0	1	4727
20-24	34	91	181	199	155	93	43	22	11	6	1	3	0	0	839
25-29	1	6	11	8	12	6	13	4	0	1	1	0	0	0	63
30 & Above	0	1	1	1	0	1	0	0	0	0	1	0	0	0	5
Not Stated	207	106	32	4	1	0	0	0	0	0	0	0	0	438	788
Urban Total	166252	127013	31938	6903	1591	466	179	57	28	14	5	3	0	474	334923
All Areas															
0-4	244227	91531	5410	328	31	0	0	0	0	0	0	0	0	583	342110
5-9	13108	98327	31947	4181	606	153	49	26	6	1	0	0	0	187	148591
10-14	2247	12445	15163	5727	1478	407	148	67	40	16	0	0	0	45	37783
15-19	359	1260	2534	2256	1048	401	204	89	67	34	3	0	0	18	8273
20-24	63	144	286	323	259	173	102	79	50	31	12	9	1	6	1538
25-29	3	8	16	16	18	14	24	22	5	11	4	1	0	3	145
30 & Above	2	2	1	1	1	2	1	2	0	1	2	0	0	0	15
Not Stated	287	174	86	27	12	12	7	5	4	0	0	0	0	6085	6699
State Total	260296	203891	55443	12859	3453	1162	535	290	172	94	21	10	1	6927	545154

TABLE - B19

Live Birth by Duration of Marriage and Age of Mother (Rural & Urban)

Duration of Marriage	Age of Mother									
	Below 15	15 - 19	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 & Above	Age not Stated	State Total
Rural										
0-4	1	11826	66136	40159	7717	1014	63	5	0	126921
5-9	0	24	11911	31734	12277	1767	78	7	0	57798
10-14	0	0	44	4795	8103	2189	131	2	0	15264
15-19	0	0	0	17	1380	1996	142	11	0	3546
20-24	0	0	0	0	17	388	273	21	0	699
25-29	0	0	0	0	0	7	37	38	0	82
30 & Above	0	0	0	0	0	0	1	9	0	10
Not Stated	0	8	10	11	7	3	0	0	5872	5911
Rural Total	1	11858	78101	76716	29501	7364	725	93	5872	210231
Urban										
0-4	2	19803	115246	65449	12562	1990	131	6	0	215189
5-9	0	38	18690	49770	19354	2808	126	7	0	90793
10-14	0	0	57	7314	11880	3072	187	9	0	22519
15-19	0	0	0	41	2138	2377	164	7	0	4727
20-24	0	0	0	0	32	609	187	11	0	839
25-29	0	0	0	0	0	13	32	18	0	63
30 & Above	0	0	0	0	0	0	1	4	0	5
Not Stated	1	29	62	82	31	21	6	1	555	788
Urban Total	3	19870	134055	122656	45997	10890	834	63	555	334923
All Areas										
0-4	3	31629	181382	105608	20279	3004	194	11	0	342110
5-9	0	62	30601	81504	31631	4575	204	14	0	148591
10-14	0	0	101	12109	19983	5261	318	11	0	37783
15-19	0	0	0	58	3518	4373	306	18	0	8273
20-24	0	0	0	0	49	997	460	32	0	1538
25-29	0	0	0	0	0	20	69	56	0	145
30 & Above	0	0	0	0	0	0	2	13	0	15
Not Stated	1	37	72	93	38	24	6	1	6427	6699
Total	4	31728	212156	199372	75498	18254	1559	156	6427	545154

TABLE - B 20
Live Birth by Duration of Pregnancy and Birth Weight (Rural & Urban)

Duration of Pregnancy (Weeks)	Birth Weight (in Kgs)											
	Less than 1.500			1.500- 2.000			2.000 – 2.500			2.500-3.000		
	R	U	T	R	U	T	R	U	T	R	U	T
<32	402	867	1269	130	271	401	86	100	186	124	188	312
32 - 36	487	833	1320	1662	2813	4475	3543	5435	8978	5677	7440	13117
37 - 39	360	379	739	1491	2179	3670	13332	19764	33096	43545	73711	117256
40	88	292	380	436	1040	1476	6125	9907	16032	26376	43144	69520
40+	1	2	3	2	2	4	22	34	56	99	128	227
Not Stated	45	0	45	93	0	93	496	1	497	1280	7	1287
Total	1383	2373	3756	3814	6305	10119	23604	35241	58845	77101	124618	201719
Duration of Pregnancy (Weeks)	Birth Weight (in Kgs)											
	3.000 - 4.000			4.000+			Not Stated			Total		
	R	U	T	R	U	T	R	U	T	R	U	T
<32	141	223	364	16	32	48	15	5	20	914	1686	2600
32 - 36	5204	6927	12131	142	193	335	261	54	315	16976	23695	40671
37 - 39	50232	89603	139835	1293	2422	3715	774	225	999	111027	188283	299310
40	36725	64337	101062	1053	1908	2961	332	120	452	71135	120748	191883
40+	86	272	358	2	9	11	0	0	0	212	447	659
Not Stated	1114	5	1119	141	3	144	6798	48	6846	9967	64	10031
Total	93502	161367	254869	2647	4567	7214	8180	452	8632	210231	334923	545154

TABLE - B21
Live Birth by Age of Mother and Birth Weight (Rural and Urban)
Birth Weight (in kgs)

Age of Mother (Years)	Less Than 1.5000			1.500 - 2.000			2.000 - 2.5000			2.500 - 3.000		
	R	U	T	R	U	T	R	U	T	R	U	T
Below 15	0	0	0	0	0	0	0	1	1	1	0	1
15-19	87	157	244	217	442	659	1563	2414	3977	5041	8273	13314
20-24	471	814	1285	1384	2439	3823	9459	14657	24116	30716	51603	82319
25-29	508	820	1328	1349	2156	3505	8208	11957	20165	28089	44378	72467
30-34	217	411	628	649	914	1563	3245	4766	8011	10356	16177	26533
35-39	88	146	234	175	323	498	983	1288	2271	2543	3829	6372
40-44	11	21	32	29	23	52	101	126	227	239	296	535
45 & above	1	3	4	2	7	9	14	12	26	29	22	51
Not stated	0	1	1	9	1	10	31	20	51	87	40	127
Total	1383	2373	3756	3814	6305	10119	23604	35241	58845	77101	124618	201719

TABLE B-21 Contd

Age of Mother (Years)	3.000 - 4.000			4.000+			Not Stated			Total		
	R	U	T	R	U	T	R	U	T	R	U	T
Below 15	0	2	2	0	0	0	0	0	0	1	3	4
15-19	4766	8455	13221	77	129	206	107	0	107	11858	19870	31728
20-24	34454	63078	97532	824	1457	2281	793	7	800	78101	134055	212156
25-29	36485	61532	98017	1072	1809	2881	1005	4	1009	76716	122656	199372
30-34	14078	22820	36898	514	907	1421	442	2	444	29501	45997	75498
35-39	3289	5070	8359	124	233	357	162	1	163	7364	10890	18254
40-44	288	340	628	8	28	36	49	0	49	725	834	1559
45 & above	31	19	50	2	0	2	14	0	14	93	63	156
Not stated	111	51	162	26	4	30	5608	438	6046	5872	555	6427
Total	93502	161367	254869	2647	4567	7214	8180	452	8632	210231	334923	545154

TABLE - B 22

Live Births by Birth Order and Birth Weight (Rural and Urban)

Birth Order	Birth Weight (in kgs)											
	Less Than 1.5000			1.500 - 2.000			2.000 - 2.5000			2.500 - 3.000		
	R	U	T	R	U	T	R	U	T	R	U	T
1	637	1113	1750	1779	3101	4880	11632	18690	30322	37079	64587	101666
2	513	887	1400	1334	2246	3580	8179	12166	20345	28191	45898	74089
3	172	268	440	485	702	1187	2576	3354	5930	8320	11157	19477
4	41	73	114	132	187	319	676	759	1435	2066	2237	4303
5	10	16	26	41	47	88	248	180	428	663	505	1168
6	0	11	11	8	12	20	84	54	138	226	145	371
7	1	4	5	8	4	12	41	23	64	102	48	150
8	0	0	0	2	2	4	29	6	35	68	19	87
9	1	0	1	0	4	4	16	1	17	50	9	59
10 and Above	1	0	1	3	0	3	12	2	14	30	2	32
Not Stated	7	1	8	22	0	22	111	6	117	306	11	317
Total	1383	2373	3756	3814	6305	10119	23604	35241	58845	77101	124618	201719

TABLE B – 22 Contd

Birth Order	3.000 - 4.000			4.000+			Not Stated			Total		
	R	U	T	R	U	T	R	U	T	R	U	T
1	41126	76883	118009	1053	1863	2916	738	15	753	94044	166252	260296
2	36748	63875	100623	1062	1933	2995	851	8	859	76878	127013	203891
3	11107	15914	27021	349	542	891	496	1	497	23505	31938	55443
4	2743	3478	6221	95	169	264	203	0	203	5956	6903	12859
5	762	807	1569	34	36	70	104	0	104	1862	1591	3453
6	307	234	541	10	10	20	61	0	61	696	466	1162
7	140	90	230	8	10	18	56	0	56	356	179	535
8	95	30	125	5	0	5	34	0	34	233	57	290
9	54	14	68	0	0	0	23	0	23	144	28	172
10 and Above	45	18	63	1	0	1	12	0	12	104	22	126
Not Stated	375	24	399	30	4	34	5602	428	6030	6453	474	6927
Total	93502	161367	254869	2647	4567	7214	8180	452	8632	210231	334923	545154

TABLE - B 23

Live Births by Method of Delivery and Age of Mother (Rural and Urban)

Method of delivery	Age of Mother									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	Total
Rural areas										
Natural	0	8679	53677	49448	17675	4290	473	67	238	134547
Caesarean	0	2326	21230	24813	11037	2877	242	23	56	62604
Vacuum/Forceps	0	791	2870	2201	683	164	5	0	16	6730
Not Stated	1	62	324	254	106	33	5	3	5562	6350
Rural Total	1	11858	78101	76716	29501	7364	725	93	5872	210231
Urban areas										
Natural	2	13816	84763	69743	23561	5002	338	30	74	197329
Caesarean	0	4547	44018	49796	21589	5682	488	33	37	126190
Vacuum/Forceps	1	1505	5249	3099	844	205	7	0	5	10915
Not Stated	0	2	25	18	3	1	1	0	439	489
Urban Total	3	19870	134055	122656	45997	10890	834	63	555	334923
All areas										
Natural	2	22495	138440	119191	41236	9292	811	97	312	331876
Caesarean*	0	6873	65248	74609	32626	8559	730	56	93	188794
Vacuum/Forceps	1	2296	8119	5300	1527	369	12	0	21	17645
Not Stated	1	64	349	272	109	34	6	3	6001	6839
All Total	4	31728	212156	199372	75498	18254	1559	156	6427	545154

*includes institutional cases, cases attended by physician, Nurses/midwife and cases for which place of delivery not reported.

TABLE - D1

Deaths by Place of Occurrence, Districts (Rural and Urban) and Towns with Population One Lakh and Above

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Occurrence				Place of Residence of Deceased				
				Male	Female	NR	Total	Within the area	Out side the area	Place of residence outside the state	NR	Total
1	Kasaragod	Rural		2951	2232	122	5305	3916	192	3	1194	5305
		Urban		816	509	0	1325	53	345	0	927	1325
		Total		3767	2741	122	6630	3969	537	3	2121	6630
2	Kannur	Rural		5922	4430	517	10869	9890	343	5	631	10869
		Urban		2831	1967	5	4803	736	878	0	3189	4803
		Total		8753	6397	522	15672	10626	1221	5	3820	15672
		Thalasserry (M)		1207	887	0	2094	117	474	0	1503	2094
3	Wayanad	Rural		2128	1644	6	3778	2315	413	0	1050	3778
		Urban		185	120	0	305	28	83	0	194	305
		Total		2313	1764	6	4083	2343	496	0	1244	4083
4	Kozhikkode	Rural		5754	4616	6	10376	7984	674	0	1718	10376
		Urban		6920	4358	3	11281	804	3544	0	6933	11281
		Total		12674	8974	9	21657	8788	4218	0	8651	21657
		Kozhikkode (C)		6185	3772	3	9960	756	3360	0	5844	9960
5	Malappuram	Rural		9033	6772	154	15959	13398	818	2	1741	15959
		Urban		2177	1485	1	3663	224	818	0	2621	3663
		Total		11210	8257	155	19622	13622	1636	2	4362	19622
6	Palakkad	Rural		8251	6551	123	14925	9947	178	0	4800	14925
		Urban		1856	1287	0	3143	246	447	0	2450	3143
		Total		10107	7838	123	18068	10193	625	0	7250	18068
		Palakkad (M)		1268	853	0	2121	212	337	0	1572	2121
7	Thrissur	Rural		9796	7637	401	17834	14042	920	0	2872	17834
		Urban		4915	3226	24	8165	2801	987	0	4377	8165
		Total		14711	10863	425	25999	16843	1907	0	7249	25999
		Thrissur (C)		3339	2149	24	5512	2628	542	0	2342	5512

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Occurrence				Place of Residence of Deceased				
				Male	Female	NR	Total	Within the area	Out side the area	Place of residence outside the state	NR	Total
8	Ernakulam	Rural		7744	5803	220	13767	12995	384	0	388	13767
		Urban		8137	4782	72	12991	2689	3226	0	7076	12991
		Total		15881	10585	292	26758	15684	3610	0	7464	26758
		Kochi (C)		5529	3157	59	8745	2171	2147	0	4427	8745
9	Idukki	Rural		3430	2152	113	5695	4179	206	0	1310	5695
		Urban		552	325	0	877	74	312	0	491	877
		Total		3982	2477	113	6572	4253	518	0	1801	6572
10	Kottayam	Rural		10016	6219	48	16283	13029	1730	1	1523	16283
		Urban		1140	717	0	1857	480	363	0	1014	1857
		Total		11156	6936	48	18140	13509	2093	1	2537	18140
11	Alappuzha	Rural		6491	5228	367	12086	10279	1708	1	98	12086
		Urban		2097	1550	21	3668	1462	625	0	1581	3668
		Total		8588	6778	388	15754	11741	2333	1	1679	15754
		Alappuzha (M)		862	661	20	1543	1409	131	0	3	1543
12	Pathanamthitta	Rural		5018	3676	570	9264	8094	695	1	474	9264
		Urban		1738	1044	0	2782	226	1139	0	1417	2782
		Total		6756	4720	570	12046	8320	1834	1	1891	12046
13	Kollam	Rural		8582	6174	95	14851	11639	1342	7	1863	14851
		Urban		2744	1749	2	4495	948	1042	2	2503	4495
		Total		11326	7923	97	19346	12587	2384	9	4366	19346
		Kollam (C)		2227	1411	0	3638	433	926	0	2279	3638
14	Thiruvananthapuram	Rural		7123	5725	209	13057	12870	120	52	15	13057
		Urban		9262	6006	19	15287	2755	4056	7	8469	15287
		Total		16385	11731	228	28344	15625	4176	59	8484	28344
		Thiruvananthapuram (C)		8205	5204	4	13413	1454	3958	0	8001	13413
State Total		Rural		92239	68859	2951	164049	134577	9723	72	19677	164049
		Urban		45370	29125	147	74642	13526	17865	9	43242	74642
		Total		137609	97984	3098	238691	148103	27588	81	62919	238691

TABLE - D2

Deaths by Place of Residence, Districts (Rural and Urban) and Towns with Population One Lakh and Above

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Residence				Place of occurrence of death			
				Male	Female	NR	Total	Within the area	Out side the area	NR	Total
1	Kasaragod	Rural		2564	1798	121	4483	3916	567	0	4483
		Urban		34	32	0	66	53	13	0	66
		Total		2598	1830	121	4549	3969	580	0	4549
2	Kannur	Rural		6145	4420	516	11081	9890	1191	0	11081
		Urban		502	334	6	842	736	106	0	842
		Total		6647	4754	522	11923	10626	1297	0	11923
		Thalasserry (M)		72	68	0	140	117	23	0	140
3	Wayanad	Rural		1600	1154	4	2758	2315	443	0	2758
		Urban		26	17	0	43	28	15	0	43
		Total		1626	1171	4	2801	2343	458	0	2801
4	Kozhikkode	Rural		6068	4542	6	10616	7984	2632	0	10616
		Urban		533	397	0	930	804	126	0	930
		Total		6601	4939	6	11546	8788	2758	0	11546
		Kozhikkode (C)		441	341	0	782	756	26	0	782
5	Malappuram	Rural		8920	6620	155	15695	13398	2297	0	15695
		Urban		211	144	0	355	224	131	0	355
		Total		9131	6764	155	16050	13622	2428	0	16050
6	Palakkad	Rural		6157	4761	123	11041	9947	1094	0	11041
		Urban		204	130	1	335	246	89	0	335
		Total		6361	4891	124	11376	10193	1183	0	11376
		Palakkad (M)		152	98	1	251	212	39	0	251

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Residence				Place of occurrence of death			
				Male	Female	NR	Total	Within the area	Out side the area	NR	Total
7	Thrissur	Rural		8561	6909	401	15871	14042	1829	0	15871
		Urban		1748	1169	24	2941	2801	140	0	2941
		Total		10309	8078	425	18812	16843	1969	0	18812
		Thrissur (C)		1576	1065	24	2665	2628	37	0	2665
8	Ernakulam	Rural		8833	6343	221	15397	12995	2402	0	15397
		Urban		1740	1172	71	2983	2689	294	0	2983
		Total		10573	7515	292	18380	15684	2696	0	18380
		Kochi (C)		1281	862	59	2202	2171	31	0	2202
9	Idukki	Rural		2910	1803	114	4827	4179	648	0	4827
		Urban		56	34	0	90	74	16	0	90
		Total		2966	1837	114	4917	4253	664	0	4917
10	Kottayam	Rural		8878	5678	48	14604	13029	1575	0	14604
		Urban		424	210	0	634	480	154	0	634
		Total		9302	5888	48	15238	13509	1729	0	15238
11	Alappuzha	Rural		7195	5578	357	13130	10279	2851	0	13130
		Urban		1154	863	35	2052	1462	590	0	2052
		Total		8349	6441	392	15182	11741	3441	0	15182
		Alappuzha (M)		954	745	25	1724	1409	315	0	1724
12	Pathanamthitta	Rural		5371	3910	539	9820	8094	1726	0	9820
		Urban		374	211	22	607	226	381	0	607
		Total		5745	4121	561	10427	8320	2107	0	10427
13	Kollam	Rural		8619	6135	94	14848	11639	3209	0	14848
		Urban		738	429	2	1169	948	221	0	1169
		Total		9357	6564	96	16017	12587	3430	0	16017
		Kollam (C)		369	207	0	576	433	143	0	576

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Residence				Place of occurrence of death			
				Male	Female	NR	Total	Within the area	Out side the area	NR	Total
14	Thiruvananthapuram	Rural		8625	6662	213	15500	12870	2630	0	15500
		Urban		1720	1238	15	2973	2755	218	0	2973
		Total		10345	7900	228	18473	15625	2848	0	18473
		Thiruvananthapuram (C)		868	607	0	1475	1454	21	0	1475
State		Rural		90446	66313	2912	159671	134577	25094	0	159671
		Urban		9464	6380	176	16020	13526	2494	0	16020
		NR		37645	25266	8	62919	0	0	62919	62919
		Total		137555	97959	3096	238610	148103	27588	62919	238610
Other States				54	25	2	81	0	81	0	81

TABLE - D3
Time Gap in Registration of Deaths (Rural & Urban)

Sl.No	District	Rural												Urban											
		Number of Death Registered:						164049						Number of Death Registered:						74642					
		Delayed Registration:						24319						Delayed Registration:						12407					
		Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year			Within prescribed time limit			Within 30 days			After 30 days but within 1 year			After 1 Year		
		Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported	Male	Female	Not Reported
1	Kasaragod	2475	1900	108	282	212	5	144	95	7	50	25	2	697	404	0	60	34	0	49	64	0	10	7	0
2	Kannur	5261	3886	461	324	279	32	217	183	15	120	82	9	2264	1490	4	280	215	1	270	242	0	17	20	0
3	Wayanad	1771	1352	4	161	139	1	157	136	1	39	17	0	156	103	0	17	13	0	12	3	0	0	1	0
4	Kozhikkode	4554	3667	5	547	461	1	535	399	0	118	89	0	6468	3916	3	191	174	0	211	200	0	50	68	0
5	Malappuram	7556	5552	137	598	568	10	712	552	4	167	100	3	1907	1221	1	113	95	0	149	159	0	8	10	0
6	Palakkad	6849	5437	104	712	579	10	512	429	4	178	106	5	1500	982	0	184	148	0	155	146	0	17	11	0
7	Thrissur	8752	6712	347	451	442	20	330	272	13	263	211	21	4327	2730	22	300	233	2	240	225	0	48	38	0
8	Ernakulam	6680	5018	179	365	316	13	373	248	11	326	221	17	7097	3917	60	499	429	4	454	376	5	87	60	3
9	Idukki	2981	1870	100	225	162	5	162	82	3	62	38	5	430	237	0	83	52	0	36	35	0	3	1	0
10	Kottayam	9085	5580	42	399	329	2	327	201	3	205	109	1	787	437	0	169	111	0	168	163	0	16	6	0
11	Alappuzha	5740	4536	327	382	368	22	239	217	10	130	107	8	1659	1165	21	181	145	0	233	216	0	24	24	0
12	Pathanamthitta	4437	3233	530	264	205	20	212	170	10	105	68	10	1409	775	0	213	155	0	105	104	0	11	10	0
13	Kollam	7060	5064	83	786	557	7	591	454	2	145	99	3	2236	1355	2	209	185	0	256	171	0	43	38	0
14	Thiruvananthapuram	5609	4536	150	753	622	27	522	352	25	239	215	7	7678	4758	17	496	383	0	964	749	1	124	116	1
State total		78810	58343	2577	6249	5239	175	5033	3790	108	2147	1487	91	38615	23490	130	2995	2372	7	3302	2853	6	458	410	4

TABLE - D4
Deaths by Sex and Month of Occurrence

Sl.No	District	SEX	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
1	Kasaragod	M	331	307	282	250	313	260	351	386	367	323	286	311	3767
		F	256	216	249	166	212	163	261	253	266	268	217	214	2741
		NR	14	14	13	4	15	5	11	11	9	7	12	7	122
		T	601	537	544	420	540	428	623	650	642	598	515	532	6630
2	Kannur	M	723	615	723	577	651	662	767	842	858	787	753	795	8753
		F	525	441	501	452	446	505	616	594	598	577	569	573	6397
		NR	68	80	76	48	56	36	38	42	19	18	18	23	522
		T	1316	1136	1300	1077	1153	1203	1421	1478	1475	1382	1340	1391	15672
3	Wayanad	M	202	195	179	173	154	146	245	181	213	202	222	201	2313
		F	168	146	131	127	122	112	198	141	191	140	139	149	1764
		NR	1	0	1	1	0	0	1	1	0	0	1	0	6
		T	371	341	311	301	276	258	444	323	404	342	362	350	4083
4	Kozhikkode	M	1126	939	1019	969	982	999	1034	1223	1175	1007	1129	1072	12674
		F	748	675	714	655	686	626	803	912	902	782	751	720	8974
		NR	2	0	1	1	1	0	0	1	0	0	1	2	9
		T	1876	1614	1734	1625	1669	1625	1837	2136	2077	1789	1881	1794	21657
5	Malappuram	M	979	858	922	804	934	729	1106	1056	1024	916	945	937	11210
		F	668	636	656	560	684	522	812	788	886	691	683	671	8257
		NR	31	14	11	16	7	7	13	12	16	11	10	7	155
		T	1678	1508	1589	1380	1625	1258	1931	1856	1926	1618	1638	1615	19622
6	Palakkad	M	773	829	800	648	813	651	935	901	1109	865	907	876	10107
		F	582	608	553	530	579	478	754	740	879	723	755	657	7838
		NR	12	16	16	13	10	10	5	4	11	11	9	6	123
		T	1367	1453	1369	1191	1402	1139	1694	1645	1999	1599	1671	1539	18068
7	Thrissur	M	1185	997	950	1028	1134	1215	1384	1386	1600	1323	1307	1202	14711
		F	819	755	759	638	824	842	1093	1070	1180	984	1022	877	10863
		NR	32	31	24	41	50	40	43	47	40	26	22	29	425
		T	2036	1783	1733	1707	2008	2097	2520	2503	2820	2333	2351	2108	25999
8	Ernakulam	M	1295	1219	1222	1131	1211	1218	1705	1582	1525	1304	1334	1135	15881
		F	884	748	733	721	724	779	1155	1095	1101	954	881	810	10585

Sl.No	District	SEX	Months												
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
		NR	44	29	21	32	20	21	31	19	37	12	10	16	292
9	Idukki	T	2223	1996	1976	1884	1955	2018	2891	2696	2663	2270	2225	1961	26758
		M	335	253	319	244	307	278	452	390	393	374	312	325	3982
		F	233	163	171	159	170	196	272	256	245	232	188	192	2477
		NR	12	31	7	8	11	3	9	13	12	5	2	0	113
10	Kottayam	T	580	447	497	411	488	477	733	659	650	611	502	517	6572
		M	898	825	834	701	724	1068	1517	964	1013	969	888	755	11156
		F	537	439	475	425	433	592	952	698	704	652	588	441	6936
		NR	3	8	3	2	4	4	2	5	6	8	3	0	48
11	Alappuzha	T	1438	1272	1312	1128	1161	1664	2471	1667	1723	1629	1479	1196	18140
		M	760	665	603	564	565	661	885	880	804	750	722	729	8588
		F	593	484	463	428	458	512	648	690	711	631	625	535	6778
		NR	31	29	33	27	24	37	37	57	31	38	24	20	388
12	Pathanamthitta	T	1384	1178	1099	1019	1047	1210	1570	1627	1546	1419	1371	1284	15754
		M	486	475	473	449	486	649	902	646	618	513	554	505	6756
		F	356	339	322	277	321	402	582	472	437	427	472	313	4720
		NR	44	30	44	55	38	55	69	60	50	34	51	40	570
13	Kollam	T	886	844	839	781	845	1106	1553	1178	1105	974	1077	858	12046
		M	848	745	815	756	853	767	1330	1299	1244	954	844	871	11326
		F	602	492	543	473	597	514	871	900	878	733	644	676	7923
		NR	22	9	6	2	8	1	15	12	6	5	5	6	97
14	Thiruvananthapuram	T	1472	1246	1364	1231	1458	1282	2216	2211	2128	1692	1493	1553	19346
		M	1363	1143	1176	1145	1140	1273	1656	1754	1680	1482	1331	1242	16385
		F	911	918	843	806	837	892	1195	1184	1181	1079	973	912	11731
		NR	15	14	14	15	21	6	15	17	38	30	21	22	228
15	State Total	T	2289	2075	2033	1966	1998	2171	2866	2955	2899	2591	2325	2176	28344
		M	11304	10065	10317	9439	10267	10576	14269	13490	13623	11769	11534	10956	137609
		F	7882	7060	7113	6417	7093	7135	10212	9793	10159	8873	8507	7740	97984
		NR	331	305	270	265	265	225	289	301	275	205	189	178	3098
		T	19517	17430	17700	16121	17625	17936	24770	23584	24057	20847	20230	18874	238691

TABLE - D-5
Deaths by Type of Attention at Death (Rural and Urban)

Rural/ Urban	TOWN	Type of Attention at Death				
		Institutional	Medical Attention Other than Institution	No Medical Attention	Not Stated	Total
Rural						
1	RURAL	81323	36622	37607	8497	164049
Urban (i) Towns with population one lakh and above						
1	Alappuzha (M)	786	291	402	64	1543
2	Kochi (C)	7140	651	864	90	8745
3	Kollam (C)	2568	324	746		3638
4	Kozhikkode (C)	8771	530	659		9960
5	Palakkad (M)	1652	164	289	16	2121
6	Thalasserry (M)	1788	118	187	1	2094
7	Thiruvananthapuram (C)	11653	657	1099	4	13413
8	Thrissur (C)	4382	580	511	39	5512
	Total(i)	38740	3315	4757	214	47026
Urban (ii) All other urban areas						
1	Adoor (M)	482	20	22	4	528
2	Aluva (M)	450	16	53	8	527
3	Angamaly (M)	509	37	126	3	675
4	Attingal (M)	121	23	66	69	279
5	Chalakkudy (M)	555	34	91		680
6	Changanasserry (M)	253	28	57	1	339
7	Chavakkad (M)	222	53	56	6	337
8	Chengannur (M)	148	44	59		251
9	Cherthala (M)	550	91	62		703
10	Chittoor-Thathamangalam (M)	113	57	78	4	252
11	Guruvayoor (M)	55	40	34	2	131
12	Iringalakuda (M)	177	43	40		260
13	Kalamasserry (M)	191	37	97	2	327
14	Kalpetta (M)	282	13	9	1	305
15	Kanjhagad (M)	482	56	77		615
16	Kannur (M)	599	106	94	1	800
17	Kannur Cantonment (M)	282	4	10	45	341
18	Kasargod (M)	661	16	31	2	710
19	Kayamkulam (M)	376	25	38		439
20	Kodungallur (M)	471	53	61		585
21	Kothamangalam (M)	421	19	147	1	588
22	Kottayam (M)	561	45	125	1	732
23	Kunnamkulam (M)	475	60	125		660
24	Kuthuparamba (M)	172	31	52	1	256
25	Malappuram (M)	365	81	40		486
26	Manjeri (M)	823	65	71		959
27	Mattannur (M)	109	53	62		224

Rural/ Urban	TOWN	Type of Attention at Death				
		Institutional	Medical Attention Other than Institution	No Medical Attention	Not Stated	Total
Urban	(ii) All other urban areas					
28	Mavelikkara (M)	613	53	66		732
29	Moovattupuzha (M)	463	12	49	8	532
30	Nedumangad (M)	268	51	173		492
31	Neyyattinkara (M)	399	83	143	104	729
32	North Paravur (M)	494	38	50	2	584
33	Ottappalam (M)	355	64	91	2	512
34	Pala (M)	439	32	42		513
35	Paravoor (M)	74	28	142		244
36	Pathanamthitta (M)	539	48	81	1	669
37	Payyannur (M)	429	77	117		623
38	Perinthalmanna (M)	1108	81	33		1222
39	Perumbavoor (M)	409	29	41		479
40	Ponnani (M)	244	105	95		444
41	Punalur (M)	464	27	109	13	613
42	Quilandy (M)	291	81	74		446
43	Shornnur (M)	108	51	99		258
44	Thaliparamba (M)	306	91	68		465
45	Thiruvalla (M)	1370	125	89	1	1585
46	Thodupuzha (M)	767	33	76	1	877
47	Thrippunithura (M)	353	56	124	1	534
48	Tirur (M)	466	53	33		552
49	Vadakara (M)	652	202	21		875
50	Vaikom (M)	169	56	48		273
51	Varkala (M)	202	49	123		374
Total(ii)	20887	2675	3770	284	27616	
Urban Total	59627	5990	8527	498	74642	
State Total	140950	42612	46134	8995	238691	

TABLE - D6
Deaths by Age, Sex and Religion of the Deceased (Rural & Urban)

Age	Religion of Deceased																			
	Hindu				Muslims				Christians				Others*				Total			
	M	F	NR	T	M	F	NR	T	M	F	NR	T	M	F	NR	T	M	F	NR	T
All Areas																				
Below 1 year	1258	971	21	2250	897	655	7	1559	329	212	5	546	142	116	2	260	3	3	1	7
39904	297	251	16	564	169	162	4	335	110	92	4	206	18	11	1	30	16	3	0	19
39947	483	372	9	864	243	179	4	426	142	129	3	274	8	11	0	19	7	2	0	9
15-24	1399	948	29	2376	541	322	8	871	360	168	9	537	22	13	0	35	9	6	0	15
25-34	2669	1171	33	3873	607	421	7	1035	738	308	8	1054	46	21	0	67	19	7	2	28
35-44	5197	1974	64	7235	1039	637	18	1694	1281	578	14	1873	68	40	1	109	51	21	1	73
45-54	9863	3703	131	13697	2682	1225	40	3947	2582	1054	31	3667	110	67	0	177	102	28	1	131
55-64	14887	6368	202	21457	4796	2113	73	6982	4097	1856	66	6019	158	103	0	261	113	44	5	162
65-69	9186	5529	160	14875	3310	2010	56	5376	2626	1607	44	4277	68	73	0	141	68	35	3	106
70 and above	38686	38953	923	78562	9904	9201	189	19294	14761	13098	324	28183	346	230	0	576	315	248	12	575
Age not Stated	458	397	304	1159	119	99	33	251	182	117	218	517	0	12	3	15	22	10	9	41
Total	84383	60637	1892	146912	24307	17024	439	41770	27208	19219	726	47153	986	697	7	1690	725	407	34	1166
Rural																				
Below 1 year	351	297	17	665	186	158	4	348	128	79	5	212	25	40	1	66	3	3	1	7
39904	187	147	15	349	99	91	4	194	76	54	4	134	0	0	1	1	5	3	0	8
39947	300	235	9	544	155	105	3	263	98	89	3	190	2	3	0	5	5	2	0	7
15-24	833	575	28	1436	293	165	7	465	232	96	9	337	14	7	0	21	7	6	0	13
25-34	1705	682	30	2417	340	229	7	576	446	178	7	631	22	13	0	35	9	5	1	15
35-44	3339	1228	56	4623	567	369	16	952	830	373	14	1217	26	34	0	60	36	13	1	50
45-54	6127	2269	124	8520	1634	719	38	2391	1670	691	31	2392	50	41	0	91	69	21	1	91
55-64	9414	4021	192	13627	2950	1274	68	4292	2683	1187	59	3929	58	75	0	133	78	34	5	117
65-69	6029	3683	152	9864	2128	1311	48	3487	1730	1072	43	2845	35	50	0	85	52	30	3	85
70 and	27840	29163	887	57890	7050	6731	185	13966	11136	10246	313	21695	212	154	0	366	246	225	12	483

Age	Religion of Deceased																			
	Hindu				Muslims				Christians				Others*				Total			
	M	F	NR	T	M	F	NR	T	M	F	NR	T	M	F	NR	T	M	F	NR	T
above																				
Age not Stated	434	372	290	1096	111	88	33	232	174	108	212	494	0	10	3	13	10	5	9	24
Total	56559	42672	1800	101031	15513	11240	413	27166	19203	14173	700	34076	444	427	5	876	520	347	33	900
Urban																				
Below 1 year	907	674	4	1585	711	497	3	1211	201	133	0	334	117	76	1	194	0	0	0	0
39904	110	104	1	215	70	71	0	141	34	38	0	72	18	11	0	29	11	0	0	11
39947	183	137	0	320	88	74	1	163	44	40	0	84	6	8	0	14	2	0	0	2
15-24	566	373	1	940	248	157	1	406	128	72	0	200	8	6	0	14	2	0	0	2
25-34	964	489	3	1456	267	192	0	459	292	130	1	423	24	8	0	32	10	2	1	13
35-44	1858	746	8	2612	472	268	2	742	451	205	0	656	42	6	1	49	15	8	0	23
45-54	3736	1434	7	5177	1048	506	2	1556	912	363	0	1275	60	26	0	86	33	7	0	40
55-64	5473	2347	10	7830	1846	839	5	2690	1414	669	7	2090	100	28	0	128	35	10	0	45
65-69	3157	1846	8	5011	1182	699	8	1889	896	535	1	1432	33	23	0	56	16	5	0	21
70 and above	10846	9790	36	20672	2854	2470	4	5328	3625	2852	11	6488	134	76	0	210	69	23	0	92
Age not Stated	24	25	14	63	8	11	0	19	8	9	6	23	0	2	0	2	12	5	0	17
Total	27824	17965	92	45881	8794	5784	26	14604	8005	5046	26	13077	542	270	2	814	205	60	1	266
*Minor religious group are classified into Others																				

TABLE - D7
Deaths by Age, Occupation and Sex (Rural)

Occupation of the Deceased	Sex	Age									
		10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total
Professional, Technical and related workers	Male	106	34	92	142	307	482	349	1423	11	2946
	Female	96	36	64	113	182	287	233	1620	25	2656
	Not Reported	1	0	0	0	1	2	0	3	1	8
	Total	203	70	156	255	490	771	582	3046	37	5610
Administrative, Executive and Managerial Workers	Male	0	9	22	32	70	96	87	305	5	626
	Female	0	3	10	11	40	39	29	193	4	329
	Not Reported	0	0	0	1	2	2	1	6	14	26
	Total	0	12	32	44	112	137	117	504	23	981
Clerical and Related Workers	Male	0	9	27	43	136	131	64	243	2	655
	Female	0	3	7	16	20	27	20	154	0	247
	Not Reported	0	0	2	0	0	2	0	10	1	15
	Total	0	12	36	59	156	160	84	407	3	917
Sales Workers	Male	5	29	63	125	246	328	151	448	15	1410
	Female	0	8	3	10	17	25	14	92	2	171
	Not Reported	0	1	1	3	6	6	4	10	8	39
	Total	5	38	67	138	269	359	169	550	25	1620
Service Workers	Male	17	44	132	210	452	671	334	1241	30	3131
	Female	4	9	26	31	58	91	62	250	5	536
	Not Reported	3	0	1	4	9	9	12	30	46	114
	Total	24	53	159	245	519	771	408	1521	81	3781
Farmers, Fishers, Hunters, Loggers & related workers	Male	19	145	436	923	1862	2558	1470	6534	122	14069
	Female	11	13	43	100	205	291	197	1138	13	2011
	Not Reported	2	4	7	22	49	60	22	139	73	378
	Total	32	162	486	1045	2116	2909	1689	7811	208	16458
Production and other related workers, transport & other equipment operators	Male	20	270	711	1293	1981	2153	853	2145	58	9484
	Female	9	27	49	137	246	280	185	667	17	1617

Occupation of the Deceased	Sex	Age									
		10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total
& labourers	Not Reported	1	6	6	6	22	26	7	27	3	104
	Total	30	303	766	1436	2249	2459	1045	2839	78	11205
Workers whose occupation are not elsewhere classified	Male	23	142	393	753	1374	1657	861	2557	39	7799
	Female	20	41	88	150	244	335	237	1305	10	2430
	Not Reported	0	4	5	13	17	18	10	30	11	108
	Total	43	187	486	916	1635	2010	1108	3892	60	10337
Non Workers	Male	1273	650	614	1189	2936	6832	5635	30676	428	50233
	Female	1056	672	773	1399	2643	5062	5026	40176	489	57296
	Not Reported	52	27	22	33	82	195	180	1095	357	2043
	Total	2381	1349	1409	2621	5661	12089	10841	71947	1274	109572
Not Stated	Male	157	47	32	88	186	275	170	912	19	1886
	Female	110	37	44	50	86	154	143	924	18	1566
	Not Reported	8	2	1	5	6	4	10	47	33	116
	Total	275	86	77	143	278	433	323	1883	70	3568
Total	Male	1620	1379	2522	4798	9550	15183	9974	46484	729	92239
	Female	1306	849	1107	2017	3741	6591	6146	46519	583	68859
	Not Reported	67	44	45	87	194	324	246	1397	547	2951
	Total	2993	2272	3674	6902	13485	22098	16366	94400	1859	164049

TABLE - D8
Deaths by Age, Occupation and Sex (Urban)

Occupation of the Deceased	Sex	Age									Total
		10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	
Professional, Technical and related workers	Male	961	46	84	187	407	827	496	1565	13	4586
	Female	669	55	97	121	234	395	349	1482	7	3409
	Not Reported	7	0	0	1	0	1	0	0	0	9
	Total	1637	101	181	309	641	1223	845	3047	20	8004
Administrative, Executive and Managerial Workers	Male	0	2	11	22	61	56	20	80	0	252
	Female	0	0	3	3	13	7	6	14	1	47
	Total	0	2	14	25	74	63	26	94	1	299
Clerical and Related Workers	Male	0	5	21	21	81	56	29	78	0	291
	Female	0	0	3	4	11	7	4	9	0	38
	Not Reported	0	0	0	0	0	1	0	0	0	1
	Total	0	5	24	25	92	64	33	87	0	330
Sales Workers	Male	0	13	27	57	115	138	64	162	0	576
	Female	0	3	0	3	1	3	0	10	0	20
	Not Reported	0	0	0	0	0	0	1	0	0	1
	Total	0	16	27	60	116	141	65	172	0	597
Service Workers	Male	2	14	33	64	120	139	72	226	0	670
	Female	0	1	4	5	9	16	3	33	0	71
	Not Reported	0	0	0	0	0	1	1	1	4	7
	Total	2	15	37	69	129	156	76	260	4	748
Farmers, Fishers, Hunters, Loggers & related workers	Male	2	19	69	168	410	604	369	1200	4	2845
	Female	0	3	2	7	19	36	23	115	1	206
	Not Reported	0	0	0	1	2	6	0	3	2	14
	Total	2	22	71	176	431	646	392	1318	7	3065
Production and other related workers, transport & other equipment operators	Male	8	210	555	958	1611	1649	674	1251	3	6919
	Female	5	20	19	66	102	126	64	158	1	561

Occupation of the Deceased	Sex	Age									
		10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total
& labourers	Not Reported	0	0	1	4	0	3	2	1	0	11
	Total	13	230	575	1028	1713	1778	740	1410	4	7491
Workers whose occupation are not elsewhere classified	Male	63	144	348	658	1292	1907	1138	3307	13	8870
	Female	55	49	99	137	264	411	290	1301	5	2611
	Not Reported	0	0	0	2	1	2	0	1	0	6
	Total	118	193	447	797	1557	2320	1428	4609	18	11487
Non Workers	Male	1265	479	405	696	1682	3467	2410	9589	19	20012
	Female	967	465	593	882	1676	2877	2358	12029	37	21884
	Not Reported	2	2	3	2	5	8	12	45	14	93
	Total	2234	946	1001	1580	3363	6352	4780	21663	70	41989
Not Stated	Male	201	20	4	7	10	25	12	70	0	349
	Female	167	12	1	5	7	15	11	60	0	278
	Not Reported	1	0	1	1	1	0	1	0	0	5
	Total	369	32	6	13	18	40	24	130	0	632
Total	Male	2502	952	1557	2838	5789	8868	5284	17528	52	45370
	Female	1863	608	821	1233	2336	3893	3108	15211	52	29125
	Not Reported	10	2	5	11	9	22	17	51	20	147
	Total	4375	1562	2383	4082	8134	12783	8409	32790	124	74642

TABLE - D9
Deaths by Age, Occupation and Sex (All Areas)

Occupation of the Deceased	Sex	Age									Total
		10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	
Professional, Technical and related workers	Male	1067	80	176	329	714	1309	845	2988	24	7532
	Female	765	91	161	234	416	682	582	3102	32	6065
	Not Reported	8	0	0	1	1	3	0	3	1	17
	Total	1840	171	337	564	1131	1994	1427	6093	57	13614
Administrative, Executive and Managerial Workers	Male	0	11	33	54	131	152	107	385	5	878
	Female	0	3	13	14	53	46	35	207	5	376
	Not Reported	0	0	0	1	2	2	1	6	14	26
	Total	0	14	46	69	186	200	143	598	24	1280
Clerical and Related Workers	Male	0	14	48	64	217	187	93	321	2	946
	Female	0	3	10	20	31	34	24	163	0	285
	Not Reported	0	0	2	0	0	3	0	10	1	16
	Total	0	17	60	84	248	224	117	494	3	1247
Sales Workers	Male	5	42	90	182	361	466	215	610	15	1986
	Female	0	11	3	13	18	28	14	102	2	191
	Not Reported	0	1	1	3	6	6	5	10	8	40
	Total	5	54	94	198	385	500	234	722	25	2217
Service Workers	Male	19	58	165	274	572	810	406	1467	30	3801
	Female	4	10	30	36	67	107	65	283	5	607
	Not Reported	3	0	1	4	9	10	13	31	50	121
	Total	26	68	196	314	648	927	484	1781	85	4529
Farmers, Fishers, Hunters, Loggers & related workers	Male	21	164	505	1091	2272	3162	1839	7734	126	16914
	Female	11	16	45	107	224	327	220	1253	14	2217
	Not Reported	2	4	7	23	51	66	22	142	75	392
	Total	34	184	557	1221	2547	3555	2081	9129	215	19523

Occupation of the Deceased	Sex	Age									
		10-14	15-24	25-34	35-44	45-54	55-64	65-69	70 & Above	Age not Stated	Total
Production and other related workers, transport & other equipment operators & labourers	Male	28	480	1266	2251	3592	3802	1527	3396	61	16403
	Female	14	47	68	203	348	406	249	825	18	2178
	Not Reported	1	6	7	10	22	29	9	28	3	115
	Total	43	533	1341	2464	3962	4237	1785	4249	82	18696
Workers whose occupation are not elsewhere classified	Male	86	286	741	1411	2666	3564	1999	5864	52	16669
	Female	75	90	187	287	508	746	527	2606	15	5041
	Not Reported	0	4	5	15	18	20	10	31	11	114
	Total	161	380	933	1713	3192	4330	2536	8501	78	21824
Non Workers	Male	2538	1129	1019	1885	4618	10299	8045	40265	447	70245
	Female	2023	1137	1366	2281	4319	7939	7384	52205	526	79180
	Not Reported	54	29	25	35	87	203	192	1140	371	2136
	Total	4615	2295	2410	4201	9024	18441	15621	93610	1344	151561
Not Stated	Male	358	67	36	95	196	300	182	982	19	2235
	Female	277	49	45	55	93	169	154	984	18	1844
	Not Reported	9	2	2	6	7	4	11	47	33	121
	Total	644	118	83	156	296	473	347	2013	70	4200
Total	Male	4122	2331	4079	7636	15339	24051	15258	64012	781	137609
	Female	3169	1457	1928	3250	6077	10484	9254	61730	635	97984
	Not Reported	77	46	50	98	203	346	263	1448	567	3098
	Total	7368	3834	6057	10984	21619	34881	24775	127190	1983	238691

TABLE D-10
Deaths by Cause of Death, Age and Sex for all Deaths Medically Certified or Not

Cause of Deaths	Sex	Age of Deceased											Total
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	
Cholera	M	0	1	0	3	1	8	4	12	5	41	0	75
	F	0	1	0	0	0	1	3	15	3	56	1	80
	NR	0	0	0	0	0	0	0	1	0	3	2	6
	Total	0	2	0	3	1	9	7	28	8	100	3	161
Typhoid	M	1	3	2	5	16	14	36	76	31	280	16	480
	F	2	3	2	6	6	8	22	41	30	292	6	418
	NR	0	1	0	0	0	0	1	1	0	5	1	9
	Total	3	7	4	11	22	22	59	118	61	577	23	907
Food Poisoning	M	0	0	0	5	6	10	7	4	3	21	0	56
	F	0	0	1	0	1	2	3	1	3	17	2	30
	Total	0	0	1	5	7	12	10	5	6	38	2	86
Dysentery	M	0	2	6	3	2	6	14	9	10	66	0	118
	F	3	1	3	1	5	4	2	8	13	54	2	96
	NR	0	0	0	0	0	0	0	0	0	1	0	1
	Total	3	3	9	4	7	10	16	17	23	121	2	215
Tuberculosis	M	0	1	3	10	43	139	211	273	152	301	12	1145
	F	0	0	4	19	26	41	53	53	42	156	5	399
	NR	0	0	0	0	2	3	2	2	0	3	1	13
	Total	0	1	7	29	71	183	266	328	194	460	18	1557
Leprosy	M	0	0	0	0	0	0	1	2	5	8	0	16
	F	0	0	0	0	0	0	0	0	1	0	0	1
	Total	0	0	0	0	0	0	1	2	6	8	0	17

Cause of Deaths	Sex	Age of Deceased											Total
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	
Dyphtheria	M	1	0	0	0	0	0	1	8	5	10	1	26
	F	4	0	0	0	0	0	0	1	4	10	0	19
	NR	1	0	0	0	0	0	0	0	0	0	0	1
	Total	6	0	0	0	0	0	1	9	9	20	1	46
Whooping cough	M	1	0	1	1	3	5	4	15	17	51	1	99
	F	4	0	0	0	1	2	1	4	7	43	3	65
	NR	0	0	0	0	0	0	1	0	1	2	2	6
	Total	5	0	1	1	4	7	6	19	25	96	6	170
Tetanus	M	1	5	0	2	1	3	11	13	14	33	0	83
	F	0	0	1	1	0	2	0	3	5	28	2	42
	NR	0	0	0	0	1	0	1	0	0	0	0	2
	Total	1	5	1	3	2	5	12	16	19	61	2	127
Poliomyelitus	M	0	0	0	2	0	0	3	2	1	6	0	14
	F	0	0	4	0	0	0	0	1	0	6	0	11
	Total	0	0	4	2	0	0	3	3	1	12	0	25
Measles	M	0	0	1	0	0	0	7	11	2	14	1	36
	F	0	1	0	1	0	3	4	7	7	22	1	46
	Total	0	1	1	1	0	3	11	18	9	36	2	82
Rabies	M	0	0	0	0	2	3	0	5	2	2	0	14
	F	0	0	2	0	0	1	3	1	1	4	0	12
	Total	0	0	2	0	2	4	3	6	3	6	0	26
Malaria	M	0	0	0	0	1	4	3	3	3	28	0	42
	F	0	0	0	1	1	0	1	2	7	37	0	49
	Total	0	0	0	1	2	4	4	5	10	65	0	91
Cancer	M	8	46	73	109	190	511	1525	2660	1532	3244	63	9961
	F	4	30	54	83	201	539	1147	1487	856	2042	42	6485
	NR	0	1	3	1	2	19	24	45	29	60	21	205
	Total	12	77	130	193	393	1069	2696	4192	2417	5346	126	16651

Cause of Deaths	Sex	Age of Deceased											
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	Total
Diabetes	M	14	2	4	11	31	86	272	609	435	1598	18	3080
	F	15	4	7	13	22	82	198	501	424	1809	25	3100
	NR	0	1	0	0	0	2	4	9	9	30	36	91
	Total	29	7	11	24	53	170	474	1119	868	3437	79	6271
Anaemia's	M	5	0	1	4	3	8	10	24	11	62	0	128
	F	4	1	0	3	8	5	6	10	17	69	1	124
	NR	0	0	0	0	0	0	2	1	0	0	1	4
	Total	9	1	1	7	11	13	18	35	28	131	2	256
Meningitis	M	2	4	5	7	10	13	15	24	14	39	0	133
	F	1	4	4	9	7	7	8	15	10	55	0	120
	NR	0	1	0	0	0	0	1	0	0	0	2	4
	Total	3	9	9	16	17	20	24	39	24	94	2	257
Heart Attack	M	443	94	116	282	717	1982	5199	8702	5325	17400	207	40467
	F	326	93	113	200	336	793	1660	3181	2839	13379	123	23043
	NR	4	4	3	8	6	14	70	132	84	304	254	883
	Total	773	191	232	490	1059	2789	6929	12015	8248	31083	584	64393
Pneumonia	M	80	30	26	30	35	101	155	213	127	758	4	1559
	F	52	24	21	26	32	46	70	109	92	553	6	1031
	NR	1	0	0	0	0	0	0	1	0	9	10	21
	Total	133	54	47	56	67	147	225	323	219	1320	20	2611
Influenza	M	2	6	5	4	9	27	47	77	29	256	9	471
	F	0	1	4	6	6	13	14	34	28	268	1	375
	NR	0	0	0	1	0	0	2	2	2	4	0	11
	Total	2	7	9	11	15	40	63	113	59	528	10	857
Asthma	M	115	25	25	58	83	294	874	2082	1813	10224	92	15685
	F	79	31	17	45	64	171	392	849	923	9883	109	12563
	NR	2	1	0	1	1	6	4	22	33	248	36	354

Cause of Deaths	Sex	Age of Deceased											
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	Total
	Total	196	57	42	104	148	471	1270	2953	2769	20355	237	28602
Jaundis	M	5	1	8	12	31	83	103	92	48	123	3	509
	F	9	2	4	11	17	21	40	61	33	125	3	326
	NR	0	0	0	0	0	1	0	0	0	1	2	4
	Total	14	3	12	23	48	105	143	153	81	249	8	839
Liver Disease	M	13	4	10	25	60	252	614	822	366	828	13	3007
	F	12	0	6	23	32	55	134	196	163	535	1	1157
	NR	0	0	0	0	1	2	3	3	4	2	6	21
	Total	25	4	16	48	93	309	751	1021	533	1365	20	4185
Ulcer	M	1	2	2	1	2	14	60	63	36	169	1	351
	F	3	0	0	1	6	9	10	23	16	138	5	211
	NR	0	0	0	0	0	1	0	1	1	2	1	6
	Total	4	2	2	2	8	24	70	87	53	309	7	568
Appendicitis	M	1	1	1	3	2	13	23	41	23	127	0	235
	F	2	0	2	2	4	18	39	60	53	129	4	313
	Total	3	1	3	5	6	31	62	101	76	256	4	548
Syphilis and Genitourinary	M	0	0	0	2	2	0	8	6	5	34	0	57
	F	2	1	0	0	0	2	8	6	3	35	0	57
	Total	2	1	0	2	2	2	16	12	8	69	0	114
Abortion	F	0	0	0	1	2	1	0	0	0	0	0	4
	Total	0	0	0	1	2	1	0	0	0	0	0	4
Complication in Pregnancy, Child birth	F	0	0	0	8	19	2	4	0	0	0	0	33
	Total	0	0	0	8	19	2	4	0	0	0	0	33
Birth injuries	M	87	0	0	0	0	0	0	0	0	0	1	88
	F	212	0	0	2	8	6	0	0	0	0	2	230
	Total	299	0	0	2	8	6	0	0	0	0	3	318

Cause of Deaths	Sex	Age of Deceased											Total
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	
Paralysis	M	3	5	12	17	40	76	197	518	452	2156	9	3485
	F	1	3	7	12	16	44	121	324	366	2978	25	3897
	NR	0	0	2	0	0	0	5	11	12	95	12	137
	Total	4	8	21	29	56	120	323	853	830	5229	46	7519
Senility	M	0	0	1	2	0	7	33	203	299	3626	7	4178
	F	0	0	0	0	2	3	18	151	287	4997	12	5470
	NR	0	0	0	0	0	0	0	0	0	1	0	1
	Total	0	0	1	2	2	10	51	354	586	8624	19	9649
Others	M	1557	305	339	604	1035	1760	3294	4750	2911	10460	112	27127
	F	1025	267	288	423	567	796	1375	2168	1803	9607	91	18410
	NR	24	11	5	3	7	18	33	53	30	175	69	428
	Total	2606	583	632	1030	1609	2574	4702	6971	4744	20242	272	45965
Venomous Animals Bites/	M	0	1	4	6	16	7	11	12	4	4	0	65
	F	0	1	5	6	2	1	8	3	1	4	0	31
	NR	0	0	0	0	0	0	1	0	0	0	0	1
	Total	0	2	9	12	18	8	20	15	5	8	0	97
Burns(Accidental)	M	0	2	3	16	23	19	35	18	10	31	2	159
	F	0	2	11	105	88	53	46	21	25	50	1	402
	NR	0	0	0	2	0	0	0	0	0	0	0	2
	Total	0	4	14	123	111	72	81	39	35	81	3	563
Drowning,Falls	M	1	12	67	158	144	189	229	161	52	93	9	1115
	F	4	16	25	30	25	46	37	33	30	85	0	331
	NR	0	2	3	0	1	1	3	1	0	2	2	15
	Total	5	30	95	188	170	236	269	195	82	180	11	1461
Poisoning	M	0	2	3	8	26	33	51	34	13	30	5	205
	F	0	0	1	9	12	13	12	9	2	7	2	67
	NR	0	0	0	0	2	0	1	1	0	0	1	5

Cause of Deaths	Sex	Age of Deceased											
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	Total
	Total	0	2	4	17	40	46	64	44	15	37	8	277
Accident(Traffic/Vehicles)	M	1	19	58	424	562	461	386	335	115	250	11	2622
	F	4	9	34	34	41	61	61	68	45	86	3	446
	NR	1	0	0	6	4	5	6	7	2	4	2	37
	Total	6	28	92	464	607	527	453	410	162	340	16	3105
Other Accidents	M	1	21	52	100	159	224	267	171	49	130	8	1182
	F	2	10	27	19	29	49	44	34	27	96	0	337
	NR	0	0	0	4	3	3	8	3	1	2	1	25
	Total	3	31	79	123	191	276	319	208	77	228	9	1544
Suicide	M	0	0	22	338	659	938	937	653	203	335	26	4111
	F	0	0	25	296	240	205	190	162	80	141	14	1353
	NR	0	0	0	16	19	19	19	11	7	6	10	107
	Total	0	0	47	650	918	1162	1146	826	290	482	50	5571
Homicide	M	0	4	4	8	23	32	36	23	8	20	1	159
	F	2	6	2	4	12	9	9	6	3	6	0	59
	NR	0	1	0	0	0	0	1	0	0	0	0	2
	Total	2	11	6	12	35	41	46	29	11	26	1	220
AIDS	M	0	0	0	1	9	25	12	6	0	1	1	55
	F	0	0	1	0	8	6	4	1	1	3	0	24
	Total	0	0	1	1	17	31	16	7	1	4	1	79
Old Age	M	0	0	0	0	0	0	0	157	386	7930	81	8554
	F	0	0	0	0	0	0	0	133	346	10267	87	10833
	NR	0	0	0	0	0	0	0	12	32	398	66	508
	Total	0	0	0	0	0	0	0	302	764	18595	234	19895
Hysteria	M	0	2	2	2	2	5	1	2	0	4	0	20
	F	0	0	0	1	1	3	1	1	2	6	0	15
	Total	0	2	2	3	3	8	2	3	2	10	0	35

Cause of Deaths	Sex	Age of Deceased											Total
		Below 1 Year	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-69	70 and above	Age not stated	
Premature	M	257	0	0	0	0	0	0	0	0	0	1	258
	F	162	3	0	0	0	0	0	0	0	0	3	168
	NR	1	0	0	0	0	0	0	0	0	0	1	2
	Total	420	3	0	0	0	0	0	0	0	0	5	428
Blood Pressure	M	12	2	6	10	23	70	211	469	360	1884	29	3076
	F	12	0	4	11	20	39	123	365	411	2746	29	3760
	NR	0	1	0	1	0	0	1	16	10	60	5	94
	Total	24	3	10	22	43	109	335	850	781	4690	63	6930
Kidney Trouble	M	11	3	14	37	65	147	337	571	305	1004	10	2504
	F	5	0	9	36	46	71	180	275	204	582	7	1415
	NR	0	1	0	2	0	1	7	6	4	15	3	39
	Total	16	4	23	75	111	219	524	852	513	1601	20	3958
Not Stated	M	6	5	7	21	43	67	95	120	77	331	27	799
	F	6	5	5	9	15	17	26	61	41	324	17	526
	NR	2	0	0	1	1	3	3	5	2	16	20	53
	Total	14	10	12	31	59	87	124	186	120	671	64	1378
State Total	M	2629	610	883	2331	4079	7636	15339	24051	15258	64012	781	137609
	F	1957	519	693	1457	1928	3250	6077	10484	9254	61730	635	97984
	NR	36	25	16	46	50	98	203	346	263	1448	567	3098
	Total	4622	1154	1592	3834	6057	10984	21619	34881	24775	127190	1983	238691

TABLE - D11

Deaths by Cause of Death, Age and Sex for Medically Certified Deaths

Sl.No	Cause of Death	Sex	Age of Deceased											Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	
1	Cholera	Male	0	1	0	2	1	6	2	10	4	34	0	60
		Female	0	0	0	0	0	0	3	11	2	31	0	47
		Not Reported	0	0	0	0	0	0	0	0	0	2	2	4
		Total	0	1	0	2	1	6	5	21	6	67	2	111
2	Typhoid	Male	1	0	0	2	9	4	17	35	11	74	3	156
		Female	1	1	1	0	5	4	10	15	9	85	0	131
		Not Reported	0	0	0	0	0	0	1	0	0	1	0	2
		Total	2	1	1	2	14	8	28	50	20	160	3	289
3	Food Poisoning	Male	0	0	0	5	6	10	7	4	2	10	0	44
		Female	0	0	0	0	1	1	1	0	0	6	1	10
		Total	0	0	0	5	7	11	8	4	2	16	1	54
4	Dysentery	Male	0	1	1	1	2	3	6	5	2	23	0	44
		Female	3	1	3	1	1	3	1	4	4	14	0	35
		Total	3	2	4	2	3	6	7	9	6	37	0	79
5	Tuberculosis	Male	0	1	1	5	19	74	121	151	83	128	0	583
		Female	0	0	4	14	11	28	34	26	28	70	3	218
		Not Reported	0	0	0	0	2	2	0	1	0	0	1	6
		Total	0	1	5	19	32	104	155	178	111	198	4	807
6	Leprosy	Male	0	0	0	0	0	0	0	1	2	3	0	6
		Female	0	0	0	0	0	0	0	0	1	0	0	1
		Total	0	0	0	0	0	0	0	1	3	3	0	7
7	Dyphtheria	Male	1	0	0	0	0	0	1	6	1	3	0	12
		Female	4	0	0	0	0	0	0	0	2	4	0	10
		Not Reported	1	0	0	0	0	0	0	0	0	0	0	1
		Total	6	0	0	0	0	0	1	6	3	7	0	23
8	Whooping cough	Male	1	0	1	1	3	3	2	8	9	31	0	59
		Female	4	0	0	0	0	2	0	2	3	17	0	28

Sl.No	Cause of Death	Sex	Age of Deceased											Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	
		Not Reported	0	0	0	0	0	0	0	0	0	2	0	2
		Total	5	0	1	1	3	5	2	10	12	50	0	89
9	Tetanus	Male	1	0	0	0	0	1	0	6	5	4	0	17
		Female	0	0	0	1	0	1	0	1	1	8	0	12
		Not Reported	0	0	0	0	0	0	1	0	0	0	0	1
		Total	1	0	0	1	0	2	1	7	6	12	0	30
10	Poliomyelitus	Male	0	0	0	0	0	0	0	2	0	3	0	5
		Female	0	0	1	0	0	0	0	0	0	3	0	4
		Total	0	0	1	0	0	0	0	2	0	6	0	9
11	Measles	Male	0	0	1	0	0	0	2	5	1	2	0	11
		Female	0	1	0	0	0	1	1	3	5	10	1	22
		Total	0	1	1	0	0	1	3	8	6	12	1	33
12	Rabies	Male	0	0	0	0	1	2	0	5	2	1	0	11
		Female	0	0	2	0	0	1	2	0	1	4	0	10
		Total	0	0	2	0	1	3	2	5	3	5	0	21
13	Malaria	Male	0	0	0	0	0	2	1	3	1	9	0	16
		Female	0	0	0	1	1	0	0	1	0	13	0	16
		Total	0	0	0	1	1	2	1	4	1	22	0	32
14	Cancer	Male	7	35	57	92	133	349	1009	1659	916	1911	26	6194
		Female	3	24	47	63	135	344	727	912	464	1115	21	3855
		Not Reported	0	1	2	1	2	8	14	28	20	29	13	118
		Total	10	60	106	156	270	701	1750	2599	1400	3055	60	10167
15	Diabetes	Male	14	2	4	7	20	51	170	379	245	757	6	1655
		Female	14	3	7	12	10	57	135	290	225	805	13	1571
		Not Reported	0	1	0	0	0	1	1	3	6	8	26	46
		Total	28	6	11	19	30	109	306	672	476	1570	45	3272
16	Anaemia's	Male	5	0	1	3	1	4	6	18	8	42	0	88
		Female	4	1	0	2	6	4	5	6	11	52	0	91
		Not Reported	0	0	0	0	0	0	0	1	0	0	1	2
		Total	9	1	1	5	7	8	11	25	19	94	1	181
17	Meningitis	Male	2	4	3	5	5	8	12	17	12	23	0	91

Sl.No	Cause of Death	Sex	Age of Deceased											Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	
		Female	1	3	3	7	7	4	5	13	7	31	0	81
		Not Reported	0	0	0	0	0	0	1	0	0	0	1	2
		Total	3	7	6	12	12	12	18	30	19	54	1	174
18	Heart Attack	Male	411	76	97	205	483	1301	3238	5612	3552	11651	100	26726
		Female	303	80	101	169	247	579	1151	2203	1944	8555	61	15393
		Not Reported	4	2	3	5	5	9	32	70	40	132	213	515
		Total	718	158	201	379	735	1889	4421	7885	5536	20338	374	42634
19	Pneumonia	Male	78	26	22	26	32	75	115	175	104	487	4	1144
		Female	52	22	16	25	25	32	63	91	67	315	5	713
		Not Reported	1	0	0	0	0	0	0	0	0	2	9	12
		Total	131	48	38	51	57	107	178	266	171	804	18	1869
20	Influenza	Male	0	4	1	2	3	6	14	27	7	94	2	160
		Female	0	1	3	3	2	4	6	9	5	82	0	115
		Not Reported	0	0	0	0	0	0	0	2	0	2	0	4
		Total	0	5	4	5	5	10	20	38	12	178	2	279
21	Asthma	Male	105	18	10	43	53	171	481	1014	798	3688	23	6404
		Female	71	21	11	23	38	107	209	388	391	3033	27	4319
		Not Reported	2	0	0	0	0	1	3	12	10	65	10	103
		Total	178	39	21	66	91	279	693	1414	1199	6786	60	10826
22	Jaundis	Male	5	1	6	10	16	39	45	50	30	71	0	273
		Female	5	1	1	7	9	11	25	38	19	64	3	183
		Not Reported	0	0	0	0	0	0	0	0	0	1	0	1
		Total	10	2	7	17	25	50	70	88	49	136	3	457
23	Liver Disease	Male	11	3	9	20	44	190	499	675	272	591	6	2320
		Female	9	0	4	19	28	45	103	154	127	371	1	861
		Not Reported	0	0	0	0	0	1	2	1	3	2	4	13
		Total	20	3	13	39	72	236	604	830	402	964	11	3194
24	Ulcer	Male	1	1	1	1	1	6	33	34	18	69	0	165
		Female	3	0	0	1	5	7	5	15	7	67	2	112
		Not Reported	0	0	0	0	0	1	0	1	0	0	1	3
		Total	4	1	1	2	6	14	38	50	25	136	3	280

Sl.No	Cause of Death	Sex	Age of Deceased											Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	
25	Appendicitis	Male	1	1	1	3	1	11	17	30	18	86	0	169
		Female	1	0	2	1	3	17	35	50	41	98	4	252
		Total	2	1	3	4	4	28	52	80	59	184	4	421
26	Syphilis and Genitourinary	Male	0	0	0	2	1	0	6	6	4	15	0	34
		Female	2	1	0	0	0	2	5	5	2	24	0	41
		Total	2	1	0	2	1	2	11	11	6	39	0	75
27	Abortion	Female	0	0	0	1	2	0	0	0	0	0	0	3
		Total	0	0	0	1	2	0	0	0	0	0	0	3
28	Pregnancy child birth	Female	0	0	0	8	17	1	4	0	0	0	0	30
		Total	0	0	0	8	17	1	4	0	0	0	0	30
29	Birth injuries	Male	83	0	0	0	0	0	0	0	0	0	1	84
		Female	205	0	0	1	2	1	0	0	0	0	2	211
		Total	288	0	0	1	2	1	0	0	0	0	3	295
30	Paralysis	Male	3	3	8	11	19	38	106	250	218	864	1	1521
		Female	1	3	4	7	9	23	57	140	163	1033	4	1444
		Not Reported	0	0	0	0	0	0	2	5	3	22	8	40
		Total	4	6	12	18	28	61	165	395	384	1919	13	3005
31	Senility	Male	0	0	0	0	0	3	14	94	101	1377	2	1591
		Female	0	0	0	0	2	2	7	56	102	1867	7	2043
		Not Reported	0	0	0	0	0	0	0	0	0	1	0	1
		Total	0	0	0	0	2	5	21	150	203	3245	9	3635
32	Others	Male	1503	250	267	496	880	1454	2711	3735	2160	6574	61	20091
		Female	994	222	234	339	448	624	1085	1588	1228	5149	43	11954
		Not Reported	23	7	0	2	3	13	18	38	18	82	53	257
		Total	2520	479	501	837	1331	2091	3814	5361	3406	11805	157	32302
33	Venomous Animals Bites/	Male	0	1	4	3	9	6	8	10	4	2	0	47
		Female	0	1	3	6	0	0	6	2	0	1	0	19
		Not Reported	0	0	0	0	0	0	1	0	0	0	0	1
		Total	0	2	7	9	9	6	15	12	4	3	0	67
34	Burns(Accidental)	Male	0	2	2	16	23	17	34	17	8	28	2	149
		Female	0	2	10	100	86	52	42	21	24	46	1	384

Sl.No	Cause of Death	Sex	Age of Deceased											Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	
		Not Reported	0	0	0	2	0	0	0	0	0	0	0	2
		Total	0	4	12	118	109	69	76	38	32	74	3	535
35	Drowning, Falls	Male	1	10	62	144	125	172	192	145	44	77	9	981
		Female	4	13	24	30	23	42	31	27	23	71	0	288
		Not Reported	0	1	3	0	0	1	3	1	0	1	2	12
		Total	5	24	89	174	148	215	226	173	67	149	11	1281
36	Poisoning	Male	0	2	3	7	23	32	48	31	13	28	5	192
		Female	0	0	1	9	12	10	9	7	2	5	0	55
		Not Reported	0	0	0	0	2	0	1	1	0	0	1	5
		Total	0	2	4	16	37	42	58	39	15	33	6	252
37	Accident (Traffic/Vehicles)	Male	1	18	53	388	514	418	349	305	110	214	7	2377
		Female	2	9	32	30	36	56	50	67	40	77	3	402
		Not Reported	1	0	0	5	3	4	5	7	0	3	1	29
		Total	4	27	85	423	553	478	404	379	150	294	11	2808
38	Other Accidents	Male	1	16	39	92	141	201	231	145	44	98	8	1016
		Female	1	8	24	18	26	44	38	28	26	65	0	278
		Not Reported	0	0	0	3	3	2	6	2	1	2	1	20
		Total	2	24	63	113	170	247	275	175	71	165	9	1314
39	Suicide	Male	0	0	22	297	591	839	821	575	190	289	17	3641
		Female	0	0	23	260	210	182	171	146	70	121	12	1195
		Not Reported	0	0	0	15	19	18	17	8	7	6	9	99
		Total	0	0	45	572	820	1039	1009	729	267	416	38	4935
40	Homicide	Male	0	4	4	7	20	30	30	19	6	15	1	136
		Female	2	6	2	2	10	9	9	6	3	6	0	55
		Not Reported	0	1	0	0	0	0	0	0	0	0	0	1
		Total	2	11	6	9	30	39	39	25	9	21	1	192
41	AIDS	Male	0	0	0	1	7	13	7	5	0	1	1	35
		Female	0	0	0	0	5	4	2	1	0	2	0	14
		Total	0	0	0	1	12	17	9	6	0	3	1	49
42	Old Age	Male	0	0	0	0	0	0	0	46	119	2512	32	2709
		Female	0	0	0	0	0	0	0	34	108	2937	23	3102

Sl.No	Cause of Death	Sex	Age of Deceased											Total
			Below 1 Year	1 - 4	5 - 14	15 - 24	25 - 34	35 - 44	45 - 54	55 - 64	65 - 69	70 and Above	Age not stated	
		Not Reported	0	0	0	0	0	0	0	1	5	120	17	143
		Total	0	0	0	0	0	0	0	81	232	5569	72	5954
43	Hysteria	Male	0	0	0	1	1	2	1	1	0	1	0	7
		Female	0	0	0	1	0	0	0	0	2	2	0	5
		Total	0	0	0	2	1	2	1	1	2	3	0	12
44	Premature	Male	247	0	0	0	0	0	0	0	0	0	1	248
		Female	159	3	0	0	0	0	0	0	0	0	2	164
		Not Reported	1	0	0	0	0	0	0	0	0	0	1	2
		Total	407	3	0	0	0	0	0	0	0	0	4	414
45	Blood Pressure	Male	11	1	6	9	14	47	126	245	185	753	12	1409
		Female	12	0	4	9	11	20	77	186	170	1023	13	1525
		Not Reported	0	1	0	0	0	0	0	7	4	28	2	42
		Total	23	2	10	18	25	67	203	438	359	1804	27	2976
46	Kidney Trouble	Male	9	3	13	24	42	99	234	386	193	607	2	1612
		Female	5	0	7	28	33	50	128	174	134	326	1	886
		Not Reported	0	0	0	1	0	1	5	2	1	6	0	16
		Total	14	3	20	53	75	150	367	562	328	939	3	2514
47	Not Stated	Male	6	3	5	18	29	39	63	63	34	121	11	392
		Female	5	2	5	7	10	10	13	22	19	110	4	207
		Not Reported	2	0	0	1	1	3	2	2	1	6	11	29
		Total	13	5	10	26	40	52	78	87	54	237	26	628
	STATE	Male	2509	487	704	1949	3272	5726	10779	16009	9536	33371	343	84685
		Female	1870	429	579	1205	1476	2384	4255	6742	5480	27718	257	52395
		Not Reported	35	14	8	35	40	65	115	193	119	523	387	1534
		Total	4414	930	1291	3189	4788	8175	15149	22944	15135	61612	987	138614

TABLE – D12

Infant Death by Place of Occurrence, Districts (Rural & Urban) and Towns with Population 1 Lakh & Above

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Occurrence				Place of Residence of Deceased				
				Male	Female	NR	Total	Within the area	Out side the area	Place of residence outside the state	NR	Total
1	Kasaragod	Rural		15	22	0	37	10	9	0	18	37
		Urban		23	15	0	38	0	11	0	27	38
		Total		38	37	0	75	10	20	0	45	75
2	Kannur	Rural		52	30	7	89	84	3	0	2	89
		Urban		108	77	0	185	12	60	0	113	185
		Total		160	107	7	274	96	63	0	115	274
		Thalasserry (M)		48	27	0	75	1	27	0	47	75
3	Wayanad	Rural		63	75	3	141	55	39	0	47	141
		Urban		11	5	0	16	0	7	0	9	16
		Total		74	80	3	157	55	46	0	56	157
4	Kozhikkode	Rural		18	16	0	34	15	8	0	11	34
		Urban		589	415	2	1006	29	338	0	639	1006
		Total		607	431	2	1040	44	346	0	650	1040
		Kozhikkode (C)		582	411	2	995	29	333	0	633	995
5	Malappuram	Rural		98	93	0	191	106	42	0	43	191
		Urban		171	123	1	295	8	86	0	201	295
		Total		269	216	1	486	114	128	0	244	486
6	Palakkad	Rural		23	24	0	47	21	3	0	23	47
		Urban		47	75	0	122	3	29	0	90	122
		Total		70	99	0	169	24	32	0	113	169
		Palakkad (M)		38	66	0	104	3	19	0	82	104
7	Thrissur	Rural		160	120	6	286	140	35	0	111	286
		Urban		226	152	0	378	161	62	0	155	378
		Total		386	272	6	664	301	97	0	266	664
		Thrissur (C)		202	133	0	335	161	46	0	128	335

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Occurrence				Place of Residence of Deceased				
				Male	Female	NR	Total	Within the area	Out side the area	Place of residence outside the state	NR	Total
8	Ernakulam	Rural		44	28	3	75	71	4	0	0	75
		Urban		233	138	1	372	28	121	0	223	372
		Total		277	166	4	447	99	125	0	223	447
		Kochi (C)		212	128	0	340	28	106	0	206	340
9	Idukki	Rural		41	29	1	71	25	11	0	35	71
		Urban		4	8	0	12	1	7	0	4	12
		Total		45	37	1	83	26	18	0	39	83
10	Kottayam	Rural		87	59	3	149	66	44	0	39	149
		Urban		18	18	0	36	0	18	0	18	36
		Total		105	77	3	185	66	62	0	57	185
11	Alappuzha	Rural		30	37	3	70	30	40	0	0	70
		Urban		16	10	1	27	11	6	0	10	27
		Total		46	47	4	97	41	46	0	10	97
		Alappuzha (M)		4	7	0	11	11	0	0	0	11
12	Pathanamthitta	Rural		28	16	0	44	11	15	0	18	44
		Urban		43	25	0	68	1	26	0	41	68
		Total		71	41	0	112	12	41	0	59	112
13	Kollam	Rural		15	14	1	30	12	10	0	8	30
		Urban		44	26	0	70	14	24	0	32	70
		Total		59	40	1	100	26	34	0	40	100
		Kollam (C)		40	26	0	66	12	22	0	32	66
14	Thiruvananthapuram	Rural		19	14	1	34	34	0	0	0	34
		Urban		403	293	3	699	29	196	0	474	699
		Total		422	307	4	733	63	196	0	474	733
		Thiruvananthapuram (C)		403	293	3	699	29	196	0	474	699
State Total		Rural		693	577	28	1298	680	263	0	355	1298
		Urban		1936	1380	8	3324	297	991	0	2036	3324
		Total		2629	1957	36	4622	977	1254	0	2391	4622

TABLE – D13

Infant Death by Place of Residence, Districts (Rural & Urban) and Towns with Population 1 Lakh & Above

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Residence of Mother				Place of Occurrence			
				Male	Female	NR	Total	Within the area	Out side the area	NR	Total
1	Kasaragod	Rural		17	13	0	30	10	20	0	30
		Urban		1	0	0	1	0	1	0	1
		Total		18	13	0	31	10	21	0	31
2	Kannur	Rural		86	49	7	142	84	58	0	142
		Urban		9	9	0	18	12	6	0	18
		Total		95	58	7	160	96	64	0	160
		Thalasserry (M)		1	1	0	2	1	1	0	2
3	Wayanad	Rural		42	54	1	97	55	42	0	97
		Urban		1	0	0	1	0	1	0	1
		Total		43	54	1	98	55	43	0	98
4	Kozhikkode	Rural		104	64	0	168	15	153	0	168
		Urban		21	18	0	39	29	10	0	39
		Total		125	82	0	207	44	163	0	207
		Kozhikkode (C)		17	13	0	30	29	1	0	30
5	Malappuram	Rural		186	171	2	359	106	253	0	359
		Urban		8	10	0	18	8	10	0	18
		Total		194	181	2	377	114	263	0	377
6	Palakkad	Rural		50	49	0	99	21	78	0	99
		Urban		4	3	0	7	3	4	0	7
		Total		54	52	0	106	24	82	0	106
		Palakkad (M)		1	2	0	3	3	0	0	3
7	Thrissur	Rural		126	95	6	227	140	87	0	227
		Urban		100	74	0	174	161	13	0	174
		Total		226	169	6	401	301	100	0	401
		Thrissur (C)		92	72	0	164	161	3	0	164

Sl.No.	District	Rural/Urban	Towns with Population one lakh and above	Deaths by Place of Residence of mother				Place of Occurrence			
				Male	Female	NR	Total	Within the area	Out side the area	NR	Total
8	Ernakulam	Rural		76	47	4	127	71	56	0	127
		Urban		24	15	0	39	28	11	0	39
		Total		100	62	4	166	99	67	0	166
		Kochi (C)		17	11	0	28	28	0	0	28
9	Idukki	Rural		24	21	1	46	25	21	0	46
		Urban		0	2	0	2	1	1	0	2
		Total		24	23	1	48	26	22	0	48
10	Kottayam	Rural		61	47	2	110	66	44	0	110
		Urban		3	2	0	5	0	5	0	5
		Total		64	49	2	115	66	49	0	115
11	Alappuzha	Rural		51	49	1	101	30	71	0	101
		Urban		14	16	2	32	11	21	0	32
		Total		65	65	3	133	41	92	0	133
		Alappuzha (M)		8	13	1	22	11	11	0	22
12	Pathanamthitta	Rural		41	29	0	70	11	59	0	70
		Urban		5	3	0	8	1	7	0	8
		Total		46	32	0	78	12	66	0	78
13	Kollam	Rural		64	52	1	117	12	105	0	117
		Urban		20	7	0	27	14	13	0	27
		Total		84	59	1	144	26	118	0	144
		Kollam (C)		15	5	0	20	12	8	0	20
14	Thiruvananthapuram	Rural		58	63	2	123	34	89	0	123
		Urban		26	18	0	44	29	15	0	44
		Total		84	81	2	167	63	104	0	167
		Thiruvananthapuram (C)		15	14	0	29	29	0	0	29
State Total		Rural		986	803	27	1816	680	1136	0	1816
		Urban		236	177	2	415	297	118	0	415
		Not reported		1407	977	7	2391	0	0	2391	2391
		Total		2629	1957	36	4622	977	1254	2391	4622

TABLE - D14
Infant Deaths by age and Sex (Rural & Urban)

SlNo	Age	Rural				Urban				All Areas			
		Male	Female	Not Reported	Total	Male	Female	Not Reported	Total	Male	Female	Not Reported	Total
1	7 Days	471	377	22	870	1300	885	7	2192	1771	1262	29	3062
2	7 - 28 Days	92	81	1	174	309	240	1	550	401	321	2	724
3	28 days - 6 months	97	77	2	176	250	201	0	451	347	278	2	627
4	6 months - 1 year	33	42	3	78	77	54	0	131	110	96	3	209
	Total	693	577	28	1298	1936	1380	8	3324	2629	1957	36	4622

TABLE - D15

Pregnancy Related Deaths by Age Group of the deceased and Cause of Death for Medically Certified Deaths (Rural & Urban)

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
All Areas										
Typhoid	0	0	0	1	0	0	0	0	0	1
Anaemia's	0	0	0	1	0	0	0	0	0	1
Heart Attack	0	3	8	5	13	6	4	7	0	46
Asthma	0	0	1	1	0	0	0	0	0	2
Liver Disease	0	0	0	0	0	0	1	1	1	3
Abortion	0	0	1	2	0	0	0	0	0	3
Pregnancy child birth	0	3	5	8	9	1	0	4	0	30
Birth injuries	0	0	1	0	0	0	0	0	0	1
Kidney Trouble	0	0	0	1	1	0	0	1	0	3
Total	0	6	16	19	23	7	5	13	1	90
Rural										
Typhoid	0	0	0	1	0	0	0	0	0	1
Heart Attack	0	1	2	1	3	2	2	5	0	16
Liver Disease	0	0	0	0	0	0	1	0	0	1
Pregnancy child birth	0	0	2	0	2	1	0	0	0	5
Birth injuries	0	0	1	0	0	0	0	0	0	1
Kidney Trouble	0	0	0	0	0	0	0	1	0	1
Total	0	1	5	2	5	3	3	6	0	25
Urban										
Anaemia's	0	0	0	1	0	0	0	0	0	1
Heart Attack	0	2	6	4	10	4	2	2	0	30
Asthma	0	0	1	1	0	0	0	0	0	2
Liver Disease	0	0	0	0	0	0	0	1	1	2
Abortion	0	0	1	2	0	0	0	0	0	3
Pregnancy child birth	0	3	3	8	7	0	0	4	0	25
Kidney Trouble	0	0	0	1	1	0	0	0	0	2
Total	0	5	11	17	18	4	2	7	1	65

TABLE - D16
Pregnancy Related Deaths by Age Group of the deceased and Cause of Death for all Deaths Medically Certified or not (Rural & Urban)

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
All Area										
Typhoid	0	0	0	1	0	0	0	0	1	2
Anemia’s	0	0	0	1	0	0	0	0	0	1
Heart Attack	0	4	10	5	14	7	4	9	1	54
Asthma	0	0	1	1	0	0	0	0	0	2
Liver Disease	0	0	0	0	0	0	1	2	1	4
Abortion	0	0	1	2	0	1	0	0	0	4
Pregnancy child birth	0	3	5	8	11	1	1	4	0	33
Birth injuries	0	0	1	0	0	0	0	0	0	1
Blood Pressure	0	0	0	1	0	0	0	0	0	1
Kidney Trouble	0	0	0	1	1	0	0	1	0	3
Total	0	7	18	20	26	9	6	16	3	105
Rural										
Typhoid	0	0	0	1	0	0	0	0	1	2
Heart Attack	0	2	3	1	4	3	2	7	1	23
Liver Disease	0	0	0	0	0	0	1	1	0	2
Abortion	0	0	0	0	0	1	0	0	0	1
Pregnancy child birth	0	0	2	0	4	1	0	0	0	7
Birth injuries	0	0	1	0	0	0	0	0	0	1
Blood Pressure	0	0	0	1	0	0	0	0	0	1
Kidney Trouble	0	0	0	0	0	0	0	1	0	1
Total	0	2	6	3	8	5	3	9	2	38
Urban										
Anemia’s	0	0	0	1	0	0	0	0	0	1
Heart Attack	0	2	7	4	10	4	2	2	0	31
Asthma	0	0	1	1	0	0	0	0	0	2
Liver Disease	0	0	0	0	0	0	0	1	1	2
Abortion	0	0	1	2	0	0	0	0	0	3
Pregnancy child birth	0	3	3	8	7	0	1	4	0	26
Kidney Trouble	0	0	0	1	1	0	0	0	0	2
Total	0	5	12	17	18	4	3	7	1	67

TABLE - D18
Pregnancy Related Deaths by Age and Occupation (Rural & Urban)

Cause of Death	Age of Deceased									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Above	NS	Total
All Areas										
Professional, Technical and related workers	0	1	0	5	0	0	2	3	0	11
Administrative, Executive and Managerial Workers	0	0	1	0	0	0	0	0	0	1
Production and other related workers, transport & other equipment operators & labourers	0	0	0	1	0	0	1	0	0	2
Workers whose occupation are not elsewhere classified	0	1	2	1	8	1	0	2	0	15
Non Workers	0	5	15	13	18	8	3	11	3	76
Total	0	7	18	20	26	9	6	16	3	105
Rural										
Administrative, Executive and Managerial Workers	0	0	1	0	0	0	0	0	0	1
Production and other related workers, transport & other equipment operators & labourers	0	0	0	0	0	0	1	0	0	1
Workers whose occupation are not elsewhere classified	0	0	0	0	1	1	0	0	0	2
Non Workers	0	2	5	3	7	4	2	9	2	34
Total	0	2	6	3	8	5	3	9	2	38
Urban										
Professional, Technical and related workers	0	1	0	5	0	0	2	3	0	11
Production and other related workers, transport & other equipment operators & labourers	0	0	0	1	0	0	0	0	0	1
Workers whose occupation are not elsewhere classified	0	1	2	1	7	0	0	2	0	13
Non Workers	0	3	10	10	11	4	1	2	1	42
Total	0	5	12	17	18	4	3	7	1	67

TABLE D - 19

Deaths by Selected Cause of Death, Age, Sex and Habit (Rural)

Selected Cause of Death/Sex/Habit	Age group									Total
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
TUBERCULOSIS										
MALE										
Habit not Known	4	5	29	71	86	124	83	197	4	603
Only Smoking	0	0	3	9	23	39	22	43	2	141
Only Chewing Tobacco	0	0	0	1	3	1	3	6	0	14
Smoking and Chewing Tobacco	0	0	0	0	2	1	0	2	1	6
Smoking and Chewing Arecanut	0	0	0	0	1	0	0	1	0	2
Chewing Tobacco and Arecanut	0	0	0	1	1	0	0	0	0	2
Only Drinking Alcohol	0	0	2	2	6	1	4	3	0	18
Smoking and Drinking Alcohol	0	0	1	10	24	23	7	13	0	78
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	3	1	0	1	7
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	1	0	1	3
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	0	1	0	6	1	0	0	8
Male Total	4	5	35	96	148	202	122	267	9	888
FEMALE										
Habit not Known	2	12	21	29	31	35	25	122	3	280
Only Smoking	0	0	0	0	3	3	1	4	1	12
Only Chewing Tobacco	0	0	0	0	2	2	0	7	1	12
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	0	0	1
Only Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Smoking and Chewing Arecanut	0	0	0	0	0	1	0	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	2	0	0	2
Only Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	2	0	3
All Habits	0	0	0	0	1	0	0	0	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Female Total	2	12	21	30	39	41	30	136	5	316
SEX NOT REPORTED										
Habit not Known	0	0	2	2	0	2	0	2	1	9
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
Sex Not Reported Total	0	0	2	3	2	2	0	3	1	13
ALL										
Habit not Known	6	17	52	102	117	161	108	321	8	892
Only Smoking	0	0	3	9	26	42	23	47	3	153
Only Chewing Tobacco	0	0	0	1	5	3	3	13	1	26
Smoking and Chewing Tobacco	0	0	0	0	2	1	1	3	1	8
Only Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Smoking and Chewing Arecanut	0	0	0	0	1	1	0	1	0	3
Chewing Tobacco and Arecanut	0	0	0	1	1	0	2	0	0	4
Only Drinking Alcohol	0	0	2	2	6	1	4	4	0	19
Smoking and Drinking Alcohol	0	0	1	10	26	23	7	13	0	80
Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	1	0	2	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	3	3	2	2	1	12
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	1	0	1	3
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	0	1	1	6	1	0	0	9
All Total (Tuberculosis)	6	17	58	129	189	245	152	406	15	1217
WHOOPING COUGH										
MALE										
Habit not Known	2	1	3	4	4	12	11	45	1	83
Only Smoking	0	0	0	0	0	0	2	3	0	5
Smoking and Drinking Alcohol	0	0	0	0	0	2	1	1	0	4
Male Total	2	1	3	4	4	14	14	49	1	92
FEMALE										
Habit not Known	3	0	1	1	0	3	5	40	3	56

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Female Total	3	0	1	1	0	3	6	41	3	58
SEX NOT REPORTED										
Habit not Known	0	0	0	0	1	0	0	1	2	4
Only Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Sex Not Reported Total	0	0	0	0	1	0	1	2	2	6
ALL										
Habit not Known	5	1	4	5	5	15	16	86	6	143
Only Smoking	0	0	0	0	0	0	2	3	0	5
Only Chewing Tobacco	0	0	0	0	0	0	2	2	0	4
Smoking and Drinking Alcohol	0	0	0	0	0	2	1	1	0	4
All Total (Whooping Cough)	5	1	4	5	5	17	21	92	6	156
CANCER										
MALE										
Habit not Known	52	53	106	265	724	1342	819	1875	43	5279
Only Smoking	0	0	4	33	160	331	174	312	7	1021
Only Chewing Tobacco	0	0	0	1	11	23	21	62	0	118
Smoking and Chewing Tobacco	0	0	1	1	11	13	11	48	1	86
Only Chewing Arecanut	0	0	0	1	2	3	4	7	0	17
Smoking and Chewing Arecanut	0	0	0	0	1	1	1	3	0	6
Chewing Tobacco and Arecanut	0	0	0	0	1	2	4	7	0	14
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	1	0	1	2	6	0	10
Only Drinking Alcohol	0	0	4	5	15	27	14	27	0	92
Smoking and Drinking Alcohol	0	0	3	12	113	163	91	114	5	501
Chewing Tobacco and Drinking Alcohol	0	0	0	0	5	8	10	13	1	37
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	4	8	20	13	32	0	77
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	1	2	0	5
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	2	1	3	0	0	6
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	2	2	5	0	10
All Habits	0	0	2	3	2	5	4	6	1	23
Male Total	52	53	120	327	1055	1944	1174	2519	58	7302
FEMALE										
Habit not Known	44	44	118	366	780	1014	630	1486	41	4523
Only Smoking	0	0	0	0	2	8	5	11	0	26

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	0	17	38	38	109	1	203
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	3	0	3
Only Chewing Arecanut	0	1	0	0	2	6	0	11	0	20
Chewing Tobacco and Arecanut	0	0	0	0	4	6	4	9	0	23
Smoking and Drinking Alcohol	0	0	0	1	2	3	1	2	0	9
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	2	0	0	2
All Habits	0	0	0	0	2	0	0	0	0	2
Female Total	44	45	118	367	809	1076	680	1631	42	4812
SEX NOT REPORTED										
Habit not Known	4	1	1	15	18	39	22	43	20	163
Only Smoking	0	0	0	0	3	1	4	4	0	12
Only Chewing Tobacco	0	0	0	1	2	0	0	2	0	5
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	4	2	1	1	8
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	1	0	0	0	0	4	0	5
All Habits	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	4	1	2	16	23	44	28	58	21	197
ALL										
Habit not Known	100	98	225	646	1522	2395	1471	3404	104	9965
Only Smoking	0	0	4	33	165	340	183	327	7	1059
Only Chewing Tobacco	0	0	0	2	30	61	59	173	1	326
Smoking and Chewing Tobacco	0	0	1	1	11	13	11	52	1	90
Only Chewing Arecanut	0	1	0	1	4	9	4	18	0	37
Smoking and Chewing Arecanut	0	0	0	0	1	1	1	3	0	6
Chewing Tobacco and Arecanut	0	0	0	0	5	8	8	16	0	37
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	1	0	1	2	6	0	10
Only Drinking Alcohol	0	0	4	5	15	27	14	27	0	92
Smoking and Drinking Alcohol	0	0	3	13	115	170	94	117	6	518

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Drinking Alcohol	0	0	0	0	5	9	10	15	1	40
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	4	8	20	13	36	0	82
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	3	2	0	7
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	2	1	3	0	0	6
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	2	2	5	0	10
All Habits	0	0	2	3	4	5	4	7	1	26
All Total (Cancer)	100	99	240	710	1887	3064	1882	4208	121	12311
DIABETES										
MALE										
Habit not Known	18	6	22	53	165	357	276	1134	14	2045
Only Smoking	0	0	3	2	11	35	20	72	1	144
Only Chewing Tobacco	0	0	0	4	3	6	5	30	0	48
Smoking and Chewing Tobacco	0	0	0	0	2	0	2	6	0	10
Only Chewing Arecanut	0	0	0	0	1	0	0	2	0	3
Chewing Tobacco and Arecanut	0	1	0	0	1	3	0	4	0	9
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	1	1	1	5	1	6	1	16
Smoking and Drinking Alcohol	0	0	1	4	8	20	7	21	1	62
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	1	0	2	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	6	1	5	0	13
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	1	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
All Habits	0	0	0	0	0	1	0	1	1	3
Male Total	18	7	27	65	193	435	313	1285	18	2361
FEMALE										
Habit not Known	19	7	18	42	116	314	307	1456	19	2298
Only Smoking	0	0	0	0	0	10	4	9	4	27
Only Chewing Tobacco	0	0	0	2	0	2	2	30	1	37
Smoking and Chewing Tobacco	0	0	0	0	0	0	2	3	1	6
Only Chewing Arecanut	0	0	1	0	0	0	1	4	0	6

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Arecanut	0	0	0	1	0	1	1	2	0	5
Only Drinking Alcohol	0	0	0	0	1	0	0	1	0	2
Smoking and Drinking Alcohol	0	0	0	1	3	1	0	3	0	8
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	0	2	0	1	0	5
Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
All Habits	0	0	0	0	0	1	1	1	0	3
Female Total	19	7	19	49	120	332	318	1510	25	2399
SEX NOT REPORTED										
Habit not Known	1	0	0	2	4	8	8	27	30	80
Only Smoking	0	0	0	0	0	0	1	0	1	2
Only Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	1	2	3
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	1	0	0	2	4	8	9	29	35	88
ALL										
Habit not Known	38	13	40	97	285	679	591	2617	63	4423
Only Smoking	0	0	3	2	11	45	25	81	6	173
Only Chewing Tobacco	0	0	0	6	3	8	7	61	1	86
Smoking and Chewing Tobacco	0	0	0	0	2	0	4	9	1	16
Only Chewing Arecanut	0	0	1	0	1	0	1	6	0	9
Chewing Tobacco and Arecanut	0	1	0	1	1	4	1	6	0	14
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	1	1	2	5	1	7	1	18
Smoking and Drinking Alcohol	0	0	1	5	11	21	7	25	3	73
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	2	0	2	0	5
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	3	0	8	1	6	1	19
Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	1	0	1	0	3

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	1	2
All Habits	0	0	0	0	0	2	1	2	1	6
All Total (Diabetes)	38	14	46	116	317	775	640	2824	78	4848
HEART ATTACK										
MALE										
Habit not Known	264	160	387	970	2553	4343	2660	9375	159	20871
Only Smoking	0	4	25	139	454	646	361	783	17	2429
Only Chewing Tobacco	0	1	0	7	23	53	30	155	1	270
Smoking and Chewing Tobacco	0	0	1	2	19	29	26	106	1	184
Only Chewing Arecanut	0	0	1	4	2	10	1	22	1	41
Smoking and Chewing Arecanut	0	0	0	0	0	3	1	3	0	7
Chewing Tobacco and Arecanut	0	0	0	0	3	3	0	13	0	19
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	1	2	0	5	0	9
Only Drinking Alcohol	0	0	8	31	59	83	33	60	5	279
Smoking and Drinking Alcohol	0	1	16	86	210	281	131	191	8	924
Chewing Tobacco and Drinking Alcohol	0	0	1	1	10	20	4	26	0	62
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	10	24	29	40	45	1	149
Chewing Arecanut and Drinking Alcohol	0	0	1	0	5	2	1	1	0	10
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	2	3	4	5	0	2	0	16
Drinking, Chewing Tobacco and Arecanut	0	0	3	1	3	4	2	2	0	15
All Habits	0	0	4	6	6	7	5	9	1	38
Male Total	264	166	449	1261	3376	5520	3295	10798	194	25323
FEMALE										
Habit not Known	244	115	187	470	1001	1769	1599	8128	112	13625
Only Smoking	0	0	0	2	4	13	7	24	2	52
Only Chewing Tobacco	0	0	3	0	12	34	46	200	0	295
Smoking and Chewing Tobacco	0	0	0	0	1	1	0	5	0	7
Only Chewing Arecanut	0	0	0	1	1	5	6	21	1	35
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Chewing Tobacco and Arecanut	0	0	0	1	0	4	4	18	1	28
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Drinking Alcohol	0	0	0	1	1	1	0	0	0	3
Smoking and Drinking Alcohol	0	0	0	1	3	4	1	6	0	15
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	1	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
All Habits	0	0	0	0	2	0	1	0	0	3
Female Total	244	115	190	477	1025	1831	1666	8405	116	14069
SEX NOT REPORTED										
Habit not Known	11	7	5	12	50	97	67	258	201	708
Only Smoking	0	0	0	2	9	11	5	16	18	61
Only Chewing Tobacco	0	0	0	0	1	3	2	6	2	14
Smoking and Chewing Tobacco	0	0	0	0	0	1	1	1	3	6
Only Chewing Arecanut	0	0	0	0	0	2	0	2	0	4
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	0	1	1
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	2	0	1	0	4	7
Smoking and Drinking Alcohol	0	0	0	0	5	5	2	4	10	26
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	0	0	1	1	1	1	4
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	0	1	1
All Habits	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	11	7	5	14	67	121	79	289	242	835
ALL										
Habit not Known	519	282	579	1452	3604	6209	4326	17761	472	35204
Only Smoking	0	4	25	143	467	670	373	823	37	2542
Only Chewing Tobacco	0	1	3	7	36	90	78	361	3	579
Smoking and Chewing Tobacco	0	0	1	2	20	31	27	112	4	197
Only Chewing Arecanut	0	0	1	5	3	17	7	45	2	80
Smoking and Chewing Arecanut	0	0	0	0	0	3	1	5	1	10
Chewing Tobacco and Arecanut	0	0	0	1	3	8	4	31	1	48
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	1	1	2	1	6	0	11
Only Drinking Alcohol	0	0	8	32	62	84	34	60	9	289

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Drinking Alcohol	0	1	16	87	218	290	134	201	18	965
Chewing Tobacco and Drinking Alcohol	0	0	1	1	10	20	5	27	0	64
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	10	24	30	41	46	2	153
Chewing Arecanut and Drinking Alcohol	0	0	1	0	5	2	1	1	0	10
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	2	4	4	5	0	2	0	17
Drinking, Chewing Tobacco and Arecanut	0	0	3	1	3	4	2	2	1	16
All Habits	0	0	4	6	8	7	6	9	2	42
All Total (Heart Attack)	519	288	644	1752	4468	7472	5040	19492	552	40227
PNEUMONIA										
MALE										
Habit not Known	54	11	12	42	47	71	51	489	2	779
Only Smoking	0	0	1	4	13	14	5	20	0	57
Only Chewing Tobacco	0	0	0	0	0	0	0	3	0	3
Smoking and Chewing Tobacco	0	0	0	0	1	0	1	7	0	9
Only Chewing Arecanut	0	0	0	0	0	1	0	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
Only Drinking Alcohol	0	0	1	2	0	0	1	3	0	7
Smoking and Drinking Alcohol	0	1	0	2	9	6	6	3	1	28
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	0	0	0	2	1	0	4
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	0	0	0	2
All Habits	0	0	0	0	0	1	0	0	1	2
Male Total	54	12	15	50	73	95	66	526	4	895
FEMALE										
Habit not Known	34	11	16	28	30	43	40	376	5	583
Only Smoking	0	0	0	0	0	0	0	1	0	1
Only Chewing Tobacco	0	0	0	0	0	3	2	9	0	14
Only Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Chewing Tobacco and Arecanut	0	0	0	0	1	0	0	2	0	3
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Female Total	34	11	16	28	31	46	42	391	5	604

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
SEX NOT REPORTED										
Habit not Known	1	0	0	0	0	1	0	9	8	19
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	1	0	0	0	0	1	0	9	9	20
ALL										
Habit not Known	89	22	28	70	77	115	91	874	15	1381
Only Smoking	0	0	1	4	13	14	5	21	0	58
Only Chewing Tobacco	0	0	0	0	0	3	2	12	0	17
Smoking and Chewing Tobacco	0	0	0	0	1	0	1	7	0	9
Only Chewing Arecanut	0	0	0	0	0	1	0	2	0	3
Chewing Tobacco and Arecanut	0	0	0	0	1	1	0	2	0	4
Only Drinking Alcohol	0	0	1	2	0	0	1	3	0	7
Smoking and Drinking Alcohol	0	1	0	2	9	6	6	4	2	30
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	1	0	0	0	2	1	0	4
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	0	0	0	2
All Habits	0	0	0	0	0	1	0	0	1	2
All Total (Pneumonia)	89	23	31	78	104	142	108	926	18	1519
ASTHMA										
MALE										
Habit not Known	60	28	36	151	394	1140	1110	7461	81	10461
Only Smoking	0	0	3	21	82	185	153	636	4	1084
Only Chewing Tobacco	0	0	0	1	5	18	20	160	0	204
Smoking and Chewing Tobacco	0	0	0	2	6	10	14	54	0	86
Only Chewing Arecanut	0	0	0	0	1	1	3	12	0	17
Smoking and Chewing Arecanut	0	0	0	0	0	1	0	1	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	13	1	14
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	0	1	0	1	6	0	8
Only Drinking Alcohol	0	0	1	5	13	18	9	30	0	76
Smoking and Drinking Alcohol	0	0	4	12	47	79	41	145	2	330
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	4	4	35	0	45
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	0	7	11	10	41	1	70

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	1	1	0	4
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	5	0	6
All Habits	0	0	0	0	1	5	2	9	0	17
Male Total	60	28	44	193	559	1475	1368	8611	89	12427
FEMALE										
Habit not Known	55	30	34	100	256	606	698	8207	96	10082
Only Smoking	0	0	0	1	2	2	6	16	1	28
Only Chewing Tobacco	0	0	1	1	1	16	14	236	2	271
Smoking and Chewing Tobacco	0	0	0	0	0	1	1	2	0	4
Only Chewing Arecanut	0	0	0	0	0	2	2	29	0	33
Chewing Tobacco and Arecanut	0	0	0	0	0	1	2	27	1	31
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	0	0	3	0	3
Smoking and Drinking Alcohol	0	0	0	0	0	0	1	3	0	4
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
All Habits	0	0	0	0	0	0	0	1	0	1
Female Total	55	30	35	102	259	628	725	8525	100	10459
SEX NOT REPORTED										
Habit not Known	3	1	1	4	4	19	28	217	34	311
Only Smoking	0	0	0	1	0	1	1	6	1	10
Only Chewing Tobacco	0	0	0	0	0	0	0	8	0	8
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	3	0	3
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Smoking and Drinking Alcohol	0	0	0	0	0	1	0	3	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	3	1	1	5	4	21	29	241	35	340
ALL										
Habit not Known	118	59	71	255	654	1765	1836	15885	211	20854
Only Smoking	0	0	3	23	84	188	160	658	6	1122
Only Chewing Tobacco	0	0	1	2	6	34	34	404	2	483
Smoking and Chewing Tobacco	0	0	0	2	6	11	15	59	0	93
Only Chewing Arecanut	0	0	0	0	1	3	5	42	0	51

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Chewing Arecanut	0	0	0	0	0	1	0	1	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	1	2	40	2	45
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	1	0	1	7	0	9
Only Drinking Alcohol	0	0	1	5	13	18	9	35	0	81
Smoking and Drinking Alcohol	0	0	4	12	47	80	42	151	2	338
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	4	5	35	0	46
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	7	11	10	42	1	71
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	1	1	0	4
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	5	0	6
All Habits	0	0	0	0	1	5	2	10	0	18
All Total Asthma)	118	59	80	300	822	2124	2122	17377	224	23226
JAUNDIS										
MALE										
Habit not Known	8	8	22	44	52	58	31	77	2	302
Only Smoking	0	0	2	3	5	4	5	3	0	22
Only Chewing Tobacco	0	0	1	1	1	1	0	2	1	7
Only Chewing Arecanut	0	0	1	0	0	0	0	0	0	1
Chewing Tobacco and Arecanut	0	1	0	0	0	0	0	1	0	2
Only Drinking Alcohol	0	0	1	1	8	2	0	0	0	12
Smoking and Drinking Alcohol	0	1	1	11	13	8	1	11	0	46
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	0	3	0	0	0	5
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	0	0	0	2
All Habits	0	0	0	2	0	1	0	0	0	3
Male Total	8	10	28	65	80	78	37	94	3	403
FEMALE										
Habit not Known	11	8	10	11	26	34	23	92	0	215
Only Smoking	0	0	0	1	0	4	2	6	1	14
Only Chewing Tobacco	0	0	1	1	1	4	1	5	0	13
Smoking and Chewing Tobacco	0	0	0	0	2	1	0	0	1	4

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	0	1	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
Only Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	1	1	1	0	3
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Female Total	11	8	11	14	30	46	28	106	3	257
SEX NOT REPORTED										
Habit not Known	0	0	0	1	0	0	0	1	2	4
Sex Not Reported Total	0	0	0	1	0	0	0	1	2	4
ALL										
Habit not Known	19	16	32	56	78	92	54	170	4	521
Only Smoking	0	0	2	4	5	8	7	9	1	36
Only Chewing Tobacco	0	0	2	2	2	5	1	7	1	20
Smoking and Chewing Tobacco	0	0	0	0	2	1	0	0	1	4
Only Chewing Arecanut	0	0	1	1	0	0	0	0	0	2
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	0	1	1
Chewing Tobacco and Arecanut	0	1	0	0	0	0	1	1	0	3
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
Only Drinking Alcohol	0	0	1	1	9	2	0	0	0	13
Smoking and Drinking Alcohol	0	1	1	11	13	9	2	12	0	49
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	0	4	0	0	0	6
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	2	0	1	0	0	0	3
All Total (Jaundis)	19	18	39	80	110	124	65	201	8	664

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
LIVER DISEASE										
MALE										
Habit not Known	11	4	23	70	165	214	140	350	9	986
Only Smoking	0	0	0	7	14	28	7	33	2	91
Only Chewing Tobacco	0	0	0	0	2	3	1	16	0	22
Smoking and Chewing Tobacco	0	0	0	0	1	4	2	11	0	18
Only Chewing Arecanut	0	0	0	0	0	2	0	1	0	3
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	0	0	2	0	0	0	2
Only Drinking Alcohol	0	2	1	10	25	31	7	9	0	85
Smoking and Drinking Alcohol	0	0	2	24	34	34	14	16	1	125
Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	4	2	2	0	10
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	1	1	6	8	3	5	0	24
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	0	0	2	0	1	1	0	4
Male Total	11	6	27	113	250	331	177	447	12	1374
FEMALE										
Habit not Known	5	15	10	22	55	82	70	272	1	532
Only Smoking	0	0	0	1	1	1	1	5	0	9
Only Chewing Tobacco	0	0	0	0	0	1	3	11	0	15
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	2	0	2
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking and Chewing Arecanut	0	0	0	0	0	0	1	0	0	1
Smoking and Drinking Alcohol	0	0	0	0	3	1	1	1	0	6
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	0	0	0	0	3	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Female Total	5	15	10	23	59	85	77	296	1	571
SEX NOT REPORTED										
Habit not Known	0	0	1	2	2	2	3	2	3	15

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Smoking	0	0	0	0	0	1	0	0	0	1
Only Chewing Tobacco	0	0	0	0	0	0	0	0	1	1
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	0	1	2	2	3	3	2	5	18
ALL										
Habit not Known	16	19	34	94	222	298	213	624	13	1533
Only Smoking	0	0	0	8	15	30	8	38	2	101
Only Chewing Tobacco	0	0	0	0	2	4	4	27	1	38
Smoking and Chewing Tobacco	0	0	0	0	1	4	2	13	0	20
Only Chewing Arecanut	0	0	0	0	0	2	0	2	0	4
Smoking and Chewing Arecanut	0	0	0	0	0	0	1	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	0	0	2	0	0	0	2
Only Drinking Alcohol	0	2	1	10	25	31	7	9	0	85
Smoking and Drinking Alcohol	0	0	2	24	37	35	15	17	2	132
Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	4	2	2	0	10
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	1	1	6	8	3	8	0	27
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	1	0	0	2
All Habits	0	0	0	0	2	0	1	1	0	4
All Total (Liver Disease)	16	21	38	138	311	419	257	745	18	1963
ULCER										
MALE										
Habit not Known	4	0	2	6	24	34	22	107	1	200
Only Smoking	0	0	0	4	9	7	4	15	0	39
Only Chewing Tobacco	0	0	0	1	1	0	1	6	0	9
Only Drinking Alcohol	0	0	0	0	0	2	0	2	0	4
Smoking and Drinking Alcohol	0	0	0	1	5	8	1	4	0	19
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	0	0	1	0	1	0	2
All Habits	0	0	0	0	0	0	0	1	0	1
Male Total	4	0	2	12	39	52	28	136	1	274
FEMALE										
Habit not Known	2	1	3	5	8	14	10	108	4	155

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	0	0	0	2	4	0	6
Only Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Female Total	2	1	3	5	8	14	12	116	4	165
SEX NOT REPORTED										
Habit not Known	0	0	0	1	0	1	1	2	0	5
Only Smoking	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	0	0	1	0	1	1	2	1	6
ALL	0	0	0	1	0	1	1	2	1	6
Habit not Known	6	1	5	12	32	49	33	217	5	360
Only Smoking	0	0	0	4	9	7	4	15	1	40
Only Chewing Tobacco	0	0	0	1	1	0	3	10	0	15
Only Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	2	0	2	0	4
Smoking and Drinking Alcohol	0	0	0	1	5	8	1	4	0	19
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
All Habits	0	0	0	0	0	0	0	1	0	1
All Total	6	1	5	18	47	67	41	254	6	445
PARALYSIS										
MALE										
Habit not Known	13	9	26	39	101	297	268	1504	7	2264
Only Smoking	0	0	0	2	9	32	32	104	1	180
Only Chewing Tobacco	0	0	0	0	1	4	6	42	1	54
Smoking and Chewing Tobacco	0	0	0	0	0	3	1	21	0	25
Only Chewing Arecanut	0	0	0	0	0	1	0	5	0	6
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	3	0	3
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	1	0	0	2	0	4
Only Drinking Alcohol	0	0	0	0	3	4	3	15	0	25
Smoking and Drinking Alcohol	0	0	0	7	5	23	10	30	0	75
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	10	0	11

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	3	1	9	0	14
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	0	0	1	1	2	0	4
Male Total	13	9	26	50	120	369	323	1749	9	2668
FEMALE										
Habit not Known	8	8	8	34	85	231	280	2415	24	3093
Only Smoking	0	0	0	0	0	1	1	1	0	3
Only Chewing Tobacco	0	0	0	0	3	4	16	79	0	102
Smoking and Chewing Tobacco	0	0	0	0	0	2	0	1	0	3
Only Chewing Arecanut	0	0	0	0	0	0	1	10	0	11
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	5	0	5
Smoking and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Female Total	8	8	8	34	89	238	299	2511	24	3219
SEX NOT REPORTED										
Habit not Known	2	0	0	0	4	10	12	85	8	121
Only Smoking	0	0	0	0	0	0	0	0	2	2
Only Chewing Tobacco	0	0	0	0	0	0	0	4	0	4
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	2	0	0	0	4	11	12	91	11	131
ALL										
Habit not Known	23	17	34	73	190	538	560	4004	39	5478
Only Smoking	0	0	0	2	9	33	33	105	3	185
Only Chewing Tobacco	0	0	0	0	4	8	22	125	1	160
Smoking and Chewing Tobacco	0	0	0	0	0	5	1	22	0	28
Only Chewing Arecanut	0	0	0	0	0	1	1	16	0	18
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	8	0	8

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	1	0	0	2	0	4
Only Drinking Alcohol	0	0	0	0	3	4	3	16	0	26
Smoking and Drinking Alcohol	0	0	0	7	6	24	10	30	0	77
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	10	1	12
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	3	1	9	0	14
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	1	0	2
All Habits	0	0	0	0	0	1	1	2	0	4
All Total (Paralysis)	23	17	34	84	213	618	634	4351	44	6018
ACCIDENT (TRAFFIC/VEHICLES)										
MALE										
Habit not Known	47	229	303	248	198	164	66	145	10	1410
Only Smoking	0	0	5	4	5	9	3	6	0	32
Only Chewing Tobacco	0	0	1	1	2	0	0	2	0	6
Smoking and Chewing Tobacco	0	0	0	1	0	0	0	0	0	1
Only Drinking Alcohol	0	3	4	5	8	2	1	0	0	23
Smoking and Drinking Alcohol	0	0	2	6	3	6	0	2	0	19
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
All Habits	0	0	1	0	0	0	0	0	0	1
Male Total	47	232	316	265	216	182	70	157	10	1495
FEMALE										
Habit not Known	27	20	29	38	28	35	26	56	3	262
Only Chewing Tobacco	0	0	0	0	0	0	1	0	0	1
Only Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Female Total	27	20	29	39	28	35	27	56	3	264
SEX NOT REPORTED										
Habit not Known	1	6	4	4	6	5	1	3	1	31
Only Chewing Tobacco	0	0	0	0	0	0	0	1	1	2
ALL										
Habit not Known	75	255	336	290	232	204	93	204	14	1703
Only Smoking	0	0	5	4	5	9	3	6	0	32
Only Chewing Tobacco	0	0	1	1	2	0	1	3	1	9
Smoking and Chewing Tobacco	0	0	0	1	0	0	0	0	0	1
Only Drinking Alcohol	0	3	4	6	8	2	1	0	0	24

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Drinking Alcohol	0	0	2	6	3	6	0	2	0	19
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
All Habits	0	0	1	0	0	0	0	0	0	1
All Total (Accident (Traffic & Vehicle))	75	258	349	308	250	222	98	217	15	1792
SUICIDE										
MALE										
Habit not Known	20	240	397	544	517	366	129	244	16	2473
Only Smoking	0	7	20	34	38	41	12	10	3	165
Only Chewing Tobacco	0	1	1	1	2	4	1	6	0	16
Smoking and Chewing Tobacco	0	0	0	3	7	1	0	2	0	13
Only Chewing Arecanut	0	1	0	1	1	1	0	1	0	5
Smoking and Chewing Arecanut	0	0	1	2	0	0	0	0	0	3
Chewing Tobacco and Arecanut	0	1	0	0	1	0	0	0	0	2
Only Drinking Alcohol	0	16	70	99	97	60	15	12	4	373
Smoking and Drinking Alcohol	0	7	45	100	97	73	13	12	1	348
Chewing Tobacco and Drinking Alcohol	0	0	4	3	1	2	1	2	0	13
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	3	6	5	8	1	1	1	25
Chewing Arecanut and Drinking Alcohol	0	2	3	4	0	1	0	1	0	11
Smoking, Chewing Arecanut and Drinking Alcohol	0	3	3	1	1	0	1	0	0	9
Drinking, Chewing Tobacco and Arecanut	0	0	0	2	3	1	0	0	0	6
All Habits	0	2	9	2	3	2	0	0	0	18
Male Total	20	280	556	802	773	560	173	291	25	3480
FEMALE										
Habit not Known	21	243	210	174	159	136	70	111	13	1137
Only Smoking	0	0	0	1	0	2	0	2	0	5
Only Chewing Tobacco	0	0	0	1	0	1	0	3	0	5
Only Chewing Arecanut	0	0	0	0	2	0	0	1	0	3
Only Drinking Alcohol	0	0	0	2	1	0	0	1	0	4
Smoking and Drinking Alcohol	0	0	0	0	0	0	2	0	1	3
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Female Total	21	243	210	178	162	140	72	118	14	1158

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
SEX NOT REPORTED										
Habit not Known	0	12	16	11	13	10	6	4	7	79
Only Smoking	0	0	0	2	0	0	0	0	1	3
Only Drinking Alcohol	0	1	0	1	4	0	0	1	0	7
Smoking and Drinking Alcohol	0	2	0	2	1	1	0	1	1	8
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
All Habits	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	15	16	16	19	11	7	6	10	100
ALL										
Habit not Known	41	495	623	729	689	512	205	359	36	3689
Only Smoking	0	7	20	37	38	43	12	12	4	173
Only Chewing Tobacco	0	1	1	2	2	5	1	9	0	21
Smoking and Chewing Tobacco	0	0	0	3	7	1	0	2	0	13
Only Chewing Arecanut	0	1	0	1	3	1	0	2	0	8
Smoking and Chewing Arecanut	0	0	1	2	0	0	0	0	0	3
Chewing Tobacco and Arecanut	0	1	0	0	1	0	0	0	0	2
Only Drinking Alcohol	0	17	70	102	102	60	15	14	4	384
Smoking and Drinking Alcohol	0	9	45	102	98	74	15	13	3	359
Chewing Tobacco and Drinking Alcohol	0	0	4	3	1	2	1	2	0	13
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	3	6	6	9	1	1	1	27
Chewing Arecanut and Drinking Alcohol	0	2	3	4	0	1	0	1	0	11
Smoking, Chewing Arecanut and Drinking Alcohol	0	3	3	1	1	0	2	0	0	10
Drinking, Chewing Tobacco and Arecanut	0	0	0	2	3	1	0	0	0	6
All Habits	0	2	9	2	3	2	0	0	1	19
All Total (Suicide)	41	538	782	996	954	711	252	415	49	4738
BLOOD PRESSURE										
MALE										
Habit not Known	7	5	13	32	97	246	214	1341	25	1980
Only Smoking	0	0	1	6	21	45	23	109	1	206
Only Chewing Tobacco	0	0	0	0	0	6	3	37	0	46
Smoking and Chewing Tobacco	0	0	0	1	1	3	2	17	0	24

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Only Drinking Alcohol	0	0	0	2	4	4	4	13	0	27
Smoking and Drinking Alcohol	0	0	0	6	15	19	4	32	1	77
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	3	10	0	13
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	4	1	8	0	13
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
All Habits	0	0	0	0	0	1	1	0	0	2
Male Total	7	5	14	47	138	329	255	1573	27	2395
FEMALE										
Habit not Known	5	9	11	27	79	259	300	2252	29	2971
Only Smoking	0	0	0	0	2	1	0	6	0	9
Only Chewing Tobacco	0	0	0	1	1	11	14	97	0	124
Only Chewing Arecanut	0	0	0	0	0	1	2	5	0	8
Chewing Tobacco and Arecanut	0	0	0	0	0	2	1	9	0	12
Only Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Female Total	5	9	11	28	82	274	317	2371	29	3126
SEX NOT REPORTED										
Habit not Known	1	1	0	0	1	12	10	55	5	85
Only Smoking	0	0	0	0	0	1	0	1	0	2
Only Chewing Tobacco	0	0	0	0	0	0	0	2	0	2
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	1	1	0	0	1	13	10	59	5	90
ALL										
Habit not Known	13	15	24	59	177	517	524	3648	59	5036
Only Smoking	0	0	1	6	23	47	23	116	1	217
Only Chewing Tobacco	0	0	0	1	1	17	17	136	0	172
Smoking and Chewing Tobacco	0	0	0	1	1	3	2	17	0	24
Only Chewing Arecanut	0	0	0	0	0	1	2	6	0	9
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Arecanut	0	0	0	0	0	2	1	10	0	13
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Only Drinking Alcohol	0	0	0	2	4	4	4	14	0	28
Smoking and Drinking Alcohol	0	0	0	6	15	19	4	33	1	78
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	3	10	0	13
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	4	1	8	0	13
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
All Habits	0	0	0	0	0	1	1	0	0	2
All Total (Blood Pressure)	13	15	25	75	221	616	582	4003	61	5611

TABLE D - 20

Deaths by Selected Cause of Death, Age, Sex and Habit (Urban)

Selected Cause of Death/Sex/Habit	Age group									Total
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
TUBERCULOSIS										
MALE										
Habit not Known	0	5	4	23	29	40	13	25	2	141
Only Smoking	0	0	0	2	13	15	9	5	1	45
Only Chewing Tobacco	0	0	0	0	0	1	0	0	0	1
Smoking and Chewing Tobacco	0	0	0	1	0	0	0	0	0	1
Only Chewing Arecanut	0	0	0	1	1	0	0	1	0	3
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	0	0	1
Only Drinking Alcohol	0	0	0	3	4	1	0	0	0	8
Smoking and Drinking Alcohol	0	0	3	9	10	13	6	3	0	44
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	5	0	1	0	0	7
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	0	0	1
All Habits	0	0	1	0	1	1	1	0	0	4
Male Total	0	5	8	43	63	71	30	34	3	257
FEMALE										
Habit not Known	2	7	5	11	13	10	11	17	0	76
Only Smoking	0	0	0	0	1	1	0	0	0	2
Only Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Only Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Smoking and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Female Total	2	7	5	11	14	12	12	20	0	83
ALL										
Habit not Known	2	12	9	34	42	50	24	42	2	217
Only Smoking	0	0	0	2	14	16	9	5	1	47
Only Chewing Tobacco	0	0	0	0	0	1	1	1	0	3
Smoking and Chewing Tobacco	0	0	0	1	0	0	0	0	0	1
Only Chewing Arecanut	0	0	0	1	1	0	0	3	0	5
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	0	0	1
Only Drinking Alcohol	0	0	0	3	4	1	0	0	0	8
Smoking and Drinking Alcohol	0	0	3	9	10	14	6	3	0	45

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	5	0	1	0	0	7
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	0	0	1
All Habits	0	0	1	0	1	1	1	0	0	4
All Total (Tuberculosis)	2	12	13	54	77	83	42	54	3	340
WHOOPING COUGH										
MALE										
Habit not Known	0	0	0	1	0	1	3	1	0	6
Only Smoking	0	0	0	0	0	0	0	1	0	1
Male Total	0	0	0	1	0	1	3	2	0	7
FEMALE										
Habit not Known	1	0	0	1	1	1	1	2	0	7
Female Total	1	0	0	1	1	1	1	2	0	7
ALL										
Habit not Known	1	0	0	2	1	2	4	3	0	13
Only Smoking	0	0	0	0	0	0	0	1	0	1
All Total (Whooping Cough)	1	0	0	2	1	2	4	4	0	14
CANCER										
MALE										
Habit not Known	75	56	65	144	314	478	256	533	4	1925
Only Smoking	0	0	3	18	78	107	64	99	0	369
Only Chewing Tobacco	0	0	0	1	2	8	6	14	0	31
Smoking and Chewing Tobacco	0	0	0	0	7	5	4	11	0	27
Only Chewing Arecanut	0	0	0	0	1	0	0	4	0	5
Smoking and Chewing Arecanut	0	0	0	1	0	1	0	0	0	2
Chewing Tobacco and Arecanut	0	0	0	0	1	1	0	3	0	5
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
Only Drinking Alcohol	0	0	1	3	7	12	3	15	0	41
Smoking and Drinking Alcohol	0	0	0	12	49	84	19	33	1	198
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	4	0	5	0	10

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	5	6	10	4	7	0	32
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	2	1	0	0	0	4
All Habits	0	0	0	0	2	3	1	0	0	6
Male Total	75	56	70	184	470	716	358	725	5	2659
FEMALE										
Habit not Known	44	38	83	171	334	394	163	380	0	1607
Only Smoking	0	0	0	0	0	0	4	1	0	5
Only Chewing Tobacco	0	0	0	1	2	15	4	23	0	45
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Only Chewing Arecanut	0	0	0	0	1	0	1	1	0	3
Chewing Tobacco and Arecanut	0	0	0	0	1	2	1	5	0	9
Only Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Female Total	44	38	83	172	338	411	176	411	0	1673
SEX NOT REPORTED										
Habit not Known	0	0	0	2	1	1	1	2	0	7
Only Smoking	0	0	0	1	0	0	0	0	0	1
Sex Not Reported Total	0	0	0	3	1	1	1	2	0	8
ALL										
Habit not Known	119	94	148	317	649	873	420	915	4	3539
Only Smoking	0	0	3	19	78	107	68	100	0	375
Only Chewing Tobacco	0	0	0	2	4	23	10	37	0	76
Smoking and Chewing Tobacco	0	0	0	0	7	5	5	12	0	29
Only Chewing Arecanut	0	0	0	0	2	0	1	5	0	8
Smoking and Chewing Arecanut	0	0	0	1	0	1	0	0	0	2
Chewing Tobacco and Arecanut	0	0	0	0	2	3	1	8	0	14
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
Only Drinking Alcohol	0	0	1	3	7	12	4	15	0	42
Smoking and Drinking Alcohol	0	0	0	12	49	84	19	33	1	198
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	4	0	5	0	10

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	5	6	10	4	7	0	32
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	2	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	2	1	0	0	0	4
All Habits	0	0	0	0	2	3	1	0	0	6
All Total (Cancer)	119	94	153	359	809	1128	535	1138	5	4340
DIABETES										
MALE										
Habit not Known	2	4	4	16	60	143	105	278	0	612
Only Smoking	0	0	0	1	8	11	7	18	0	45
Only Chewing Tobacco	0	0	0	0	3	3	0	6	0	12
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Smoking and Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Only Drinking Alcohol	0	0	0	0	4	4	1	1	0	10
Smoking and Drinking Alcohol	0	0	0	1	3	10	6	7	0	27
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	1	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	2	1	0	0	5
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	1	0	0	1	0	0	2
Male Total	2	4	4	21	79	174	122	313	0	719
FEMALE										
Habit not Known	7	6	3	32	76	162	101	290	0	677
Only Smoking	0	0	0	0	1	1	1	2	0	5
Only Chewing Tobacco	0	0	0	0	0	5	2	3	0	10
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	0	0	1
Only Chewing Arecanut	0	0	0	0	0	0	1	1	0	2

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Only Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Smoking and Drinking Alcohol	0	0	0	0	1	1	0	1	0	3
Female Total	7	6	3	33	78	169	106	299	0	701
SEX NOT REPORTED										
Habit not Known	0	0	0	0	0	1	0	1	1	3
Sex Not Reported Total	0	0	0	0	0	1	0	1	1	3
ALL										
Habit not Known	9	10	7	48	136	306	206	569	1	1292
Only Smoking	0	0	0	1	9	12	8	20	0	50
Only Chewing Tobacco	0	0	0	0	3	8	2	9	0	22
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Only Chewing Arecanut	0	0	0	0	0	0	1	1	0	2
Smoking and Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	2	0	3
Only Drinking Alcohol	0	0	0	1	4	4	1	1	0	11
Smoking and Drinking Alcohol	0	0	0	1	4	11	6	8	0	30
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	1	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	2	1	0	0	5
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	1	0	0	1	0	0	2
All Total (Diabetes)	9	10	7	54	157	344	228	613	1	1423
HEART ATTACK										
MALE										
Habit not Known	389	111	226	549	1358	2406	1615	5629	11	12294
Only Smoking	0	1	11	61	196	418	238	492	0	1417
Only Chewing Tobacco	0	1	0	3	12	21	17	118	0	172
Smoking and Chewing Tobacco	0	0	0	1	5	21	16	60	0	103
Only Chewing Arecanut	0	0	3	2	2	2	2	6	0	17
Smoking and Chewing Arecanut	0	1	0	2	1	0	3	4	0	11
Chewing Tobacco and Arecanut	0	0	0	2	1	0	1	5	0	9
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	1	2	0	6	0	9
Only Drinking Alcohol	0	0	3	21	31	59	22	62	1	199
Smoking and Drinking Alcohol	0	1	13	65	185	199	92	132	1	688

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Drinking Alcohol	0	0	5	1	11	14	5	28	0	64
Smoking, Chewing Tobacco and Drinking Alcohol	0	1	2	4	13	26	11	42	0	99
Chewing Arecanut and Drinking Alcohol	0	0	1	0	2	0	1	1	0	5
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	2	0	4	0	4	0	10
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	1	0	0	4	0	6
All Habits	0	0	3	8	4	10	7	9	0	41
Male Total	389	116	268	721	1823	3182	2030	6602	13	15144
FEMALE										
Habit not Known	288	85	146	314	620	1305	1130	4804	7	8699
Only Smoking	0	0	0	0	2	4	3	11	0	20
Only Chewing Tobacco	0	0	0	2	6	32	31	127	0	198
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	4	0	5
Only Chewing Arecanut	0	0	0	0	0	2	4	16	0	22
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	4	1	9	0	14
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	1	0	0	0	0	1
Only Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Smoking and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	2	0	2	0	6
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	1	0	0	2
All Habits	0	0	0	0	0	0	1	0	0	1
Female Total	288	85	146	316	635	1350	1173	4974	7	8974
SEX NOT REPORTED										
Habit not Known	0	1	1	0	2	9	5	13	11	42
Only Smoking	0	0	0	0	1	1	0	1	1	4
Only Chewing Tobacco	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	0	1	1	0	3	11	5	15	12	48

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
ALL										
Habit not Known	677	197	373	863	1980	3720	2750	10446	29	21035
Only Smoking	0	1	11	61	199	423	241	504	1	1441
Only Chewing Tobacco	0	1	0	5	18	54	48	245	0	371
Smoking and Chewing Tobacco	0	0	0	1	5	21	17	64	0	108
Only Chewing Arecanut	0	0	3	2	2	4	6	22	0	39
Smoking and Chewing Arecanut	0	1	0	2	1	0	3	5	0	12
Chewing Tobacco and Arecanut	0	0	0	2	1	4	2	14	0	23
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	2	2	0	7	0	11
Only Drinking Alcohol	0	0	3	21	32	60	23	62	1	202
Smoking and Drinking Alcohol	0	1	13	65	186	199	92	132	1	689
Chewing Tobacco and Drinking Alcohol	0	0	5	1	13	16	5	30	0	70
Smoking, Chewing Tobacco and Drinking Alcohol	0	1	2	4	14	26	11	42	0	100
Chewing Arecanut and Drinking Alcohol	0	0	1	0	3	0	2	1	0	7
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	2	0	4	0	4	0	10
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	1	0	0	4	0	6
All Habits	0	0	3	8	4	10	8	9	0	42
All Total (Heart Attack)	677	202	415	1037	2461	4543	3208	11591	32	24166
PNEUMONIA										
MALE										
Habit not Known	82	17	17	33	48	79	43	191	0	510
Only Smoking	0	0	1	4	14	21	10	22	0	72
Only Chewing Tobacco	0	0	0	0	0	1	1	1	0	3
Smoking and Chewing Tobacco	0	0	1	1	1	2	0	4	0	9
Only Chewing Arecanut	0	0	1	0	0	0	1	0	0	2
Only Drinking Alcohol	0	0	0	3	2	0	1	3	0	9
Smoking and Drinking Alcohol	0	0	0	9	13	7	3	6	0	38
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	1	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	5	0	4	0	11
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Drinking, Chewing Tobacco and Arecanut	0	1	0	0	0	0	0	0	0	1
All Habits	0	0	0	0	2	1	0	0	0	3
Male Total	82	18	20	51	82	118	61	232	0	664
FEMALE										
Habit not Known	63	15	16	17	39	62	50	156	1	419
Only Smoking	0	0	0	0	0	0	0	2	0	2
Only Chewing Tobacco	0	0	0	0	0	1	0	4	0	5
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Female Total	63	15	16	18	39	63	50	162	1	427
SEX NOT REPORTED										
Habit not Known	0	0	0	0	0	0	0	0	1	1
Sex Not Reportd Total	0	0	0	0	0	0	0	0	1	1
ALL										
Habit not Known	145	32	33	50	87	141	93	347	2	930
Only Smoking	0	0	1	4	14	21	10	24	0	74
Only Chewing Tobacco	0	0	0	0	0	2	1	5	0	8
Smoking and Chewing Tobacco	0	0	1	1	1	2	0	4	0	9
Only Chewing Arecanut	0	0	1	0	0	0	1	0	0	2
Only Drinking Alcohol	0	0	0	3	2	0	1	3	0	9
Smoking and Drinking Alcohol	0	0	0	9	13	7	3	6	0	38
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	1	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	1	5	0	4	0	12
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Drinking, Chewing Tobacco and Arecanut	0	1	0	0	0	0	0	0	0	1
All Habits	0	0	0	0	2	1	0	0	0	3
All Total (Pneumonia)	145	33	36	69	121	181	111	394	2	1092
ASTHMA										
MALE										
Habit not Known	105	28	33	62	208	421	325	1351	2	2535
Only Smoking	0	0	3	15	53	92	68	142	1	374

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	1	4	6	9	16	0	36
Smoking and Chewing Tobacco	0	0	0	0	1	4	2	17	0	24
Only Chewing Arecanut	0	0	0	0	0	0	0	3	0	3
Smoking and Chewing Arecanut	0	0	0	0	0	1	0	1	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	4	0	5
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	2	0	3
Only Drinking Alcohol	0	0	1	3	6	11	3	6	0	30
Smoking and Drinking Alcohol	0	0	1	16	38	51	28	50	0	184
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	3	7	0	11
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	1	3	15	5	12	0	37
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	2	0	3
All Habits	0	2	0	2	1	2	1	0	0	8
Male Total	105	30	39	101	315	607	445	1613	3	3258
FEMALE										
Habit not Known	72	15	29	69	128	214	195	1320	9	2051
Only Smoking	0	0	0	0	1	0	0	3	0	4
Only Chewing Tobacco	0	0	0	0	4	6	3	29	0	42
Smoking and Chewing Tobacco	0	0	0	0	0	1	0	0	0	1
Only Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	4	0	4
Female Total	72	15	29	69	133	221	198	1358	9	2104
SEX NOT REPORTED										
Habit not Known	0	0	0	1	0	1	4	7	1	14
Sex Not Reported Total	0	0	0	1	0	1	4	7	1	14
ALL										
Habit not Known	177	43	62	132	336	636	524	2678	12	4600
Only Smoking	0	0	3	15	54	92	68	145	1	378
Only Chewing Tobacco	0	0	0	1	8	12	12	45	0	78
Smoking and Chewing Tobacco	0	0	0	0	1	5	2	17	0	25
Only Chewing Arecanut	0	0	0	0	0	0	0	5	0	5
Smoking and Chewing Arecanut	0	0	0	0	0	1	0	1	0	2

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	8	0	9
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	2	0	3
Only Drinking Alcohol	0	0	1	3	6	11	3	6	0	30
Smoking and Drinking Alcohol	0	0	1	16	38	51	28	50	0	184
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	3	7	0	11
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	1	3	15	5	12	0	37
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	2	0	3
All Habits	0	2	0	2	1	2	1	0	0	8
All Total (Asthma)	177	45	68	171	448	829	647	2978	13	5376
JAUNDIS										
MALE										
Habit not Known	6	2	3	11	16	9	9	24	0	80
Only Smoking	0	0	0	3	1	0	2	3	0	9
Only Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	1	1	0	0	1	0	3
Smoking and Drinking Alcohol	0	0	0	2	3	4	0	0	0	9
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
All Habits	0	0	0	1	0	0	0	0	0	1
Male Total	6	2	3	18	23	14	11	29	0	106
FEMALE										
Habit not Known	4	3	6	7	10	14	5	19	0	68
Only Smoking	0	0	0	0	0	1	0	0	0	1
Female Total	4	3	6	7	10	15	5	19	0	69
ALL										
Habit not Known	10	5	9	18	26	23	14	43	0	148
Only Smoking	0	0	0	3	1	1	2	3	0	10
Only Chewing Tobacco	0	0	0	0	0	0	0	1	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Drinking Alcohol	0	0	0	1	1	0	0	1	0	3
Smoking and Drinking Alcohol	0	0	0	2	3	4	0	0	0	9
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
All Habits	0	0	0	1	0	0	0	0	0	1
All Total (Jaundis)	10	5	9	25	33	29	16	48	0	175
LIVER DISEASE										
MALE										
Habit not Known	16	17	20	78	200	306	133	313	1	1084
Only Smoking	0	0	4	6	23	43	15	24	0	115
Only Chewing Tobacco	0	0	0	1	1	0	1	5	0	8
Smoking and Chewing Tobacco	0	0	0	1	1	1	4	5	0	12
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	2	4	21	58	62	11	10	0	168
Smoking and Drinking Alcohol	0	0	4	25	68	62	21	18	0	198
Chewing Tobacco and Drinking Alcohol	0	0	0	3	2	3	1	1	0	10
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	5	9	1	4	0	21
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	1	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	2	1	0	0	0	4
All Habits	0	0	0	1	3	2	1	0	0	7
Male Total	16	19	33	139	364	491	189	381	1	1633
FEMALE										
Habit not Known	13	8	22	31	75	105	80	232	0	566
Only Smoking	0	0	0	0	0	0	1	0	0	1
Only Chewing Tobacco	0	0	0	0	0	3	4	4	0	11
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	2	0	2
Only Chewing Arecanut	0	0	0	0	0	0	1	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	1	0	1	0	0	0	2
Smoking and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Female Total	13	8	22	32	75	111	86	239	0	586
SEX NOT REPORTED										
Habit not Known	0	0	0	0	1	0	1	0	0	2

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	0	0	0	1	0	1	0	1	3
ALL										
Habit not Known	29	25	42	109	276	411	214	545	1	1652
Only Smoking	0	0	4	6	23	43	16	24	0	116
Only Chewing Tobacco	0	0	0	1	1	3	5	9	1	20
Smoking and Chewing Tobacco	0	0	0	1	1	1	4	7	0	14
Only Chewing Arecanut	0	0	0	0	0	0	1	1	0	2
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	2	4	22	58	63	11	10	0	170
Smoking and Drinking Alcohol	0	0	4	25	68	64	21	18	0	200
Chewing Tobacco and Drinking Alcohol	0	0	0	3	2	3	1	1	0	10
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	5	9	1	4	0	21
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	1	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	2	1	0	0	0	4
All Habits	0	0	0	1	3	2	1	0	0	7
All Total (Liver Disease)	29	27	55	171	440	602	276	620	2	2222
ULCER										
MALE										
Habit not Known	1	1	0	2	7	9	6	26	0	52
Only Smoking	0	0	0	0	7	1	2	3	0	13
Only Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Smoking and Chewing Tobacco	0	0	0	0	1	0	0	0	0	1
Smoking and Drinking Alcohol	0	0	0	0	3	1	0	1	0	5
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
All Habits	0	0	0	0	1	0	0	0	0	1
Male Total	1	1	0	2	21	11	8	33	0	77
FEMALE										
Habit not Known	1	0	3	4	2	9	4	19	1	43

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	0	0	0	0	2	0	2
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Female Total	1	0	3	4	2	9	4	22	1	46
ALL										
Habit not Known	2	1	3	6	9	18	10	45	1	95
Only Smoking	0	0	0	0	7	1	2	3	0	13
Only Chewing Tobacco	0	0	0	0	0	0	0	3	0	3
Smoking and Chewing Tobacco	0	0	0	0	1	0	0	0	0	1
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	3	1	0	1	0	5
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
All Habits	0	0	0	0	1	0	0	0	0	1
All Total (Ulcer)	2	1	3	6	23	20	12	55	1	123
PARALYSIS										
MALE										
Habit not Known	7	8	10	18	53	117	101	340	0	654
Only Smoking	0	0	1	3	8	15	14	30	0	71
Only Chewing Tobacco	0	0	1	0	1	0	0	8	0	10
Smoking and Chewing Tobacco	0	0	0	0	0	3	2	5	0	10
Only Chewing Arecanut	0	0	0	0	0	1	0	1	0	2
Smoking, Chewing Tobacco and Arecanut	0	0	0	2	0	0	0	0	0	2
Only Drinking Alcohol	0	0	0	0	2	0	0	2	0	4
Smoking and Drinking Alcohol	0	0	1	3	11	11	9	8	0	43
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	1	0	5	0	7
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	3	5	0	9
Chewing Arecanut and Drinking Alcohol	0	0	1	0	0	0	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	0	0	1	0	2	0	3
Male Total	7	8	14	26	77	149	129	407	0	817
FEMALE										
Habit not Known	3	4	8	10	32	83	63	442	1	646
Only Chewing Tobacco	0	0	0	0	0	3	3	20	0	26

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Arecanut	0	0	0	0	0	0	1	3	0	4
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Female Total	3	4	8	10	32	86	67	467	1	678
SEX NOT REPORTED										
Habit not Known	0	0	0	0	1	0	0	4	1	6
Sex Not Reported Total	0	0	0	0	1	0	0	4	1	6
ALL										
Habit not Known	10	12	18	28	86	200	164	786	2	1306
Only Smoking	0	0	1	3	8	15	14	30	0	71
Only Chewing Tobacco	0	0	1	0	1	3	3	28	0	36
Smoking and Chewing Tobacco	0	0	0	0	0	3	2	5	0	10
Only Chewing Arecanut	0	0	0	0	0	1	1	4	0	6
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Smoking, Chewing Tobacco and Arecanut	0	0	0	2	0	0	0	0	0	2
Only Drinking Alcohol	0	0	0	0	2	0	0	2	0	4
Smoking and Drinking Alcohol	0	0	1	3	11	11	9	8	0	43
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	1	0	5	0	7
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	3	5	0	9
Chewing Arecanut and Drinking Alcohol	0	0	1	0	0	0	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	0	0	1	0	2	0	3
All Total (Paralysis)	10	12	22	36	110	235	196	878	2	1501
ACCIDENT(TRAFFIC/VEHICLES)										
MALE										
Habit not Known	31	191	230	181	146	130	40	82	1	1032
Only Smoking	0	1	7	6	10	12	4	4	0	44
Only Chewing Tobacco	0	0	1	0	1	2	0	1	0	5
Smoking and Chewing Tobacco	0	0	0	0	0	1	0	3	0	4
Only Drinking Alcohol	0	0	2	5	8	2	0	1	0	18
Smoking and Drinking Alcohol	0	0	5	4	5	5	0	2	0	21
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	1	0	0	0	0	0	0	1
Male Total	31	192	246	196	170	153	45	93	1	1127
FEMALE										

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Habit not Known	20	14	12	22	33	33	18	29	0	181
Only Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Female Total	20	14	12	22	33	33	18	30	0	182
SEX NOT REPORTED										
Habit not Known	0	0	0	1	0	2	1	0	0	4
Sex Not Reported Total	0	0	0	1	0	2	1	0	0	4
ALL										
Habit not Known	51	205	242	204	179	165	59	111	1	1217
Only Smoking	0	1	7	6	10	12	4	4	0	44
Only Chewing Tobacco	0	0	1	0	1	2	0	2	0	6
Smoking and Chewing Tobacco	0	0	0	0	0	1	0	3	0	4
Only Drinking Alcohol	0	0	2	5	8	2	0	1	0	18
Smoking and Drinking Alcohol	0	0	5	4	5	5	0	2	0	21
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	1	0	0	0	0	0	0	1
All Total (Accident (Traffic/Vehicle))	51	206	258	219	203	188	64	123	1	1313
SUICIDE										
MALE										
Habit not Known	2	54	79	109	107	60	25	34	1	471
Only Smoking	0	2	5	4	12	7	2	2	0	34
Only Chewing Tobacco	0	0	0	0	1	0	0	1	0	2
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	1	0	0	0	0	0	0	1
Only Drinking Alcohol	0	1	8	8	14	9	1	3	0	44
Smoking and Drinking Alcohol	0	1	5	12	28	11	1	1	0	59
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	3	1	2	0	8
Chewing Arecanut and Drinking Alcohol	0	0	1	1	0	0	0	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	2	0	0	0	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	2	1	1	1	0	0	0	5

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Male Total	2	58	103	136	164	93	30	44	1	631
FEMALE										
Habit not Known	4	53	30	27	28	22	8	23	0	195
Female Total	4	53	30	27	28	22	8	23	0	195
SEX NOT REPORTED										
Habit not Known	0	1	3	2	0	0	0	0	0	6
Only Smoking	0	0	0	1	0	0	0	0	0	1
Sex Not Reported Total	0	1	3	3	0	0	0	0	0	7
ALL										
Habit not Known	6	108	112	138	135	82	33	57	1	672
Only Smoking	0	2	5	5	12	7	2	2	0	35
Only Chewing Tobacco	0	0	0	0	1	0	0	1	0	2
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	1	0	0	0	0	0	0	1
Only Drinking Alcohol	0	1	8	8	14	9	1	3	0	44
Smoking and Drinking Alcohol	0	1	5	12	28	11	1	1	0	59
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	3	1	2	0	8
Chewing Arecanut and Drinking Alcohol	0	0	1	1	0	0	0	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	2	0	0	0	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	2	1	1	1	0	0	0	5
All Total (Suicide)	6	112	136	166	192	115	38	67	1	833
BLOOD PRESSURE										
MALE										
Habit not Known	13	5	8	20	57	115	85	267	2	572
Only Smoking	0	0	0	1	3	10	7	24	0	45
Only Chewing Tobacco	0	0	0	0	0	0	3	4	0	7
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	3	0	4
Only Chewing Arecanut	0	0	0	0	0	0	1	1	0	2
Only Drinking Alcohol	0	0	1	0	2	2	0	3	0	8
Smoking and Drinking Alcohol	0	0	0	1	10	7	8	5	0	31
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	3	0	1	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	1	0	2	0	5

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	0	0	1	0	0	0	1
Male Total	13	5	9	23	73	140	105	311	2	681
FEMALE										
Habit not Known	11	2	9	11	41	87	93	357	0	611
Only Smoking	0	0	0	0	0	0	0	2	0	2
Only Chewing Tobacco	0	0	0	0	0	2	1	13	0	16
Only Chewing Arecanut	0	0	0	0	0	0	0	3	0	3
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
Only Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Female Total	11	2	9	11	41	91	94	375	0	634
SEX NOT REPORTED										
Habit not Known	0	0	0	0	0	3	0	1	0	4
Sex Not Reported Total	0	0	0	0	0	3	0	1	0	4
ALL										
Habit not Known	24	7	17	31	98	205	178	625	2	1187
Only Smoking	0	0	0	1	3	10	7	26	0	47
Only Chewing Tobacco	0	0	0	0	0	2	4	17	0	23
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	3	0	4
Only Chewing Arecanut	0	0	0	0	0	0	1	4	0	5
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
Only Drinking Alcohol	0	0	1	0	2	3	0	3	0	9
Smoking and Drinking Alcohol	0	0	0	1	10	7	8	5	0	31
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	3	0	1	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	1	0	2	0	5
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	0	0	1	0	0	0	1
All Total (Blood Pressure)	24	7	18	34	114	234	199	687	2	1319

TABLE D - 21
Deaths by Selected Cause of Death, Age, Sex and Habit (All Area)

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
TUBERCULOSIS										
MALE										
Habit not Known	4	10	33	94	115	164	96	222	6	744
Only Smoking	0	0	3	11	36	54	31	48	3	186
Only Chewing Tobacco	0	0	0	1	3	2	3	6	0	15
Smoking and Chewing Tobacco	0	0	0	1	2	1	0	2	1	7
Only Chewing Arecanut	0	0	0	1	1	0	0	1	0	3
Smoking and Chewing Arecanut	0	0	0	0	1	0	0	1	0	2
Chewing Tobacco and Arecanut	0	0	0	1	1	0	0	0	0	2
Smoking, Chewing Tobaccoa and Arecanut	0	0	0	1	0	0	0	0	0	1
Only Drinking Alcohol	0	0	2	5	10	2	4	3	0	26
Smoking and Drinking Alcohol	0	0	4	19	34	36	13	16	0	122
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	2	0	3
Smoking, Chewing Tobaccoa and Drinking Alcohol	0	0	0	2	6	3	2	0	1	14
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	1	0	1	4
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	1	0	0	0	2
All Habits	0	0	1	1	1	7	2	0	0	12
Male Total	4	10	43	139	211	273	152	301	12	1145
FEMALE										
Habit not Known	4	19	26	40	44	45	36	139	3	356
Only Smoking	0	0	0	0	4	4	1	4	1	14
Only Chewing Tobacco	0	0	0	0	2	2	1	8	1	14
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	0	0	1
Only Chewing Arecanut	0	0	0	1	0	0	0	2	0	3
Smoking and Chewing Arecanut	0	0	0	0	0	1	0	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	2	0	0	2
Only Drinking Alcohol	0	0	0	0	0	0	0	1	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Drinking Alcohol	0	0	0	0	2	1	0	0	0	3
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	2	0	3
All Habits	0	0	0	0	1	0	0	0	0	1
Female Total	4	19	26	41	53	53	42	156	5	399
SEX NOT REPORTED										
Habit not Known	0	0	2	2	0	2	0	2	1	9
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	0	0	0	2
Sex Not Reported Total	0	0	2	3	2	2	0	3	1	13
ALL										
Habit not Known	8	29	61	136	159	211	132	363	10	1109
Only Smoking	0	0	3	11	40	58	32	52	4	200
Only Chewing Tobacco	0	0	0	1	5	4	4	14	1	29
Smoking and Chewing Tobacco	0	0	0	1	2	1	1	3	1	9
Only Chewing Arecanut	0	0	0	2	1	0	0	3	0	6
Smoking and Chewing Arecanut	0	0	0	0	1	1	0	1	0	3
Chewing Tobacco and Arecanut	0	0	0	1	1	0	2	0	0	4
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	0	0	0	1
Only Drinking Alcohol	0	0	2	5	10	2	4	4	0	27
Smoking and Drinking Alcohol	0	0	4	19	36	37	13	16	0	125
Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	1	0	2	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	8	3	3	2	1	19
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	1	0	1	4
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	1	0	0	0	2
All Habits	0	0	1	1	2	7	2	0	0	13
All Total (Tuberculosis)	8	29	71	183	266	328	194	460	18	1557
WHOOPING COUGH										
MALE										
Habit not Known	2	1	3	5	4	13	14	46	1	89

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Smoking	0	0	0	0	0	0	2	4	0	6
Smoking and Drinking Alcohol	0	0	0	0	0	2	1	1	0	4
Male Total	2	1	3	5	4	15	17	51	1	99
FEMALE										
Habit not Known	4	0	1	2	1	4	6	42	3	63
Only Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Female Total	4	0	1	2	1	4	7	43	3	65
SEX NOT REPORTED										
Habit not Known	0	0	0	0	1	0	0	1	2	4
Only Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Sex Not Reported Total	0	0	0	0	1	0	1	2	2	6
ALL										
Habit not Known	6	1	4	7	6	17	20	89	6	156
Only Smoking	0	0	0	0	0	0	2	4	0	6
Only Chewing Tobacco	0	0	0	0	0	0	2	2	0	4
Smoking and Drinking Alcohol	0	0	0	0	0	2	1	1	0	4
All Total (Whoopong Cough)	6	1	4	7	6	19	25	96	6	170
CANCER										
MALE										
Habit not Known	127	109	171	409	1038	1820	1075	2408	47	7204
Only Smoking	0	0	7	51	238	438	238	411	7	1390
Only Chewing Tobacco	0	0	0	2	13	31	27	76	0	149
Smoking and Chewing Tobacco	0	0	1	1	18	18	15	59	1	113
Only Chewing Arecanut	0	0	0	1	3	3	4	11	0	22
Smoking and Chewing Arecanut	0	0	0	1	1	2	1	3	0	8
Chewing Tobacco and Arecanut	0	0	0	0	2	3	4	10	0	19
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	0	2	2	7	0	12
Only Drinking Alcohol	0	0	5	8	22	39	17	42	0	133
Smoking and Drinking Alcohol	0	0	3	24	162	247	110	147	6	699
Chewing Tobacco and Drinking Alcohol	0	0	0	0	6	12	10	18	1	47
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	9	14	30	17	39	0	109
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	2	2	0	6
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	2	2	3	0	0	7

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Drinking, Chewing Tobacco and Arecanut	0	0	1	1	2	3	2	5	0	14
All Habits	0	0	2	3	4	8	5	6	1	29
Male Total	127	109	190	511	1525	2660	1532	3244	63	9961
FEMALE										
Habit not Known	88	82	201	537	1114	1408	793	1866	41	6130
Only Smoking	0	0	0	0	2	8	9	12	0	31
Only Chewing Tobacco	0	0	0	1	19	53	42	132	1	248
Smoking and Chewing Tobacco	0	0	0	0	0	0	1	4	0	5
Only Chewing Arecanut	0	1	0	0	3	6	1	12	0	23
Chewing Tobacco and Arecanut	0	0	0	0	5	8	5	14	0	32
Only Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
Smoking and Drinking Alcohol	0	0	0	1	2	3	1	2	0	9
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	3	0	0	3
All Habits	0	0	0	0	2	0	0	0	0	2
Female Total	88	83	201	539	1147	1487	856	2042	42	6485
SEX NOT REPORTED										
Habit not Known	4	1	1	17	19	40	23	45	20	170
Only Smoking	0	0	0	1	3	1	4	4	0	13
Only Chewing Tobacco	0	0	0	1	2	0	0	2	0	5
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	4	2	1	1	8
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	0	0	0	0	4	0	5
All Habits	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	4	1	2	19	24	45	29	60	21	205
ALL										
Habit not Known	219	192	373	963	2171	3268	1891	4319	108	13504
Only Smoking	0	0	7	52	243	447	251	427	7	1434
Only Chewing Tobacco	0	0	0	4	34	84	69	210	1	402
Smoking and Chewing Tobacco	0	0	1	1	18	18	16	64	1	119
Only Chewing Arecanut	0	1	0	1	6	9	5	23	0	45
Smoking and Chewing Arecanut	0	0	0	1	1	2	1	3	0	8

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Arecanut	0	0	0	0	7	11	9	24	0	51
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	0	2	2	7	0	12
Only Drinking Alcohol	0	0	5	8	22	39	18	42	0	134
Smoking and Drinking Alcohol	0	0	3	25	164	254	113	150	7	716
Chewing Tobacco and Drinking Alcohol	0	0	0	0	6	13	10	20	1	50
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	9	14	30	17	43	0	114
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	5	2	0	9
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	2	2	3	0	0	7
Drinking, Chewing Tobacco and Arecanut	0	0	1	1	2	3	2	5	0	14
All Habits	0	0	2	3	6	8	5	7	1	32
All Total (Cancer)	219	193	393	1069	2696	4192	2417	5346	126	16651
DIABETES										
MALE										
Habit not Known	20	10	26	69	225	500	381	1412	14	2657
Only Smoking	0	0	3	3	19	46	27	90	1	189
Only Chewing Tobacco	0	0	0	4	6	9	5	36	0	60
Smoking and Chewing Tobacco	0	0	0	0	2	0	2	7	0	11
Only Chewing Arecanut	0	0	0	0	1	0	0	2	0	3
Smoking and Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Chewing Tobacco and Arecanut	0	1	0	0	1	3	1	4	0	10
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	1	1	5	9	2	7	1	26
Smoking and Drinking Alcohol	0	0	1	5	11	30	13	28	1	89
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	2	0	3	0	6
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	1	8	2	5	0	18
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	1	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	1	0	2
All Habits	0	0	0	1	0	1	1	1	1	5
Male Total	20	11	31	86	272	609	435	1598	18	3080

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
FEMALE										
Habit not Known	26	13	21	74	192	476	408	1746	19	2975
Only Smoking	0	0	0	0	1	11	5	11	4	32
Only Chewing Tobacco	0	0	0	2	0	7	4	33	1	47
Smoking and Chewing Tobacco	0	0	0	0	0	0	3	3	1	7
Only Chewing Arecanut	0	0	1	0	0	0	2	5	0	8
Chewing Tobacco and Arecanut	0	0	0	1	0	1	1	4	0	7
Only Drinking Alcohol	0	0	0	1	1	0	0	1	0	3
Smoking and Drinking Alcohol	0	0	0	1	4	2	0	4	0	11
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	0	2	0	1	0	5
Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
All Habits	0	0	0	0	0	1	1	1	0	3
Female Total	26	13	22	82	198	501	424	1809	25	3100
SEX NOT REPORTED										
Habit not Known	1	0	0	2	4	9	8	28	31	83
Only Smoking	0	0	0	0	0	0	1	0	1	2
Only Chewing Tobacco	0	0	0	0	0	0	0	1	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	1	2	3
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	1	0	0	2	4	9	9	30	36	91
ALL										
Habit not Known	47	23	47	145	421	985	797	3186	64	5715
Only Smoking	0	0	3	3	20	57	33	101	6	223
Only Chewing Tobacco	0	0	0	6	6	16	9	70	1	108
Smoking and Chewing Tobacco	0	0	0	0	2	0	5	10	1	18
Only Chewing Arecanut	0	0	1	0	1	0	2	7	0	11
Smoking and Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Chewing Tobacco and Arecanut	0	1	0	1	1	4	2	8	0	17
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	1	2	6	9	2	8	1	29

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Drinking Alcohol	0	0	1	6	15	32	13	33	3	103
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	3	0	3	0	7
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	4	1	10	2	6	1	24
Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	1	0	1	0	3
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	1	1	3
All Habits	0	0	0	1	0	2	2	2	1	8
All Total (Diabetes)	47	24	53	170	474	1119	868	3437	79	6271
HEART ATTACK										
MALE										
Habit not Known	653	271	613	1519	3911	6749	4275	15004	170	33165
Only Smoking	0	5	36	200	650	1064	599	1275	17	3846
Only Chewing Tobacco	0	2	0	10	35	74	47	273	1	442
Smoking and Chewing Tobacco	0	0	1	3	24	50	42	166	1	287
Only Chewing Arecanut	0	0	4	6	4	12	3	28	1	58
Smoking and Chewing Arecanut	0	1	0	2	1	3	4	7	0	18
Chewing Tobacco and Arecanut	0	0	0	2	4	3	1	18	0	28
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	2	4	0	11	0	18
Only Drinking Alcohol	0	0	11	52	90	142	55	122	6	478
Smoking and Drinking Alcohol	0	2	29	151	395	480	223	323	9	1612
Chewing Tobacco and Drinking Alcohol	0	0	6	2	21	34	9	54	0	126
Smoking, Chewing Tobacco and Drinking Alcohol	0	1	2	14	37	55	51	87	1	248
Chewing Arecanut and Drinking Alcohol	0	0	2	0	7	2	2	2	0	15
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	2	5	4	9	0	6	0	26
Drinking, Chewing Tobacco and Arecanut	0	0	4	1	4	4	2	6	0	21
All Habits	0	0	7	14	10	17	12	18	1	79
Male Total	653	282	717	1982	5199	8702	5325	17400	207	40467
FEMALE										
Habit not Known	532	200	333	784	1621	3074	2729	12932	119	22324
Only Smoking	0	0	0	2	6	17	10	35	2	72
Only Chewing Tobacco	0	0	3	2	18	66	77	327	0	493

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Chewing Tobacco	0	0	0	0	1	1	1	9	0	12
Only Chewing Arecanut	0	0	0	1	1	7	10	37	1	57
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	3	0	3
Chewing Tobacco and Arecanut	0	0	0	1	0	8	5	27	1	42
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	1	0	1	0	0	2
Only Drinking Alcohol	0	0	0	1	2	2	1	0	0	6
Smoking and Drinking Alcohol	0	0	0	1	4	4	1	6	0	16
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	2	1	3	0	8
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	1	0	0	2
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
All Habits	0	0	0	0	2	0	2	0	0	4
Female Total	532	200	336	793	1660	3181	2839	13379	123	23043
SEX NOT REPORTED										
Habit not Known	11	8	6	12	52	106	72	271	212	750
Only Smoking	0	0	0	2	10	12	5	17	19	65
Only Chewing Tobacco	0	0	0	0	1	4	2	6	2	15
Smoking and Chewing Tobacco	0	0	0	0	0	1	1	1	3	6
Only Chewing Arecanut	0	0	0	0	0	2	0	2	0	4
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	0	1	1
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Only Drinking Alcohol	0	0	0	0	2	0	1	0	4	7
Smoking and Drinking Alcohol	0	0	0	0	5	5	2	4	10	26
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	1	1	1	4
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	0	1	1
All Habits	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	11	8	6	14	70	132	84	304	254	883
ALL										
Habit not Known	1196	479	952	2315	5584	9929	7076	28207	501	56239

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Smoking	0	5	36	204	666	1093	614	1327	38	3983
Only Chewing Tobacco	0	2	3	12	54	144	126	606	3	950
Smoking and Chewing Tobacco	0	0	1	3	25	52	44	176	4	305
Only Chewing Arecanut	0	0	4	7	5	21	13	67	2	119
Smoking and Chewing Arecanut	0	1	0	2	1	3	4	10	1	22
Chewing Tobacco and Arecanut	0	0	0	3	4	12	6	45	1	71
Smoking, Chewing Tobacco and Arecanut	0	0	0	1	3	4	1	13	0	22
Only Drinking Alcohol	0	0	11	53	94	144	57	122	10	491
Smoking and Drinking Alcohol	0	2	29	152	404	489	226	333	19	1654
Chewing Tobacco and Drinking Alcohol	0	0	6	2	23	36	10	57	0	134
Smoking, Chewing Tobacco and Drinking Alcohol	0	1	2	14	38	56	52	88	2	253
Chewing Arecanut and Drinking Alcohol	0	0	2	0	8	2	3	2	0	17
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	2	6	4	9	0	6	0	27
Drinking, Chewing Tobacco and Arecanut	0	0	4	1	4	4	2	6	1	22
All Habits	0	0	7	14	12	17	14	18	2	84
All Total (Heart Attack)	1196	490	1059	2789	6929	12015	8248	31083	584	64393
PNEUMONIA										
MALE										
Habit not Known	136	28	29	75	95	150	94	680	2	1289
Only Smoking	0	0	2	8	27	35	15	42	0	129
Only Chewing Tobacco	0	0	0	0	0	1	1	4	0	6
Smoking and Chewing Tobacco	0	0	1	1	2	2	1	11	0	18
Only Chewing Arecanut	0	0	1	0	0	1	1	0	0	3
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	0	0	1
Only Drinking Alcohol	0	0	1	5	2	0	2	6	0	16
Smoking and Drinking Alcohol	0	1	0	11	22	13	9	9	1	66
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	1	1	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	1	1	5	2	5	0	15

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	2	2	1	0	0	5
Drinking, Chewing Tobacco and Arecanut	0	1	0	0	0	0	0	0	0	1
All Habits	0	0	0	0	2	2	0	0	1	5
Male Total	136	30	35	101	155	213	127	758	4	1559
FEMALE										
Habit not Known	97	26	32	45	69	105	90	532	6	1002
Only Smoking	0	0	0	0	0	0	0	3	0	3
Only Chewing Tobacco	0	0	0	0	0	4	2	13	0	19
Only Chewing Arecanut	0	0	0	0	0	0	0	2	0	2
Chewing Tobacco and Arecanut	0	0	0	0	1	0	0	2	0	3
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Female Total	97	26	32	46	70	109	92	553	6	1031
SEX NOT REPORTED										
Habit not Known	1	0	0	0	0	1	0	9	9	20
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	1	0	0	0	0	1	0	9	10	21
ALL										
Habit not Known	234	54	61	120	164	256	184	1221	17	2311
Only Smoking	0	0	2	8	27	35	15	45	0	132
Only Chewing Tobacco	0	0	0	0	0	5	3	17	0	25
Smoking and Chewing Tobacco	0	0	1	1	2	2	1	11	0	18
Only Chewing Arecanut	0	0	1	0	0	1	1	2	0	5
Chewing Tobacco and Arecanut	0	0	0	0	1	1	0	2	0	4
Only Drinking Alcohol	0	0	1	5	2	0	2	6	0	16
Smoking and Drinking Alcohol	0	1	0	11	22	13	9	10	2	68
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	0	1	1	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	2	1	5	2	5	0	16
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	2	2	1	0	0	5
Drinking, Chewing Tobacco and Arecanut	0	1	0	0	0	0	0	0	0	1
All Habits	0	0	0	0	2	2	0	0	1	5
All Total (Pneumonia)	234	56	67	147	225	323	219	1320	20	2611
ASTHMA										
MALE										
Habit not Known	165	56	69	213	602	1561	1435	8812	83	12996
Only Smoking	0	0	6	36	135	277	221	778	5	1458
Only Chewing Tobacco	0	0	0	2	9	24	29	176	0	240
Smoking and Chewing Tobacco	0	0	0	2	7	14	16	71	0	110
Only Chewing Arecanut	0	0	0	0	1	1	3	15	0	20
Smoking and Chewing Arecanut	0	0	0	0	0	2	0	2	0	4
Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	17	1	19
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	1	1	1	8	0	11
Only Drinking Alcohol	0	0	2	8	19	29	12	36	0	106
Smoking and Drinking Alcohol	0	0	5	28	85	130	69	195	2	514
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	5	7	42	0	56
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	1	10	26	15	53	1	107
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	0	2	0	4
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	2	1	1	0	6
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	1	7	0	9
All Habits	0	2	0	2	2	7	3	9	0	25
Male Total	165	58	83	294	874	2082	1813	10224	92	15685
FEMALE										
Habit not Known	127	45	63	169	384	820	893	9527	105	12133
Only Smoking	0	0	0	1	3	2	6	19	1	32
Only Chewing Tobacco	0	0	1	1	5	22	17	265	2	313
Smoking and Chewing Tobacco	0	0	0	0	0	2	1	2	0	5
Only Chewing Arecanut	0	0	0	0	0	2	2	31	0	35
Chewing Tobacco and Arecanut	0	0	0	0	0	1	2	31	1	35

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	0	0	3	0	3
Smoking and Drinking Alcohol	0	0	0	0	0	0	1	3	0	4
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
All Habits	0	0	0	0	0	0	0	1	0	1
Female Total	127	45	64	171	392	849	923	9883	109	12563
SEX NOT REPORTED										
Habit not Known	3	1	1	5	4	20	32	224	35	325
Only Smoking	0	0	0	1	0	1	1	6	1	10
Only Chewing Tobacco	0	0	0	0	0	0	0	8	0	8
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	3	0	3
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	0	0	2	0	2
Smoking and Drinking Alcohol	0	0	0	0	0	1	0	3	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	3	1	1	6	4	22	33	248	36	354
ALL										
Habit not Known	295	102	133	387	990	2401	2360	18563	223	25454
Only Smoking	0	0	6	38	138	280	228	803	7	1500
Only Chewing Tobacco	0	0	1	3	14	46	46	449	2	561
Smoking and Chewing Tobacco	0	0	0	2	7	16	17	76	0	118
Only Chewing Arecanut	0	0	0	0	1	3	5	47	0	56
Smoking and Chewing Arecanut	0	0	0	0	0	2	0	2	0	4
Chewing Tobacco and Arecanut	0	0	0	0	0	2	2	48	2	54
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	1	1	1	9	0	12
Only Drinking Alcohol	0	0	2	8	19	29	12	41	0	111
Smoking and Drinking Alcohol	0	0	5	28	85	131	70	201	2	522
Chewing Tobacco and Drinking Alcohol	0	0	0	0	2	5	8	42	0	57
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	1	10	26	15	54	1	108

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	2	0	2	0	4
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	2	1	1	0	6
Drinking, Chewing Tobacco and Arecanut	0	0	0	1	0	0	1	7	0	9
All Habits	0	2	0	2	2	7	3	10	0	26
All Total (Asthma)	295	104	148	471	1270	2953	2769	20355	237	28602
JAUNDIS										
MALE										
Habit not Known	14	10	25	55	68	67	40	101	2	382
Only Smoking	0	0	2	6	6	4	7	6	0	31
Only Chewing Tobacco	0	0	1	1	1	1	0	3	1	8
Only Chewing Arecanut	0	0	1	0	0	0	0	0	0	1
Chewing Tobacco and Arecanut	0	1	0	0	0	0	0	1	0	2
Only Drinking Alcohol	0	0	1	2	9	2	0	1	0	15
Smoking and Drinking Alcohol	0	1	1	13	16	12	1	11	0	55
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	2	3	0	0	0	7
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	0	0	0	2
All Habits	0	0	0	3	0	1	0	0	0	4
Male Total	14	12	31	83	103	92	48	123	3	509
FEMALE										
Habit not Known	15	11	16	18	36	48	28	111	0	283
Only Smoking	0	0	0	1	0	5	2	6	1	15
Only Chewing Tobacco	0	0	1	1	1	4	1	5	0	13
Smoking and Chewing Tobacco	0	0	0	0	2	1	0	0	1	4
Only Chewing Arecanut	0	0	0	1	0	0	0	0	0	1
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	0	1	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
Only Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking and Drinking Alcohol	0	0	0	0	0	1	1	1	0	3

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Female Total	15	11	17	21	40	61	33	125	3	326
SEX NOT REPORTED										
Habit not Known	0	0	0	1	0	0	0	1	2	4
Sex Not Reported Total	0	0	0	1	0	0	0	1	2	4
ALL										
Habit not Known	29	21	41	74	104	115	68	213	4	669
Only Smoking	0	0	2	7	6	9	9	12	1	46
Only Chewing Tobacco	0	0	2	2	2	5	1	8	1	21
Smoking and Chewing Tobacco	0	0	0	0	2	1	0	0	1	4
Only Chewing Arecanut	0	0	1	1	0	0	0	0	0	2
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	0	1	1
Chewing Tobacco and Arecanut	0	1	0	0	0	0	1	1	0	3
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
Only Drinking Alcohol	0	0	1	2	10	2	0	1	0	16
Smoking and Drinking Alcohol	0	1	1	13	16	13	2	12	0	58
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	2	0	0	0	2
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	2	2	4	0	0	0	8
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	1	0	0	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
All Habits	0	0	0	3	0	1	0	0	0	4
All Total (Jaundis)	29	23	48	105	143	153	81	249	8	839
LIVER DISEASE										
MALE										
Habit not Known	27	21	43	148	365	520	273	663	10	2070
Only Smoking	0	0	4	13	37	71	22	57	2	206
Only Chewing Tobacco	0	0	0	1	3	3	2	21	0	30
Smoking and Chewing Tobacco	0	0	0	1	2	5	6	16	0	30
Only Chewing Arecanut	0	0	0	0	0	2	0	2	0	4

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	2	0	0	0	2
Only Drinking Alcohol	0	4	5	31	83	93	18	19	0	253
Smoking and Drinking Alcohol	0	0	6	49	102	96	35	34	1	323
Chewing Tobacco and Drinking Alcohol	0	0	0	4	3	7	3	3	0	20
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	3	11	17	4	9	0	45
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	1	0	1	0	3
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	2	2	0	0	0	5
All Habits	0	0	0	1	5	2	2	1	0	11
Male Total	27	25	60	252	614	822	366	828	13	3007
FEMALE										
Habit not Known	18	23	32	53	130	187	150	504	1	1098
Only Smoking	0	0	0	1	1	1	2	5	0	10
Only Chewing Tobacco	0	0	0	0	0	4	7	15	0	26
Smoking and Chewing Tobacco	0	0	0	0	0	0	0	4	0	4
Only Chewing Arecanut	0	0	0	0	0	0	1	1	0	2
Smoking and Chewing Arecanut	0	0	0	0	0	0	1	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	1	0	1	0	0	0	2
Smoking and Drinking Alcohol	0	0	0	0	3	3	1	1	0	8
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	3	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Female Total	18	23	32	55	134	196	163	535	1	1157
SEX NOT REPORTED										
Habit not Known	0	0	1	2	3	2	4	2	3	17
Only Smoking	0	0	0	0	0	1	0	0	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Chewing Tobacco	0	0	0	0	0	0	0	0	2	2
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	0	1	2	3	3	4	2	6	21
ALL										
Habit not Known	45	44	76	203	498	709	427	1169	14	3185
Only Smoking	0	0	4	14	38	73	24	62	2	217
Only Chewing Tobacco	0	0	0	1	3	7	9	36	2	58
Smoking and Chewing Tobacco	0	0	0	1	2	5	6	20	0	34
Only Chewing Arecanut	0	0	0	0	0	2	1	3	0	6
Smoking and Chewing Arecanut	0	0	0	0	0	0	1	0	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	3	0	3
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	2	0	0	0	2
Only Drinking Alcohol	0	4	5	32	83	94	18	19	0	255
Smoking and Drinking Alcohol	0	0	6	49	105	99	36	35	2	332
Chewing Tobacco and Drinking Alcohol	0	0	0	4	3	7	3	3	0	20
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	1	3	11	17	4	12	0	48
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	1	1	0	0	3
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	1	0	1	0	2	0	4
Drinking, Chewing Tobacco and Arecanut	0	0	1	0	2	2	1	0	0	6
All Habits	0	0	0	1	5	2	2	1	0	11
All Total (Liver Disease)	45	48	93	309	751	1021	533	1365	20	4185
ULCER										
MALE										
Habit not Known	5	1	2	8	31	43	28	133	1	252
Only Smoking	0	0	0	4	16	8	6	18	0	52
Only Chewing Tobacco	0	0	0	1	1	0	1	7	0	10
Smoking and Chewing Tobacco	0	0	0	0	1	0	0	0	0	1
Only Drinking Alcohol	0	0	0	0	0	2	0	2	0	4
Smoking and Drinking Alcohol	0	0	0	1	8	9	1	5	0	24

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	3	0	4
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
All Habits	0	0	0	0	1	0	0	1	0	2
Male Total	5	1	2	14	60	63	36	169	1	351
FEMALE										
Habit not Known	3	1	6	9	10	23	14	127	5	198
Only Chewing Tobacco	0	0	0	0	0	0	2	6	0	8
Only Chewing Arecanut	0	0	0	0	0	0	0	3	0	3
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Female Total	3	1	6	9	10	23	16	138	5	211
SEX NOT REPORTED										
Habit not Known	0	0	0	1	0	1	1	2	0	5
Only Smoking	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	0	0	1	0	1	1	2	1	6
ALL										
Habit not Known	8	2	8	18	41	67	43	262	6	455
Only Smoking	0	0	0	4	16	8	6	18	1	53
Only Chewing Tobacco	0	0	0	1	1	0	3	13	0	18
Smoking and Chewing Tobacco	0	0	0	0	1	0	0	0	0	1
Only Chewing Arecanut	0	0	0	0	0	0	0	3	0	3
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	2	0	2	0	4
Smoking and Drinking Alcohol	0	0	0	1	8	9	1	5	0	24
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	4	0	5
Chewing Arecanut and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
All Habits	0	0	0	0	1	0	0	1	0	2
All Total (Ulcer)	8	2	8	24	70	87	53	309	7	568
PARALYSIS										
MALE										
Habit not Known	20	17	36	57	154	414	369	1844	7	2918

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Only Smoking	0	0	1	5	17	47	46	134	1	251
Only Chewing Tobacco	0	0	1	0	2	4	6	50	1	64
Smoking and Chewing Tobacco	0	0	0	0	0	6	3	26	0	35
Only Chewing Arecanut	0	0	0	0	0	2	0	6	0	8
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	3	0	3
Smoking, Chewing Tobacco and Arecanut	0	0	0	3	1	0	0	2	0	6
Only Drinking Alcohol	0	0	0	0	5	4	3	17	0	29
Smoking and Drinking Alcohol	0	0	1	10	16	34	19	38	0	118
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	2	0	15	0	18
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	3	4	14	0	23
Chewing Arecanut and Drinking Alcohol	0	0	1	0	0	0	1	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
All Habits	0	0	0	0	0	2	1	4	0	7
Male Total	20	17	40	76	197	518	452	2156	9	3485
FEMALE										
Habit not Known	11	12	16	44	117	314	343	2857	25	3739
Only Smoking	0	0	0	0	0	1	1	1	0	3
Only Chewing Tobacco	0	0	0	0	3	7	19	99	0	128
Smoking and Chewing Tobacco	0	0	0	0	0	2	0	1	0	3
Only Chewing Arecanut	0	0	0	0	0	0	2	13	0	15
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	7	0	7
Smoking and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	0	0	1
Female Total	11	12	16	44	121	324	366	2978	25	3897
SEX NOT REPORTED										
Habit not Known	2	0	0	0	5	10	12	89	9	127
Only Smoking	0	0	0	0	0	0	0	0	2	2
Only Chewing Tobacco	0	0	0	0	0	0	0	4	0	4
Only Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Only Drinking Alcohol	0	0	0	0	0	0	0	1	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	2	0	0	0	5	11	12	95	12	137
ALL										
Habit not Known	33	29	52	101	276	738	724	4790	41	6784
Only Smoking	0	0	1	5	17	48	47	135	3	256
Only Chewing Tobacco	0	0	1	0	5	11	25	153	1	196
Smoking and Chewing Tobacco	0	0	0	0	0	8	3	27	0	38
Only Chewing Arecanut	0	0	0	0	0	2	2	20	0	24
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	10	0	10
Smoking, Chewing Tobacco and Arecanut	0	0	0	3	1	0	0	2	0	6
Only Drinking Alcohol	0	0	0	0	5	4	3	18	0	30
Smoking and Drinking Alcohol	0	0	1	10	17	35	19	38	0	120
Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	2	0	15	1	19
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	3	4	14	0	23
Chewing Arecanut and Drinking Alcohol	0	0	1	0	0	0	1	0	0	2
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	1	2	0	3
All Habits	0	0	0	0	0	2	1	4	0	7
All Total (Paralysis)	33	29	56	120	323	853	830	5229	46	7519
ACCIDENT(TRAFFIC/VEHICLES)										
MALE										
Habit not Known	78	420	533	429	344	294	106	227	11	2442
Only Smoking	0	1	12	10	15	21	7	10	0	76
Only Chewing Tobacco	0	0	2	1	3	2	0	3	0	11
Smoking and Chewing Tobacco	0	0	0	1	0	1	0	3	0	5
Only Drinking Alcohol	0	3	6	10	16	4	1	1	0	41
Smoking and Drinking Alcohol	0	0	7	10	8	11	0	4	0	40
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	1	2	0	4

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	2	0	0	0	0	0	0	2
Male Total	78	424	562	461	386	335	115	250	11	2622
FEMALE										
Habit not Known	47	34	41	60	61	68	44	85	3	443
Only Chewing Tobacco	0	0	0	0	0	0	1	1	0	2
Only Drinking Alcohol	0	0	0	1	0	0	0	0	0	1
Female Total	47	34	41	61	61	68	45	86	3	446
SEX NOT REPORTED										
Habit not Known	1	6	4	5	6	7	2	3	1	35
Only Chewing Tobacco	0	0	0	0	0	0	0	1	1	2
Sex Not Reported Total	1	6	4	5	6	7	2	4	2	37
ALL										
Habit not Known	126	460	578	494	411	369	152	315	15	2920
Only Smoking	0	1	12	10	15	21	7	10	0	76
Only Chewing Tobacco	0	0	2	1	3	2	1	5	1	15
Smoking and Chewing Tobacco	0	0	0	1	0	1	0	3	0	5
Only Drinking Alcohol	0	3	6	11	16	4	1	1	0	42
Smoking and Drinking Alcohol	0	0	7	10	8	11	0	4	0	40
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	1	2	0	4
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
All Habits	0	0	2	0	0	0	0	0	0	2
All Total (Accident (Traffic/Vehicles))	126	464	607	527	453	410	162	340	16	3105
SUICIDE										
MALE										
Habit not Known	22	294	476	653	624	426	154	278	17	2944
Only Smoking	0	9	25	38	50	48	14	12	3	199
Only Chewing Tobacco	0	1	1	1	3	4	1	7	0	18
Smoking and Chewing Tobacco	0	0	0	3	7	1	0	3	0	14
Only Chewing Arecanut	0	1	0	1	1	1	0	1	0	5
Smoking and Chewing Arecanut	0	0	1	2	0	0	0	0	0	3
Chewing Tobacco and Arecanut	0	1	1	0	1	0	0	0	0	3
Only Drinking Alcohol	0	17	78	107	111	69	16	15	4	417
Smoking and Drinking Alcohol	0	8	50	112	125	84	14	13	1	407

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Chewing Tobacco and Drinking Alcohol	0	0	4	3	1	3	1	2	0	14
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	3	7	6	11	2	3	1	33
Chewing Arecanut and Drinking Alcohol	0	2	4	5	0	1	0	1	0	13
Smoking, Chewing Arecanut and Drinking Alcohol	0	3	5	1	1	0	1	0	0	11
Drinking, Chewing Tobacco and Arecanut	0	0	0	2	3	2	0	0	0	7
All Habits	0	2	11	3	4	3	0	0	0	23
Male Total	22	338	659	938	937	653	203	335	26	4111
FEMALE										
Habit not Known	25	296	240	201	187	158	78	134	13	1332
Only Smoking	0	0	0	1	0	2	0	2	0	5
Only Chewing Tobacco	0	0	0	1	0	1	0	3	0	5
Only Chewing Arecanut	0	0	0	0	2	0	0	1	0	3
Only Drinking Alcohol	0	0	0	2	1	0	0	1	0	4
Smoking and Drinking Alcohol	0	0	0	0	0	0	2	0	1	3
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Female Total	25	296	240	205	190	162	80	141	14	1353
SEX NOT REPORTED										
Habit not Known	0	13	19	13	13	10	6	4	7	85
Only Smoking	0	0	0	3	0	0	0	0	1	4
Only Drinking Alcohol	0	1	0	1	4	0	0	1	0	7
Smoking and Drinking Alcohol	0	2	0	2	1	1	0	1	1	8
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	0	1	0	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	1	0	0	1
All Habits	0	0	0	0	0	0	0	0	1	1
Sex Not Reported Total	0	16	19	19	19	11	7	6	10	107
ALL										
Habit not Known	47	603	735	867	824	594	238	416	37	4361
Only Smoking	0	9	25	42	50	50	14	14	4	208
Only Chewing Tobacco	0	1	1	2	3	5	1	10	0	23
Smoking and Chewing Tobacco	0	0	0	3	7	1	0	3	0	14
Only Chewing Arecanut	0	1	0	1	3	1	0	2	0	8

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking and Chewing Arecanut	0	0	1	2	0	0	0	0	0	3
Chewing Tobacco and Arecanut	0	1	1	0	1	0	0	0	0	3
Only Drinking Alcohol	0	18	78	110	116	69	16	17	4	428
Smoking and Drinking Alcohol	0	10	50	114	126	85	16	14	3	418
Chewing Tobacco and Drinking Alcohol	0	0	4	3	1	3	1	2	0	14
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	3	7	7	12	2	3	1	35
Chewing Arecanut and Drinking Alcohol	0	2	4	5	0	1	0	1	0	13
Smoking, Chewing Arecanut and Drinking Alcohol	0	3	5	1	1	0	2	0	0	12
Drinking, Chewing Tobacco and Arecanut	0	0	0	2	3	2	0	0	0	7
All Habits	0	2	11	3	4	3	0	0	1	24
All Total (Suicide)	47	650	918	1162	1146	826	290	482	50	5571
BLOOD PRESSURE										
MALE										
Habit not Known	20	10	21	52	154	361	299	1608	27	2552
Only Smoking	0	0	1	7	24	55	30	133	1	251
Only Chewing Tobacco	0	0	0	0	0	6	6	41	0	53
Smoking and Chewing Tobacco	0	0	0	1	1	3	3	20	0	28
Only Chewing Arecanut	0	0	0	0	0	0	1	2	0	3
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	1	0	1
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Only Drinking Alcohol	0	0	1	2	6	6	4	16	0	35
Smoking and Drinking Alcohol	0	0	0	7	25	26	12	37	1	108
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	3	3	11	0	17
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	5	1	10	0	18
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	0	0	1
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
All Habits	0	0	0	0	0	2	1	0	0	3
Male Total	20	10	23	70	211	469	360	1884	29	3076
FEMALE										
Habit not Known	16	11	20	38	120	346	393	2609	29	3582
Only Smoking	0	0	0	0	2	1	0	8	0	11
Only Chewing Tobacco	0	0	0	1	1	13	15	110	0	140
Only Chewing Arecanut	0	0	0	0	0	1	2	8	0	11
Chewing Tobacco and Arecanut	0	0	0	0	0	3	1	9	0	13
Only Drinking Alcohol	0	0	0	0	0	1	0	1	0	2
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Female Total	16	11	20	39	123	365	411	2746	29	3760
SEX NOT REPORTED										
Habit not Known	1	1	0	0	1	15	10	56	5	89
Only Smoking	0	0	0	0	0	1	0	1	0	2
Only Chewing Tobacco	0	0	0	0	0	0	0	2	0	2
Smoking and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Sex Not Reported Total	1	1	0	0	1	16	10	60	5	94
ALL										
Habit not Known	37	22	41	90	275	722	702	4273	61	6223
Only Smoking	0	0	1	7	26	57	30	142	1	264
Only Chewing Tobacco	0	0	0	1	1	19	21	153	0	195
Smoking and Chewing Tobacco	0	0	0	1	1	3	3	20	0	28
Only Chewing Arecanut	0	0	0	0	0	1	3	10	0	14
Smoking and Chewing Arecanut	0	0	0	0	0	0	0	1	0	1
Chewing Tobacco and Arecanut	0	0	0	0	0	3	1	10	0	14
Smoking, Chewing Tobacco and Arecanut	0	0	0	0	0	0	0	2	0	2
Only Drinking Alcohol	0	0	1	2	6	7	4	17	0	37
Smoking and Drinking Alcohol	0	0	0	7	25	26	12	38	1	109
Chewing Tobacco and Drinking Alcohol	0	0	0	0	0	3	3	11	0	17
Smoking, Chewing Tobacco and Drinking Alcohol	0	0	0	1	1	5	1	10	0	18
Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	1	0	1	0	2

Selected Cause of Death/Sex/Habit	Age group									Total
	below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and above	Not Stated	
Smoking, Chewing Arecanut and Drinking Alcohol	0	0	0	0	0	0	0	1	0	1
Drinking, Chewing Tobacco and Arecanut	0	0	0	0	0	1	0	1	0	2
All Habits	0	0	0	0	0	2	1	0	0	3
All Total (Blood Pressure)	37	22	43	109	335	850	781	4690	63	6930

TABLE - S1
Still Birth by Place of Occurrence in District (Rural & Urban)

Sl.No	District	Rural / Urban	Still births by place of occurrence				Place of Residence of Mother				
			Male	Female	Not Reported	Total	Within the area	Outside the area	Place of residence outside the state	NR	Total
1	Kasaragod	Rural	13	8	1	22	18	4	0	0	22
		Urban	68	40	5	113	97	9	7	0	113
		Total	81	48	6	135	115	13	7	0	135
2	Kannur	Rural	54	46	5	105	96	9	0	0	105
		Urban	115	110	1	226	158	68	0	0	226
		Total	169	156	6	331	254	77	0	0	331
3	Wayanad	Rural	54	48	0	102	93	8	1	0	102
		Urban	9	8	0	17	17	0	0	0	17
		Total	63	56	0	119	110	8	1	0	119
4	Kozhikkode	Rural	24	16	0	40	14	26	0	0	40
		Urban	253	221	10	484	221	262	1	0	484
		Total	277	237	10	524	235	288	1	0	524
5	Malappuram	Rural	100	84	1	185	169	16	0	0	185
		Urban	120	106	1	227	169	54	4	0	227
		Total	220	190	2	412	338	70	4	0	412
6	Palakkad	Rural	52	45	0	97	84	12	1	0	97
		Urban	42	41	0	83	55	28	0	0	83
		Total	94	86	0	180	139	40	1	0	180
7	Thrissur	Rural	68	71	4	143	112	31	0	0	143
		Urban	77	62	3	142	131	9	2	0	142
		Total	145	133	7	285	243	40	2	0	285
8	Ernakulam	Rural	53	52	2	107	67	39	1	0	107
		Urban	115	93	0	208	152	56	0	0	208
		Total	168	145	2	315	219	95	1	0	315

Sl.No	District	Rural / Urban	Still births by place of occurrence				Place of Residence of Mother				
			Male	Female	Not Reported	Total	Within the area	Outside the area	Place of residence outside the state	NR	Total
9	Idukki	Rural	6	10	0	16	7	9	0	0	16
		Urban	2	2	0	4	1	3	0	0	4
		Total	8	12	0	20	8	12	0	0	20
10	Kottayam	Rural	102	93	2	197	133	64	0	0	197
		Urban	12	14	0	26	21	5	0	0	26
		Total	114	107	2	223	154	69	0	0	223
11	Alappuzha	Rural	6	8	0	14	14	0	0	0	14
		Urban	78	61	0	139	88	51	0	0	139
		Total	84	69	0	153	102	51	0	0	153
12	Pathanamthitta	Rural	10	10	0	20	16	4	0	0	20
		Urban	21	19	0	40	35	4	1	0	40
		Total	31	29	0	60	51	8	1	0	60
13	Kollam	Rural	26	22	0	48	23	25	0	0	48
		Urban	29	24	0	53	29	23	1	0	53
		Total	55	46	0	101	52	48	1	0	101
14	Thiruvananthapuram	Rural	13	14	0	27	21	5	1	0	27
		Urban	255	173	5	433	273	159	1	0	433
		Total	268	187	5	460	294	164	2	0	460
State		Rural	581	527	15	1123	867	252	4	0	1123
		Urban	1196	974	25	2195	1447	731	17	0	2195
		Total	1777	1501	40	3318	2314	983	21	0	3318

TABLE - S 2

Still Births by Place of Residence in Districts (Rural & Urban)

SI No	Districts	Rural/ Urban	Still Births by Place of Residence of Mother				Place of Occurrence of Still Births			
			Male	Female	Not Reported	Total	Within the State	Outside the State	Not Reported	Total
1	Kasaragod	Rural	19	13	1	33	18	15	0	33
		Urban	57	35	5	97	97	0	0	97
		Total	76	48	6	130	115	15	0	130
2	Kannur	Rural	80	76	5	161	96	65	0	161
		Urban	91	69	1	161	158	3	0	161
		Total	171	145	6	322	254	68	0	322
3	Wayanad	Rural	65	52	0	117	93	24	0	117
		Urban	10	10	0	20	17	3	0	20
		Total	75	62	0	137	110	27	0	137
4	Kozhikkode	Rural	106	89	3	198	14	184	0	198
		Urban	118	105	4	227	221	6	0	227
		Total	224	194	7	425	235	190	0	425
5	Malappuram	Rural	162	143	4	309	169	140	0	309
		Urban	93	85	1	179	169	10	0	179
		Total	255	228	5	488	338	150	0	488
6	Palakkad	Rural	64	65	0	129	84	45	0	129
		Urban	33	26	0	59	55	4	0	59
		Total	97	91	0	188	139	49	0	188
7	Thrissur	Rural	71	75	4	150	112	38	0	150
		Urban	73	56	3	132	131	1	0	132
		Total	144	131	7	282	243	39	0	282
8	Ernakulam	Rural	74	67	2	143	67	76	0	143
		Urban	85	74	0	159	152	7	0	159
		Total	159	141	2	302	219	83	0	302

SI No	Districts	Rural/ Urban	Still Births by Place of Residence of Mother				Place of Occurrence of Still Births			
			Male	Female	Not Reported	Total	Within the State	Outside the State	Not Reported	Total
9	Idukki	Rural	15	13	0	28	7	21	0	28
		Urban	1	0	0	1	1	0	0	1
		Total	16	13	0	29	8	21	0	29
10	Kottayam	Rural	88	89	2	179	133	46	0	179
		Urban	13	12	0	25	21	4	0	25
		Total	101	101	2	204	154	50	0	204
11	Alappuzha	Rural	34	30	0	64	14	50	0	64
		Urban	58	42	0	100	88	12	0	100
		Total	92	72	0	164	102	62	0	164
12	Pathanamthitta	Rural	17	14	0	31	16	15	0	31
		Urban	22	18	0	40	35	5	0	40
		Total	39	32	0	71	51	20	0	71
13	Kollam	Rural	67	47	1	115	23	92	0	115
		Urban	15	21	0	36	29	7	0	36
		Total	82	68	1	151	52	99	0	151
14	Thiruvananthapuram	Rural	72	51	0	123	21	102	0	123
		Urban	165	112	4	281	273	8	0	281
		Total	237	163	4	404	294	110	0	404
State		Rural	934	824	22	1780	867	913	0	1780
		Urban	834	665	18	1517	1447	70	0	1517
Other States			9	12	0	21	0	21	0	21
State Total			1777	1501	40	3318	2314	1004	0	3318

TABLE - S 3
Still Births by Sex and Age of Mother (Rural & Urban)

Sl No	Age of Mother	Still Births											
		Rural				Urban				Total			
		Male	Female	Not Reported	Total	Male	Female	Not Reported	Total	Male	Female	Not Reported	Total
1	Below 15	0	0	0	0	1	1	0	2	1	1	0	2
2	15-19	27	41	0	68	60	69	1	130	87	110	1	198
3	20-24	189	175	5	369	394	316	14	724	583	491	19	1093
4	25-29	201	177	3	381	409	330	5	744	610	507	8	1125
5	30-34	110	81	6	197	159	142	3	304	269	223	9	501
6	35-39	31	31	1	63	78	50	0	128	109	81	1	191
7	40-44	1	5	0	6	8	5	0	13	9	10	0	19
8	45 & above	1	0	0	1	0	0	0	0	1	0	0	1
9	Age Not Stated	21	17	0	38	87	61	2	150	108	78	2	188
	Total	581	527	15	1123	1196	974	25	2195	1777	1501	40	3318

TABLE - S 4
Still Births by Sex and Duration of Pregnancy (Rural & Urban)

Sl No	Duration of Oregnancy (in weeks)	Still Births											
		Rural Area				Urban Area				Total			
		Male	Female	Not Reported	Total	Male	Female	Not Reported	Total	Male	Female	Not Reported	Total
1	< 32	163	197	9	369	396	374	13	783	559	571	22	1152
2	32-36	142	113	4	259	295	225	4	524	437	338	8	783
3	37-39	177	129	1	307	328	248	5	581	505	377	6	888
4	40	45	36	0	81	78	63	3	144	123	99	3	225
5	41	40	33	1	74	85	59	0	144	125	92	1	218
6	Not stated	14	19	0	33	14	5	0	19	28	24	0	52
	Total	581	527	15	1123	1196	974	25	2195	1777	1501	40	3318

TABLE - S 5

Still Birth by Sex and Type of Medical Attention Received at Delivery (Rural & Urban)

Rural/Urban		Type of Attention at Delivery						Total
		Institutional		Doctor, Nurse and trained Midwife	Traditional Birth Attendant	Relatives and Others	Not Stated	
		Government	Private and Non- Government					
1	RURAL	515	507	77		1	23	1123
	URBAN							
(1) Towns with population one lakh and above								
1	Alappuzha (M)	79	29	6			1	115
2	Kochi (C)	74	42	1				117
3	Kollam (C)	33	7					40
4	Kozhikkode (C)	369	95	12				476
5	Palakkad (M)	15	10	1				26
6	Thalasserry (M)	41	32	5				78
7	Thiruvananthapuram (C)	293	108	16			1	418
8	Thrissur (C)	57	33	14			1	105
	Total (1)	961	356	55	0	0	3	1375
(2) All other urban areas								
1	Adoor (M)	2	2	1				5
2	Aluva (M)	3	7	1				11
3	Angamaly (M)	4	3	2				9
4	Attingal (M)	2	1					3
5	Chalakkudy (M)	7	7	2				16
6	Changanasserry (M)		1					1
7	Chavakkad (M)	2	3					5
8	Chengannur (M)		2					2
9	Cherthala (M)		6					6
10	Chittoor-Thathamangalam (M)	1	1					2
11	Iringalakuda (M)	1		2				3
12	Kalamasserry (M)	11	2					13
13	Kalpetta (M)	5	5	7				17
14	Kanjhagad (M)	21	3					24
15	Kannur (M)	11	8	1				20
16	Kannur Cantonment (M)	24	7	2		1	3	37
17	Kasargod (M)	59	28	2				89
18	Kayamkulam (M)	5	8					13
19	Kodungallur (M)	4	4					8
20	Kothamangalam (M)	5	17	1			2	25
21	Kottayam (M)	1	8					9
22	Kunnamkulam (M)	3	2					5
23	Kuthuparamba (M)	5	4					9

Rural/Urban		Type of Attention at Delivery						Total
		Institutional		Doctor, Nurse and trained Midwife	Traditional Birth Attendant	Relatives and Others	Not Stated	
		Government	Private and Non- Government					
24	Malappuram (M)	10	44					54
25	Manjeri (M)	61	24	1				86
26	Mattannur (M)	1						1
27	Mavelikkara (M)	1	2					3
28	Moovattupuzha (M)	3	3					6
29	Nedumangad (M)	2	6					8
30	Neyyattinkara (M)	2						2
31	North Paravur (M)	2	7	3				12
32	Ottappalam (M)	18	33	1				52
33	Pala (M)	5	7	3				15
34	Pathanamthitta (M)	2	5					7
35	Payyannur (M)	26	10	1				37
36	Perinthalmanna (M)	13	13				1	27
37	Perumbavoor (M)	1	8					9
38	Ponnani (M)	10	5	3			1	19
39	Punalur (M)	6	7					13
40	Shornnur (M)	1	1				1	3
41	Thaliparamba (M)	21	22	1				44
42	Thiruvalla (M)	17	8	1	2			28
43	Thodupuzha (M)	1	3					4
44	Thrippunithura (M)	5	1					6
45	Tirur (M)	21	15	5				41
46	Vadakara (M)	3	4	1				8
47	Vaikom (M)	1						1
48	Varkala (M)		2					2
	Total (2)	409	359	41	2	1	8	820
	Urban Total (1+2)	1370	715	96	2	1	11	2195
	State Total (Rural & Urban)	1885	1222	173	2	2	34	3318

TABLE - S 6

Still Births by Cause of Still Birth and Age of Mother (Rural & Urban)

Cause of Still Births	Age of Mother									Total
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Not Stated	
All Areas										
Cholera	0	0	1	1	0	1	0	0	0	3
Typhoid	0	0	1	1	0	0	0	0	0	2
Food Poisoning	0	0	0	1	0	0	0	0	0	1
Dysentery	0	0	1	2	0	0	0	0	0	3
Leprosy	0	0	0	1	1	0	0	0	0	2
Whooping cough	0	0	0	0	1	0	0	0	0	1
Tetanus	0	2	3	2	1	0	0	0	0	8
Diabetes	0	0	2	0	1	1	0	0	0	4
Anaemia's	0	1	2	3	1	0	0	0	0	7
Heart Attack	0	0	5	4	2	0	0	0	0	11
Pneumonia	0	0	1	2	3	1	0	0	0	7
Influenza	0	0	0	0	0	1	0	0	0	1
Asthma	0	0	3	0	0	0	0	0	0	3
Jaundis	0	0	1	0	0	0	0	0	0	1
Liver Disease	0	0	2	2	0	0	0	0	0	4
Ulcer	0	0	1	0	0	0	0	0	0	1
Abortion	0	0	4	4	4	0	0	0	2	14
Complication in Pregnancy, Child birth	0	13	50	70	19	8	0	0	4	164
Birth injuries	0	2	17	15	6	5	0	0	2	47
Others	0	59	336	392	192	69	6	1	40	1095
Venomous Animals Bites/	0	0	0	0	0	1	0	0	0	1
Poisoning	0	0	1	4	0	0	0	0	0	5
Other Accidents	0	0	3	2	0	1	0	0	0	6
Homicide	0	0	1	1	1	0	0	0	0	3
Premature	0	6	27	46	22	9	0	0	2	112
Blood Pressure	0	0	2	7	1	0	0	0	0	10
Kidney Trouble	0	0	0	0	0	1	0	0	0	1
Not Stated	2	115	629	565	246	93	13	0	138	1801
All Total	2	198	1093	1125	501	191	19	1	188	3318
Rural Areas										
Cholera	0	0	0	1	0	0	0	0	0	1
Typhoid	0	0	1	0	0	0	0	0	0	1
Leprosy	0	0	0	1	0	0	0	0	0	1
Whooping cough	0	0	0	0	1	0	0	0	0	1
Tetanus	0	1	0	0	0	0	0	0	0	1
Diabetes	0	0	1	0	1	0	0	0	0	2
Anaemia's	0	1	2	3	1	0	0	0	0	7
Heart Attack	0	0	3	0	2	0	0	0	0	5
Pneumonia	0	0	1	2	3	1	0	0	0	7

Cause of Still Births	Age of Mother									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Not Stated	Total
Influenza	0	0	0	0	0	1	0	0	0	1
Jaundis	0	0	1	0	0	0	0	0	0	1
Liver Disease	0	0	1	2	0	0	0	0	0	3
Ulcer	0	0	1	0	0	0	0	0	0	1
Abortion	0	0	3	1	1	0	0	0	0	5
Complication in Pregnancy, Child birth	0	3	18	25	9	1	0	0	2	58
Birth injuries	0	0	8	5	3	4	0	0	0	20
Others	0	26	120	156	72	22	2	1	16	415
Venomous Animals Bites/	0	0	0	0	0	1	0	0	0	1
Poisoning	0	0	1	0	0	0	0	0	0	1
Other Accidents	0	0	3	1	0	1	0	0	0	5
Homicide	0	0	1	0	1	0	0	0	0	2
Premature	0	2	10	20	5	4	0	0	0	41
Blood Pressure	0	0	0	3	1	0	0	0	0	4
Kidney Trouble	0	0	0	0	0	1	0	0	0	1
Not Stated	0	35	194	161	97	27	4	0	20	538
Rural Total	0	68	369	381	197	63	6	1	38	1123
Urban Areas										
Cholera	0	0	1	0	0	1	0	0	0	2
Typhoid	0	0	0	1	0	0	0	0	0	1
Food Poisoning	0	0	0	1	0	0	0	0	0	1
Dysentery	0	0	1	2	0	0	0	0	0	3
Leprosy	0	0	0	0	1	0	0	0	0	1
Tetanus	0	1	3	2	1	0	0	0	0	7
Diabetes	0	0	1	0	0	1	0	0	0	2
Heart Attack	0	0	2	4	0	0	0	0	0	6
Asthma	0	0	3	0	0	0	0	0	0	3
Liver Disease	0	0	1	0	0	0	0	0	0	1
Abortion	0	0	1	3	3	0	0	0	2	9
Complication in Pregnancy, Child birth	0	10	32	45	10	7	0	0	2	106
Birth injuries	0	2	9	10	3	1	0	0	2	27
Others	0	33	216	236	120	47	4	0	24	680
Poisoning	0	0	0	4	0	0	0	0	0	4
Other Accidents	0	0	0	1	0	0	0	0	0	1
Homicide	0	0	0	1	0	0	0	0	0	1
Premature	0	4	17	26	17	5	0	0	2	71
Blood Pressure	0	0	2	4	0	0	0	0	0	6
Not Stated	2	80	435	404	149	66	9	0	118	1263
Urban Total	2	130	724	744	304	128	13	0	150	2195

TABLE - S 7

Still Birth by Cause of Still Births and Age of the Mother (Rural & Urban)

Duration of pregnancy (in weeks)	Age of Mother									
	Below 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Above	Not Stated	Total
All Areas										
< 32	0	68	364	359	174	59	6	0	122	1152
32-36	0	45	279	267	128	45	5	0	14	783
37-39	2	52	278	352	121	48	6	1	28	888
40	0	19	77	72	31	16	1	0	9	225
41	0	13	76	65	39	19	1	0	5	218
Not stated	0	1	19	10	8	4	0	0	10	52
All Total	2	198	1093	1125	501	191	19	1	188	3318
Rural Areas										
< 32	0	22	129	115	70	22	4	0	7	369
32-36	0	19	84	91	45	14	1	0	5	259
37-39	0	16	102	116	43	16	1	1	12	307
40	0	5	20	30	14	7	0	0	5	81
41	0	5	26	21	18	3	0	0	1	74
Not stated	0	1	8	8	7	1	0	0	8	33
Rural Total	0	68	369	381	197	63	6	1	38	1123
Urban Areas										
< 32	0	46	235	244	104	37	2	0	115	783
32-36	0	26	195	176	83	31	4	0	9	524
37-39	2	36	176	236	78	32	5	0	16	581
40	0	14	57	42	17	9	1	0	4	144
41	0	8	50	44	21	16	1	0	4	144
Not stated	0	0	11	2	1	3	0	0	2	19
Urban Total	2	130	724	744	304	128	13	0	150	2195